Use of Drains for Passive Control of Flow Through a Permeable Reactive Barrier.

By

Neil McLean

A thesis Presented to the University of Waterloo In fulfillment of the Thesis requirement for the degree of Master of Science In Earth Sciences

Waterloo, Ontario, Canada, 2007 © Neil Ross McLean, 2007 I hereby declare that I am the sole author of this thesis. This is a true copy of the thesis, including any required final revisions, as accepted by my examiners.

I understand that my thesis may be made electronically available to the public.

Neil Ross McLean

#### Abstract

Permeable reactive barrier technology is a cost effective means of treating near surface groundwater contaminant plumes. However, current reactive barrier technology lacks the capacity to manipulate flow rates and thus hydraulic retention time (HRT) within the barriers in order to maximize the effectiveness and longevity of the media. This study examines the effectiveness of tile drains as passive controls on the flow rate of groundwater through an existing wood particle media permeable reactive barrier treating agricultural nitrate. The use of upgradient and downgradient tile drains allowed HRT to be increased from 4.5 to 10 days in one trial and then to be decreased from 11.1 to 0.8 days in a second trial. Influent groundwater NO<sub>3</sub>-N concentrations of ~100 mg/L were attenuated to detection limit (0.02 mg/L) only 12% of the 4 m long barrier with HRTs of 4.5 to 10 days. During the second trial, HRT was decreased to 0.8 days and NO<sub>3</sub>-N penetrated to the downgradient edge of the PRB at 1.8 mg/L. The behaviour of  $SO_4$  in the PRB was also affected by flow rate.  $SO_4$  entered the PRB at 60 to 71 mg/L during the first trial. Under a HRT of 10 days it was depleted to detection limit after traveling through only 13% of the barrier. When HRT was decreased to 4.5 days, SO<sub>4</sub> was able to penetrate the downgradient edge of the PRB at concentrations from 4 to 6 mg/L. With a 0.8 day HRT SO<sub>4</sub> reduction was highly restricted as calculations showed 90% of available carbon in the PRB was being used to reduce  $NO_3$ -N, compared to 7.5% being used for  $SO_4$  reduction at that time. In comparison, at the 10 day HRT, 61% of carbon being used for NO<sub>3</sub>-N reduction, 8.7% for SO<sub>4</sub> reduction, 0.7 for dissolved oxygen and 29% was lost through DOC leaching. These calculations suggest that barrier efficiency can be greatly enhanced by manipulation of HRT through use of tile drains.

Acknowledgements:

I would like to thank my wife Christine McLean for her endless support.

I would also like to express sincere thanks to my supervisor Dr. William D. Robertson. His knowledge, guidance and friendship were invaluable. In addition, I would also like to thank Dr. E. Reardon, Dr. S. Schiff and Dr. D. Lee for their suggestions and recommendations.

Laboratory analysis support provided by: Richard J. Elgood at the University of Waterloo, Laura Groza at the University of Waterloo, Dave Snider at the University of Waterloo, Alex MacLean at Wilfred Laurier University, Nick Schrier and Clare Burr from Laboratory Service at the University of Guelph and Christine Gripton of Maxxam Analytical Services.

Field support was provided by Bob Ingleton and Paul Johnson.

The following peers also played a significant role in discussing and helping this project along: Diane Austin, Krista Chomicki, Tom Finlay, Michelle Fraser, Jordi Helsen, Ryan Kroeker, Simon Thuss, Marlin Remple and Mark Waldick.

## Table of Contents 1.0 Introduction

| 1.1 The Problem                     | 1 |
|-------------------------------------|---|
| 1.2 Previous work                   | 4 |
| 1.3 The Zorra site reactive barrier | 5 |
| 1.4 Research Objectives             | 6 |

# 2.0 Zorra site enhanced flow rate experiment

| 2.1 Methods    |  | 8  |
|----------------|--|----|
| 2.1.1          | Reactor and Drainage Tile Design           | 8  |
| 2.1.2          | Monitoring Network                         | 9  |
| 2.1.3          | •  | 11 |
| 2.1.4          | Flow Rate Manipulation                     | 12 |
| 2.1.5          | Borehole Dilution Tests                    | 13 |
| 2.1.6          | Tracer Tests                               | 13 |
| 2.1.7          | Electromagnetic Flowmeter Tests            | 14 |
| 2.1.8          | Reaction Rate Calculations                 | 14 |
| 2.1.9          | Geochemical Modeling                       | 15 |
| 2.1.10         | Anion Normalization                        | 15 |
| 2.2 Results    |  | 16 |
| 2.2.1          | August Event                               | 16 |
|                | 2.2.1.1 Hydraulic Response                 | 16 |
|                | 2.2.1.2 Anion Behaviour                    | 17 |
|                | 2.2.1.3 Trace Metal and Cation Behaviour   | 18 |
|                | 2.2.1.4 Eh and pH Behaviour                | 18 |
| 2.2.2 1        | November Event                             | 19 |
|                | 2.2.2.1 Hydraulic Response                 | 19 |
|                | 2.2.2.2 Anion Behaviour                    | 19 |
|                | 2.2.2.3 Trace Metal and Cation Behaviour   | 21 |
|                | 2.2.2.4 Eh and pH Behaviour                | 21 |
| -              | Mineral Precipitation in the Zorra Barrier | 22 |
|                | arance in Upgradient Tile                  | 23 |
| 2.5 Discussion |  | 24 |
| 2.5.1          | Flow Rate Manipulation                     | 24 |
| 2.5.2          | NO <sub>3</sub> Response                   | 25 |
| 2.5.3          |  | 27 |
| 2.5.4          | 1  | 29 |
| 2.5.5          |  | 31 |
| 2.5.6          |  | 31 |
| 2.5.7          | 1  | 32 |
| 2.5.8          | Effect of Carbon Compound Variety on       |    |
|                | Reaction Rates                             | 34 |

## **3.0 Longevity of Wood Particle Barriers Treating Groundwater Nitrate**

| 3.1 Introduction           | 35 |
|----------------------------|----|
| 3.2 Barriers               | 35 |
| 3.3 Results and Discussion | 36 |
| 3.4 Conclusions            | 37 |

## 4.0 Summary and Conclusions

| 4.1 Conclusions  | 38  |
|--|-----|
| 4.1.1 Zorra site experiment  | 38  |
| 4.1.2 Barrier longevity  | 39  |
| 4.2 Further Research   |     |
|  |     |
| Appendix A: Flow rates within the tile lines and barrier.                      |     |
| Appendix B: Detailed geochemistry along the Zorra barrier principal flow path, |     |
| November 28, 2004 to November 29, 2006.  | 97  |
| Appendix C: Water level measurements, Zorra site, June 2005-May 2007.          | 123 |

| List of Tables |  | Page |
|----------------|--|------|
| Table 1.       | Geochemistry along PRB detailed monitoring transect prior to<br>August Event used for flow path determination (down gradient<br>tile line open). | 46   |
| Table 2.       | August and November event flowrate measurements.   | 47   |
| Table 3.       | Geochemistry used for upgradient tile.   | 48   |
| Table 4.       | Geochemical data used for normalization procedures.  | 49   |
| Table 5.       | Reaction rates of NO <sub>3</sub> -N and SO <sub>4</sub> for August and November events.   | 50   |
| Table 6.       | PRB Carbon consumption during varying flow rates.  | 51   |

| List of Figures  | Page |
|--|------|
| Figure 1. Conceptual diagram of a permeable reactive barrier.  | 53   |
| Figure 2. Examples of PRBs with non-optimal flow rates.  | 54   |
| Figure 3. AECL's <sup>90</sup> Sr sorbing Wall-and-Curtain.  | 55   |
| Figure 4. Site sketch of Zorra Site.   | 56   |
| Figure 5. NO <sub>3</sub> distribution along Zorra reactive barrier transect, 4 months after layer installation (from Robertson et al., 2007).   | 57   |
| Figure 6. Sketch of Zorra PRBs showing up and down gradient tile lines and valve locations.  | 58   |
| Figure 7. Monitoring network transect through Zorra reactive barrier showing principle monitoring points used in this study, and piezometer bundles installed in a previous study (Robertson et al, 2007). | 59   |
| Figure 8. Concentration of Cl <sup>-</sup> along Zorra barrier transect 0.9 and 2.3 years after installation.  | 60   |
| Figure 9. Numerical simulation of groundwater streamlines associated with Zorra PRB, from (Robertson et al., 2007).  | 61   |
| Figure 10. Chronology of construction and flow manipulation events affecting PRB chemistry and equilibrium at Zorra research site.   | 62   |
| Figure 11. Location sketch of 5-cm diameter wells used for borehole dilution testing.  | 63   |
| Figure 12. Hydrograph of Zorra site water table elevation and horizontal hydraulic gradient.   | 64   |
| Figure 13. Water table maps.   | 65   |
| Figure 14. Tracer tests performed between monitoring points PU 85-86 in the down gradient tile line.   | 66   |
| Figure 15. Borehole dilution test results for August and November events.  | 69   |
| Figure 16. Major anions along PRB transect during August decreased flow event  | . 70 |
| Figure 17. Eh and trace metal concentrations along PRB transect during August decreased flow event.  | 71   |

| Figure 18. | pH, NH <sub>4</sub> -N and DOC along PRB transect during August decreased flow event.  | 72 |
|------------|--|----|
| Figure 19. | Major anions along PRB transect during November enhanced flow event.   | 73 |
| Figure 20. | Mixing ratio of tile and natural water in reactive barrier based on $CI^{-}$ ion ratio along flow path, and $SO_4$ normalization figure. | 74 |
| Figure 21. | Eh and trace metal concentrations along PRB transect during November enhanced flow event.  | 75 |
| Figure 22. | pH and major cations along PRB transect during November enhanced flow event.   | 76 |
| Figure 23. | Misc. cations and DOC along PRB transect during November enhanced flow event.  | 77 |
| Figure 24. | Geochemistry of Zorra PRB on November 29, 2006 (Day 7 November enhanced flow event).   | 78 |
| Figure 25. | Geochemical history of upgradient tile as sampled from PU 93.  | 79 |
| Figure 26. | NO <sub>3</sub> -N concentration along A to A' transect of Woodstock wood-particle barrier.  | 80 |
| Figure 27. | History of NO <sub>3</sub> -N concentrations through Zorra reactive barrier transect.  | 81 |

#### 1.0 Introduction

## 1.1 The Problem

Over the past two decades, permeable reactive barriers (PRBs) have been established as an effective and economical method of treating groundwater impacted by contaminants such as Fe, volatile organic carbons (VOCs), NO<sub>3</sub> and trace metals (Benner et al., 1997; O'Hannesin and Gillham, 1998; Robertson et al., 2000; Wilkin et al., 2002). PRB construction involves the placement of labile solids in the shallow groundwater zone in order to intercept a plume of contaminated groundwater. As contaminated groundwater passes through a PRB, the media in the PRB will react with the target contaminants while allowing the groundwater to continue its normal flowpath (Fig 1). The advantage of this technology is primarily related to the passive nature of the treatment system. This is in contrast to other remediation technologies, such as pump and treat, air sparging and soil vacuum extraction, which require ongoing maintenance until the contamination source and plume are removed (Doty and Davis, 1991; Bass et al., 2000; Thomson and Flynn, 2000). In contrast, once a reactive wall has been installed, it normally requires only occasional monitoring in order to confirm proper function.

However, a problem exists due to the inability to control groundwater flow rates through conventional PRBs. This is a concern as contaminants may pass through the reactive media at higher than optimal groundwater velocities allowing breakthrough of contaminants as a result (O'Hannesin and Gillham, 1998). Additionally, at other sites where groundwater flow rates are too low, hydraulic retention time (HRT) may be excessive, resulting in undesirable secondary reactions (Wilkin et al., 2002). Furthermore, as PRBs age, the

reactive materials in these barriers may become depleted or less effective because of the presence of reaction products (Blowes et al., 2000; Wilkin et al., 2002). In these cases, an increased HRT could solve the problem. PRB technology has always struggled with the problem of less than ideal barrier flow rates.

Benner et al. (1997) were the first to install a reactive wall to treat acid mine drainage at the nickel rim mine site near Sudbury, Ontario. This reactive wall used a carbon source (leaf compost and woodchips) to initiate sulfate reduction (Eq. 1.1), which contributed to the precipitation of aqueous  $Fe^{2+}$  as iron sulfide (Eq. 1.2, Benner et al., 1997).

$$SO_4^{2-} + 2CH_2O + 2H^+ \rightarrow H_2S + 2CO_2 + 2H_2O$$
(1.1)  
$$Fe^{2+} + H_2S \rightarrow FeS_{(s)} + 2H^+$$
(1.2)

Benner et al. (1997) noted that in order for the effluent leaving the PRB to have a near neutral pH, Eq. 1.1 and 1.2 required that for every mole of SO<sub>4</sub> reacted, a mole of Fe must also be reacted. However, influent concentrations of SO<sub>4</sub> and Fe were not equal, with molarities of ~25 mmol/L of SO<sub>4</sub> and ~4 mmol/L of Fe (SO<sub>4</sub> >2400 mg/L, Fe >250 mg/L) (Fig 2a), this suggested that the estimated groundwater velocity of 4.4 cm/day would require ongoing manipulation to ensure that the variable concentration influent would have a HRT long enough to completely remove the acid producing Fe, but then leave ~84% of the influent SO<sub>4</sub> untreated.

The use of PRBs to treat VOC compounds such as tetrachloroethene (PCE) and trichloroethene (TCE) was first implemented by O'Hannesin and Gillham (1998) at CFB Borden in Ontario. While the experiment proved successful at reducing the concentration of PCE and TCE, from 268,000 to 23,350  $\mu$ g/L and 58,000 to 10,970  $\mu$ g/L respectively, there was a problem with the flow rate of the reactor not being slow enough (velocity of ~9

cm/day) to deplete the daughter products (dichloroethlene (DCE) and vinyl chloride (VC)). It was recommended by O'Hannesin and Gillham (1998) that the groundwater needed a longer exposure time to the zero-valent iron in order to fully deplete DCE and VC (Fig 2b) by the following reaction pathways (Gillham and O'Hannesin, 1994):

$$PCE \rightarrow TCE \rightarrow DCE \rightarrow VC \rightarrow Ethene$$
 (1.3)

Increasing the size of the PRB to increase HRT would raise installation costs.

However, another option would be to manipulate the HRT within the barrier in order to optimize the treatment of VOC compounds. This latter option would also provide flexibility given the tendency of granular iron PRBs to develop secondary mineral precipitates which reduce hydraulic conductivity (K) over time (Jeen, 2005).

Wilkin et al. (2002) installed a zero-valent iron PRB treating groundwater Cr<sup>6+</sup> contamination at Elizabeth City, North Carolina. This reactive layer was installed in 1996 in order to intercept a groundwater chromate plume (>10 mg/L) from a plating shop, and convert the hazardous hexavalent chromium in the plume to the less harmful trivalent form:

 $Cr(VI) + Fe(II) \rightarrow Cr(V) + Fe(III) \quad (1.4)$   $Cr(V) + Fe(II) \rightarrow Cr(IV) + Fe(III) \quad (1.5)$  $Cr(IV) + Fe(II) \rightarrow Cr(III) + Fe(III) \quad (1.6)$ 

(Fendorf and Li, 1996)

Wilkin et al. suggested that secondary mineral build up combined with a poor understanding of groundwater flow rates and microbial bio-fouling caused groundwater velocities in the PRB that were too slow (0.15 m/day) to fully utilize the treatment capacity of the media (Wilkin et al., 2002). In fact, Cr and DCE concentrations appeared to be depleted before reaching the reactive wall (Fig 2c). It was speculated that during installation, some mixing of zero-valent iron occurred in the adjacent upgradient portion of the aquifer, and consequently the barrier itself was not actively treating contaminants.

Robertson and Cherry (1995) implemented a reactive wall using wood particles as a carbon source to promote NO<sub>3</sub> removal in a sewage plume at Long Point, Ontario. This labile carbon source promoted denitrification (Eq. 1.7, Delwiche, 1981):

$$5CH_{2}O_{(s)} + 4NO_{3}(aq) \rightarrow 5CO_{2(g)} + 2N_{2(g)} + 3H_{2}O_{(l)} + 4OH(aq)$$
(1.7)

In addition to reducing NO<sub>3</sub>, it was noted that the organic carbon was also being depleted by SO<sub>4</sub> reduction (Eq. 1.1). Furthermore, excess dissolved organic carbon (DOC) was being leached into the downgradient groundwater zone from the reactive media. Robertson and Cherry (1995) recognized that the additional consumption of reactive media by such secondary reactions and excess leaching of DOC was detrimental to barrier longevity. Blowes et al. (2000) also noted that as reactors age, the HRT within the barrier may increase due to physical changes such as decreases in porosity and permeability. The possibility of flow manipulation provides a potential solution to the problem of non-productive barrier media depletion.

Having a system in place capable of proactively manipulating groundwater flow rates within a PRB could be advantageous at many sites. Ideally, such a system should not involve pumping, as it is desirable to maintain the passive characteristics of PRBs where possible.

### **1.2 Previous work**

An early modified PRB design referred to as the "funnel-and-gate", used impermeable walls to funnel water from a larger spatial area into a localized zone of reactive media (Starr and Cherry, 1994). Unfortunately, flow through funnel-and-gates can be problematic because deterioration or heterogeneities within the reactive media can lead to "short circuiting" through the wall. Additionally, modeling and field tests showed that water could be diverted around or under the walls if permanent deterioration occurred (Benner et al., 2001; Schipper et al., 2004). These obstacles were addressed in a modified funnel-and-gate design implemented by Lee et al. (1998). In this design, tile drains were placed downgradient of a wall of granular zeolite (clinoptilolite), used to adsorb <sup>90</sup>Sr, but in front of a solid sheet pile wall (Fig 3). A hydraulic head level control manhole, connected the PRB to the drainage lines. By manipulating the elevation of the outlet drain in the manhole, it was possible to change the head conditions within the wall, and thus vary the width of the upgradient capture zone. Aquifer K at this site ranged from $10^{-3}$  to  $10^{-2}$  cm/s (Killey and Munch, 1987), while the zeolite K was measured at  $7x10^{-3}$  and  $9x10^{-2}$  cm/s (Lee and Hartwig, 2005). Assuming uniform groundwater flow, it was estimated that the size of the capture zone could be altered up to three times its natural size when the barrier drain was lowered ~1m below the ambient water table elevation (Lee, 2007). The 11m wide wall thus capture d a 33m wide flow zone.

## **1.3** The Zorra site reactive barrier

The Zorra study site, located in Zorra Township in southwestern Ontario, near the city of London, is located on an unconfined aquifer system which interacts with the Thames River. The aquifer system is composed of glaciofluvial outwash sands and gravels of the Wisconsinan age (Cowan, 1971, Robertson and Schiff, 2007). The upgradient farms are used for corn production, and a 2 ha portion of the upgradient field is used for poultry manure composting (Fig 4). Poultry manure has a relatively high N content (e.g. 3.6 dry wt %,

Liebhardt et al., 1979) and was also expected to contribute to the NO<sub>3</sub>-N loading at this site. During a previous study at this site (Roberston et al., 2007) a PRB was installed to treat NO<sub>3</sub>-N enriched groundwater at concentrations of 6 to 99 mg/L occurring in the shallow aquifer. The Zorra PRB was used for the principle experiment undertaken in this study.

The Zorra PRB was installed in August 2004 and was successful in attenuating NO<sub>3</sub> in the groundwater. The barrier is 8 m long by 4 m wide by 0.6 m thick, was installed into the shallow water table at 0.9 to 1.5 m depth, and was constructed of coarse woodchips (Robertson et al., 2007). After 11 months of operation it was noted that NO<sub>3</sub> was essentially depleted by the first monitoring point in the PRB which was located only 1.1 m from the upgradient edge of the ~4m wide PRB (Fig 5). This indicated that the HRT within the barrier was much longer than required for optimal barrier efficiency. The mean flow velocity within the Zorra barrier was determined in the previous study (Robertson et al., 2007). Using borehole dilution tests Robertson et al. (2007) observed PRB flow velocities of 29 +/- 7 cm/d (n = 4) compared to 25 +/- 26 cm/d (n = 4) in the adjacent shallow aquifer.

#### 1.4 Research Objectives

The objective of this study was to demonstrate a passive technique for controlling the flow rate, and hence the ensuing redox environment, within a PRB to optimize the flow and concentration of NO<sub>3</sub>-N into the PRB. The technique used involved the installation of a set of tile drains positioned upgradient and downgradient of the PRB, and directly connected to the PRB (Fig 4). The amount of additional flow entering or exiting the PRB through the tile drains was controlled by valves which were either completely open or closed during the

experiments. In this study a large scale field test was undertaken at the Zorra site to demonstrate the utility of this technique in controlling flow through a PRB. Two distinct configurations were tested; configuration 1 used a downgradient tile line only. Under this configuration, all PRB effluent was presumably pulled into the downgradient tile and reactor system, effectively enhancing flow. Configuration 2 used both upgradient and downgradient drainage tiles to enhance flow. However, this configuration had the disadvantage of introducing a contrasting source of water from the upgradient tile into the barrier, which complicated geochemical interpretations. Despite this, use of the upgradient tile had the advantage of delivering the larger flow rates desired.

## 2.0 Zorra site enhanced flow rate experiment

## 2.1 Methods

## 2.1.1 Reactor and Drainage Tile Design

The Zorra PRB is composed of coarse grained woodchips and is positioned at the upgradient edge of a 100m wide riparian zone that separates an adjacent manure composting yard from the Thames River. The upgradient and downgradient edges of the reactor were modified in this study by the installation of perforated tile drains (Fig 6), which were intended to augment flow through the reactor.

The downgradient tile is composed of two sections. The first is a perforated section of 10 cm diameter PVC pipe, which was installed in contact with the down gradient edge of the reactor. Washed pea gravel, with an estimated K of 1 to  $10^{-2}$  cm/s (Fetter, 2001) was placed around the tile line. This perforated segment extends 5 m southwestward to monitoring well PU 84. Extending southeasterly from PU 84 is a second solid (nonperforated) segment of tile ~30m in length (10 cm diameter Big-O<sup>TM</sup> flexhose) which ends at PU 85 (Fig 6), where it is connected to a second woodchip trench. The second trench, also referred to as the down gradient barrier (Fig 6), was installed to provide a permeable media for rapid drainage and also to offer additional denitrification capacity if required. This trench system consisted of a series of 3 cells 8 m x 1.5 m x 0.5 m in dimension and was composed of the same woodchip media found in the upgradient barrier (Fig 6). The downgradient trench system was not studied in this project. During the August flow manipulation event,

which occurred prior to the installation of the upgradient tile, flow through the downgradient tile line was terminated by plugging the tile at the monitoring well PU 84 location. Stopping flow to the downgradient tile, in this way, maintained the PRB in a natural flow condition.

The upgradient tile lines were installed in October 2006. The southwesterly tile was ~55 m in total length, and split into two sections. The first section consisted of an 8 m long, 10 cm diameter, perforated PVC pipe placed in contact with the upgradient edge of the PRB (Fig 6). The tile line was covered in washed pea gravel. A second perforated segment ~41 m in length extended westward from the PRB to well PU 91 (Fig 4). These two perforated sections are joined together by a 10 m length of solid (non-perforated) tile, which extends southwestward from PU 93 (Fig 6). A second upgradient tile line extending ~110 m northward from the PRB (Fig 4), was also installed at this time, but was not used in this study due to low NO<sub>3</sub>-N concentrations (~0.2 mg/L as N) that were present in this tile line segment.

#### 2.1.2 Monitoring Network and Flow Path Determination

Hydrogeological and geochemical conditions in the area near the barrier were monitored using a series of wells and multi-level piezometer bundles (Fig 7) most of which were installed in the previous study (Robertson et al., 2007). These were constructed of 0.6 to 0.3 cm diameter polyethylene tubing attached to a central pipe of 1 cm diameter PVC pipe. Samples were also taken from PU 93, a 10 cm diameter monitoring well, which was connected to the upgradient tile line (Fig 6). Eight monitoring points that had generally similar Cl<sup>-</sup> concentrations were considered to the best available representation of the principle flow path through the reactor. These points were selected for detailed sampling

during this study (Fig 7). Piezometer point PU 2-7 (Fig 7) was selected as being representative of the upgradient groundwater, because shallower locations at nest PU 2 showed SO<sub>4</sub> and Cl<sup>-</sup> concentrations which were lower than those found in the PRB (Table 1, Fig 8). An average of numerous upgradient piezometers, such as PU 2-5 to 2-7, was not considered appropriate representation of influent groundwater because concentrations of Cl-, SO<sub>4</sub> and NO<sub>3</sub>-N would have been too low, leading to higher error in normalization calculations. Furthermore, previous flow modeling of the Zorra PRB (Robertson et al., 2007) indicated that groundwater flowlines would converge upward into the PRB because of its high-K characteristic (K of 1.2 cm/s, Fig 9), thus use of the deeper monitoring point (PU 2-7, 2.8 m depth) as being representative of the upgradient groundwater is reasonable, despite PU 2-7's close proximity to the silt layer beneath it, as observed by Robertson et al. (2007).

Although PU 2-7 had higher levels of Cl<sup>-</sup> (~30 to 40 mg/L) than the monitoring points above this piezometer, the Cl<sup>-</sup> concentration here was still not as high as those found within the barrier (40 to 80 mg/L). If additional Cl<sup>-</sup> found within the barrier is a function of Cl<sup>-</sup> being released from the labile woodchip media composing the barrier, then the amount of Cl in the PRB should be a function of the DOC leached in the barrier. Cl concentration in wood used in the Zorra barrier typically ranges from 0.3 to 19 mg/kg (Rowell, 1984). Assuming 25 kg of DOC is leached per year, this would correspond to 7.5 to 475 mg of Cl<sup>-</sup>. Thus, the breakdown of wood media within the reactor cannot explain the elevated concentrations of Cl<sup>-</sup> in the PRB.

Monitoring points along the downgradient portion of the PRB were selected within the barrier, rather than underneath. Downgradient monitoring points were kept within the PRB because a zone of stagnant groundwater flow was determined beneath the PRB during

previous nodeling study (Robertson, 2007). While this region of the aquifer appears to be part of the down gradient depleted NO<sub>3</sub>-N plume (Fig 5), Robertson (2007) determined groundwater flow here was so slow that the groundwater leaving the PRB was predominantly exiting the downgradient edge of the PRB, rather than the bottom of the PRB (Robertson, 2007).

#### 2.1.3 Groundwater Sampling

Groundwater samples for major ion analyses were collected using a peristaltic pump and were filtered (0.45 µm) prior to collection in two 20 mL plastic vials. One of the vials was preserved by acidification to pH < 2 with HCl for cation analyses, while the second vial was untreated for anion analysis. NO<sub>3</sub>-N, SO<sub>4</sub>-S and Cl<sup>-</sup> analysis were generally completed in the Earth & Environmental Sciences Dept., University of Waterloo using a Dionex ICS-90 ion chromatography system. Analyses of DOC, NH<sub>4</sub>, Ca, K, Mg and Na were generally conducted at the University of Guelph, Soil and Nutrient Laboratory. Analysis of trace metals (Fe, As and Mn) were conducted in the Earth & Environmental Sciences Dept., University of Waterloo. As was analysed on a Perkin Elmer 4000 Atomic Absorption Spectrophotometer, with a Varian VGA-76 vapour generator. Fe and Mn were analysed on a Portable Datalogging Spectrophotometer Hach DR/2010. Some additional analyses were also completed at The Geography Dept., Wilfrid Laurier University (SO<sub>4</sub>-S, NO<sub>3</sub>-N and Cl<sup>-</sup>), the University of Guelph Soil and Nutrient Laboratory (NO<sub>3</sub>-N and Cl<sup>-</sup>), and Maxxam Analytics Inc. in Waterloo, ON ( $SO_4$ ). Electrical conductivity (EC), Eh and pH measurements were recorded in the field. EC was recorded using a Oakton conductivity

meter (model WD-35607-10), which was temperature corrected. Eh and pH were measured using Barnant model 20 field portable meters. Eh values were adjusted to the standard hydrogen electrode value and were checked against Zobell solution (Nordstrom, 1977). The pH electrode was calibrated to buffers of 7 and 4 at the beginning of the sampling run, and re-calibrated after ~ every six samples.

## 2.1.4 Flow Rate Manipulation

Flow rates in the Zorra PRB were manipulated on a number of occasions during the course of this study using the upgradient and downgradient tile lines (Fig 10). Two detailed flow enhancement trials occurred (August 11-18, 2006 and November 22-29, 2006) which represent the focus of this project: 1) The August flow enhancement trial (herein referred to as the August event) was started after the down gradient tile line had been open for an extended period (since August 7, 2006). This allowed for the best estimate of equilibrium in a system with a highly variable gradient. For this event the transect was first sampled in detail, then flow through the downgradient tile was stopped by plugging the tile drain at PU 84. This eliminated flow through the downgradient tile line, thus it was expected that the flow in the barrier would return to natural flow conditions. 2) The November flow enhancement trial (herein referred to as the November event) commenced with both the upgradient and downgradient tile lines closed. After detailed sampling, the upgradient and downgradient tile lines were opened, which caused enhanced flow through the PRB.

Changes in flow rates resulted in modified HRTs within the barrier. HRT was calculated as follows:

$$HRT = \frac{V_{PRB} * \mathbf{n}}{Q_{Vol}}$$
(2.1)

Where:

 $V_{PRB}$  = Volume of PRB (August event = 8 m x 0.6 m x 4 m = 19.2 m<sup>3</sup>, November event = 8 m x 0.6 m x 3.75 m = 18 m<sup>3</sup>; difference due to removal of some PRB material during construction of upgradient tile line in Oct. 2006)

 $\eta$  = Porosity of PRB (0.7, from van Driel et al., 2006a)

 $Q_{Vol}$  = Volumetric flow rate through PRB (in most cases considered equivalent to the flow rate measured in the downgradient tile line)

#### 2.1.5 Borehole Dilution Tests

Flow rates within the PRB were determined using three methods: borehole dilution tests, tracer tests and use of an electromagnetic flowmeter. Three 5 cm diameter wells, which fully penetrated the reactive barrier, were installed in May, 2006 for borehole dilution testing (Fig 11). However, only the downgradient well (Fig 11, PU-BD3) was used for most testing in order to prevent contamination of the PRB porewater from the NaCl tracer solution used during testing. While the borehole dilution tests were the only tests which directly measured flow velocities in the PRB, these tests were given lesser preference when tile drain flow rate data was available due to errors associated with borehole dilution testing. Detailed description of the borehole dilution testing methodology and flow rate calculations are given in Appendix A.

## 2.1.6 Tracer Tests

Tracer tests, using a salt tracer injected into the downgradient tile line, were used to determine flow velocities within the downgradient tile (between PU 85 and PU 86). It was

assumed that all water leaving the down gradient edge of the PRB was being captured by the tile drain. This assumption was deemed valid because measurements in  $\Delta$  hydraulic head between the upgradient edge of the PRB (PU 2-1.3) and PU 84 in the downgradient tile drain remained strong through the experiment (Appendix Table C2). Tracer tests to prove non-flowing conditions were also conducted between PU 85 and PU 86 when the tile drain was closed. Detailed description of the tracer test methodology and flow rate calculations are given in Appendix A.

## 2.1.7 Electromagnetic Flowmeter Tests

A Marsh-McBirney Flowmate 2000<sup>™</sup> electromagnetic flow meter was used for tile groundwater velocities which were too fast for salt tracer testing. Use of the flow meter involved lowering the instrument head down monitoring points PU 85, 93 and 94 (10 cm diameter PVC pipe), into the middle of the completely water-filled, non-perforated tile line, then recording the flow velocity. Detailed description of the electromagnetic flowmeter test methodology and flow rate calculations are given in Appendix A.

### 2.1.8 Reaction Rate Calculations

Varying amounts of denitrification and sulfate reduction were observed in the barrier during this study. Reaction rates, assuming zero order kinetics, were calculated using Eq. 2.2 (van Driel et al., 2006a):

$$Rate = (C_{IN} - C_{OUT})/HRT \qquad (2.2)$$

#### Where:

 $C_{IN}$  = influent concentration (mg/L)  $C_{OUT}$  = effluent concentration (mg/L) HRT = Hydraulic Retention Time (days)

Rates were expected to be temperature dependant (Sutton and Murphy, 1974; Gillespie et al., 1986; Robertson, et al., 2000; van Driel, 2006a), however temperatures remained relatively consistent during the August and November events (14.5 to 16.5 °C).

## 2.1.9 Geochemical modeling

Mineral saturation indices for several minerals which were expected to be influenced by changes in pH and redox conditions within the PRB (calcite, siderite, rhodochrosite and gypsum) were determined using the chemical speciation model PHREEQCI version 2.13.2 (Parkhurst, 2007). During modeling, C was only represented by dissolved inorganic carbon (DIC), values for DOC were not used. The input of DOC values would have added additional model complications due to complexation of DOC with metallic ions. Because of the possibility of DOC complexation, the cation values used in the modeling study may have overstated the activity of those cations.

#### 2.1.10 Anion Normalization

In order to calculate reaction rate and carbon depletion values during the November event, an estimate had to be made regarding the expected concentration of an anion along the reactive barrier transect if no anion reduction was occurring. Water chemistry in the upgradient tile (PU 93) varied greatly from the natural PRB influent (PU 2-7), these differences allowed for a Cl<sup>-</sup> based normalization of anions (Table 4, Eq. 2.3). Expected, or normalized, values were then calculated based on this Cl- ratio (Eq. 2.4)

(Actual PRB Cl<sup>-</sup> conc. - Natural Upgradient Cl<sup>-</sup> Conc.) /
(Upgradient Tile Cl<sup>-</sup> Conc. - Natural Upgradient Cl<sup>-</sup> Conc.) =
Cl<sup>-</sup> ratio
(Cl<sup>-</sup> Ratio \* Anion Upgradient Tile Conc.) +
((1-Cl<sup>-</sup> ratio) \* Anion Natural Upgradient Conc.) =
Expected Anion Conc.
(2.4)

The difference between the expected and actual concentration of anions in the PRB allowed for determining the amount of anion loss required to carry out both reaction rate carbon depletion calculations during the November event.

## 2.2 Results

## 2.2.1 August Event

#### 2.2.1.1 Hydraulic Response

The hydraulic gradient at the site fluctuates significantly over the year (Fig 12), but groundwater flow is predominantly southeastward from the upgradient farm fields toward the Thames river (Fig 13).

August event flow rates were measured using both tracer tests and borehole dilution tests (Table 2). When the downgradient tile was open, flow rates of 1.4 to 2.2 L/min were

measured in the downgradient tile between days -3 to 0 (Fig 14). Borehole dilution tests for groundwater velocity within the reactive barrier were also performed during the August event, which indicated a flow rate of 0.9 m/day on Day -1 (downgradient tile line open) and 0.4 m/day on Day 1 (downgradient tile line plugged, Table 2, Fig 15). Based on the tracer and borehole dilution tests, the HRT for the August event was estimated to be ~ 4.5 days on Day -1 and ~ 10 days on Day 1.

#### 2.2.1.2 Anion Behavior

#### NO<sub>3</sub>

Prior to the August event with the down gradient tile line open, groundwater NO<sub>3</sub>-N within the barrier was routinely reduced from ~100 mg/L to <1 mg/L before the first barrier monitoring point (PU 2A, 0.05 m from the upgradient edge of the PRB) was encountered (Fig 16a). As expected, after the down gradient tile was closed, and the HRT in the barrier increased from 4.5 to 10 days between days -1 and 1 (note that borehole dilution testing on Day 0 indicated an HRT of 7.2 days, Table 2), NO<sub>3</sub> was still depleted to <1 mg/L before the barrier monitoring point, PU 2B (0.15 m into the barrier). Reaction rates for denitrification could not be determined, in this case, because they occurred too rapidly for the limited monitoring network.

#### SO<sub>4</sub>

Immediately prior to the August event, with the down gradient tile open,  $SO_4$ penetrated the entire length of the reactive barrier (Fig 16b).  $SO_4$  entered the PRB at > 60 mg/L and persisted at the down gradient edge at a concentration of 5.7 mg/L (Day -1, HRT

4.5 days). When the down gradient tile line was closed (HRT increased to 10 days), SO<sub>4</sub> in the reactive barrier declined to < 1 mg/L by monitoring point PU 2C (0.54 m from the up gradient edge of the PRB).

## 2.2.1.3 Trace metal and Cation Behaviour

Throughout the experiment, concentrations of As remained below the detection limit of ~4 ppb, with only one instance of As appearing on Day 6 at a concentration of 4.1 ppb (Fig 17b). Fe concentration within the barrier remained relatively consistent throughout the August event, increasing from 0.02 to 1.58 mg/L at the upgradient edge to 5.06 to 7.2 mg/L at the downgradient edge (Fig 17c).

#### 2.2.1.4 Eh and pH Behaviour

#### Eh

Eh data collected during the August event shows oxidizing water with an average Eh of 351 mV entering the PRB. As the water passes through the barrier, Eh declined to ~ -30 mV. This occurred rapidly before reaching monitoring point PU 2C, located only 0.54 m from the up gradient edge of the PRB was reached (Fig 17a). Eh values during the entire August event remained relatively stable even though a the HRT increased from 4.5 to 10 days.

#### pН

The pH within the PRB was not substantially affected by the flow rate change between Day -1 and Day 1. The pH consistently decreases from ~7.2 to 6.2, between the

upgradient and downgradient edges of the PRB, during flow through the barrier (Fig 18a). However, by days 4-6, a slightly lower pH of ~6.0 was measured at the downgradient edge of the barrier.

#### 2.2.2 November Event

## 2.2.2.1 Hydraulic Response

The November event commenced with both the upgradient and downgradient tile lines closed. Borehole dilution tests were performed on the upgradient reactor before and after the valves at PU 85 and 93 were opened (0.47 to 0.73 m/d, Table 2, Fig 15). After the tile lines were opened, the electromagnetic flowmeter, measuring flow rates in the tile lines, was the primary method used to evaluate the flow rate in the PRB (Table 2). Flow in the tile line was 2.3 L/min on Day 1 after the valves were opened, but then slowly diminished to 1.0 L/min by Day 7.

#### 2.2.2.2 Anion Behaviour

## NO<sub>3</sub>

During the November event, before the tile line valves were opened, NO<sub>3</sub> in the reactive layer behaved similarly to the August event. NO<sub>3</sub>-N entered the reactive barrier at  $\sim$  100 mg/L and was rapidly reduced to < 0.02 mg/L, before the first monitoring point (PU 2C) was reached (Table 4, Appendix Table B3). After the valves at PU 85 and 93 were opened (The north upgradient tile line was not opened due to lack of NO<sub>3</sub>-N in upgradient tile, Table

3, Fig 6), the HRT was lowered from 11.1 days on Day 0 to 0.8 days on Day 1 (Table 2). This then caused NO<sub>3</sub> to completely penetrate the 4 m long PRB on Day 1, at which time a NO<sub>3</sub>-N concentration of 1.8 mg/L remained at the down gradient edge of the PRB. Day 1 was the only day in which NO<sub>3</sub>-N fully penetrated the barrier. In all subsequent days, NO<sub>3</sub>-N was reduced to < 1 mg /L within 2.7 m into the barrier (monitoring point PU 5-1.3, Fig 19) as tile flow rates slowly diminished and HRT values increased (Table 2).

## $SO_4$

Prior to the tile lines being opened during the November event, SO<sub>4</sub> entered the PRB at a concentration of 88.6 mg/L and diminished to a concentration of 0.1 mg/L after traveling 2.7 m into the PRB (Fig 19b). Immediately after the tile lines were opened, SO<sub>4</sub> depletion was lessened by the flow rate increase (0.3 m/day on Day 0 increased to 4.8 m/day on Day 1), which led to a decrease in HRT from 11.1 days on Day 0 to 0.8 days on Day 1 (Table 2). Note however, that after the tile lines were opened, flow within the barrier became a mixture of inflow from the upgradient tile plus natural groundwater flow. The chemical composition of these two influent components contrasted considerably (Tables 3,4). To assist in determining the amount of SO<sub>4</sub> reduction that was occurring, SO<sub>4</sub> content was normalized to the values expected based on the ratio of flow from the upgradient tile inflow. This was done by comparing Cl<sup>-</sup> concentrations in the upgradient tile (Table 3) to those in the PRB, then determining the percent of tile-related flow (Table 4, Fig 20). Typically, C/Co for SO<sub>4</sub> stayed above 0.8 over the entire length of the PRB, during the higher flow rate days (2.1 to 4.8 m/day), compared to a C/Co of 0.0 on Day

0, at monitoring point PU 5-1.3 (2.68 m into the PRB), when the flow rate was only 0.3 m/day.

## 2.2.2.3 Trace Metal and Cation Behaviour

Both before and after the tile lines were opened, Mn concentration increased from < 0.1 mg/L in the upgradient groundwater to 2 to 3 mg/L within the barrier (Fig 21b). However, a consistent decrease in Mn of 0.5 to 1 mg/L was noted within the first 3 m of the barrier while tile lines were open. Fe exhibited similar behaviour, increasing from 0.1 mg/L in the upgradient groundwater to 6 to 9 mg/L at the downgradient edge of the barrier (Fig 21c). Although several points decreased in concentration when flow increased (PU 4-1.6, 5-1.3), several other points increased (PU 2C, 3-6, 6-2). As expected, Ca, Mg, K and Na also appeared to be relatively unaffected by the flow rate changes, as concentration changes remained generally consistent with the mixing ratio changes between tile water and natural back ground water (Figs 21, 22).

## 2.2.2.4 Eh and pH Behaviour

## Eh

At the beginning of the November event, water entered the barrier at an Eh of  $\sim$  +475 mV, then decreased to  $\sim$  +60 mV at the downgradient edge of the barrier (Fig 21a). However, this decrease was abrupt and occurred by the first monitoring point on Day 0, whereas the decrease occurred more uniformly through the barrier after the flow was increased (Fig 21a). At the beginning of the test when all tile valves were closed, influent groundwater had a pH of 7.3, while the PRB effluent groundwater had a pH of 6.4 (Fig 22). These observations are similar to those seen during the August event. After the valves were opened, the decreasing pH trend disappeared, and the pH became relatively consistent at ~6.8 +/-0.25, similar to the tile value of 6.9 +/- 0.07 (Fig 22a).

## 2.3 Modeling of Mineral Precipitation in the Zorra Barrier

The concentrations of major anion, cations, Eh and pH, measured on Day 7 of the November event along the main transect, were input into PHREEQCI for determination of the mineral saturation indices (Fig 24). Input data are given in Appendix B Table B4. Results show that gypsum and calcite remain slightly to moderately undersaturated throughout the entire PRB. Thus, it is unlikely that these minerals will precipitate in the reactor. However, rhodochrosite and siderite show significant SI increase along the barrier transect. Rhodochrosite SI increases from -0.8 in the upgradient groundwater to 0.4 immediately downgradient of the PRB, while siderite SI increases from -2.2 in the upgradient groundwater to 0.62 immediately downgradient of the PRB. Thus, it is possible that these minerals are precipitating in the PRB. Pyrite was not included in the modeling because the required values for  $H_2S_{(g)}$  in the model were not collected during the experiment.

## 2.4 NO<sub>3</sub> Disappearance in Upgradient Tile

The sampling events of November 20 to 29, 2006 showed NO<sub>3</sub>-N values of 17.3 to 38.8 mg/L in the up gradient tile line (PU 93), but then much lower values of < 0.02 mg/L were consistently measured the following spring (May-June, 2007, Fig 25a, Table 3). Additionally, NH<sub>4</sub>-N values in the upgradient tile line remained low throughout this period (1.4 to 2.2 mg/L, Fig 25), indicating that lack of NH<sub>4</sub> nitrification was not the reason for the lower nitrate values. The Total Kejldahl Nitrogen (TKN) value of the tile was only 4.4 mg/L on June 28, 2007 (Table 3). This indicates a disappearance of 15 to 35 mg/L of total N in the tile flow between the time of the November 2006 enhanced flow experiment and subsequent sampling in spring 2007.

## 2.5 Discussion

## 2.5.1 Flow Rate Manipulation

The flow rate data collected using a variety of methods (Table 2) demonstrated that substantial flow rate changes were achieved during the August and November manipulation events. During the August event, the HRT increased from 4.5 to 10 days, and during the November event HRT decreased from 11.1 to 0.8 days. These observations indicate that it is possible to passively manipulate HRT in a PRB using a simple valved tile drain system. Furthermore, this study demonstrated that existing PRBs can be easily retro-fitted with upgradient and downgradient tile drains that can then enhance the flow rate. If slower flow rates are desired, other PRB design modifications would have to be considered, such as expanding the length of the PRB.

This study also illustrated flow manipulation problems arising from the inability to control the natural gradient. During summer months, the hydraulic gradient across the Zorra site typically diminishes from 0.007 to essentially nil (Fig 12b). When hydraulic gradients were very low (e.g. July 2006), it was not possible to manipulate flow. This problem was compounded by occasional rain events which quickly increased the hydraulic head of the Thames river, while leaving the hydraulic head of upgradient regions unchanged. Furthermore, intense rain events caused flooding of the riparian zone, which on several occasions completely eliminated the horizontal hydraulic gradient across the entire study site. These are problems common to many PRB sites routinely affected by drought or variable precipitation. Thus, at

many other sites, flow rate manipulation using drains would have been easier than at the Zorra site.

Data from borehole dilution testing was typically given less preference over flow rates calculated from the velocity of groundwater in the tile drains. Robertson et al. (2005) found that spatially varying borehole dilution tests were highly variable (33 to 749 cm/day) in a PRB consisting of similar woodchip media. Furthermore, the non-linear semi-log C/Co vs. time relationship (Fig 15) suggests an error in the borehole dilution tests. The large differences in flow rate, combined with the woodchip media being presumably more permeable than the well screen and bio-fouling of the well screen may have resulted in the incorrect selection of the formation factor used in calculations ( $\alpha = 2$ , Eq. A1). Thus, assuming that essentially all flow leaving the PRB enters the downgradient tile drain, the tracer and electromagnetic tests would give more representative values of flow PRB rate, and were thus given preference, where available.

#### 2.5.2 NO<sub>3</sub> Response

Complete NO<sub>3</sub>-N removal (<0.02 mg/L) typically occurred prior to the groundwater reaching the first monitoring points in the PRB (PU 2A to PU2C) during the August event, thus exact NO<sub>3</sub>-N reaction rates could not be determined at that time. When groundwater flow rates increased to >1.5 m/day, during the November event, NO<sub>3</sub>-N penetrated beyond the first monitoring point and average normalized NO<sub>3</sub>-N reaction rates of 115 and 77 mg/L/day were determined at PU 3-6 and 5-1.3 respectively (Days 1 to 7, Table 5). These reaction rates are dissimilar to those reported previously in other PRBs containing coarse wood particle media

(~3 to 20 mg/L/day, Robertson et al. 2000; van Driel et al. 2006a,b). This brings the validity of the normalized rates into question. With the normalization procedure, expected NO<sub>3</sub>-N concentrations, without denitrification, are higher leaving the PRB than entering the PRB (Table 4, Table 5).

Influent groundwater temperature for the August and November events remained fairly consistent at 14.5 to 16.5 °C. However, if temperatures had fluctuated, reaction rates would have changed (van Driel et al., 2006a). Diminished reaction rates with lower temperatures would have led to higher concentrations of NO<sub>3</sub> migrating farther into the reactor. This suggests a necessity of changing the flow rate in PRBs on a seasonal basis, particularly at shallow locations where greater seasonal temperature changes occur.

A possible explanation for the disappearance of NO<sub>3</sub> in the upgradient tile during May to June 2007 is that the source of the upgradient groundwater has changed. Between November, 2006 and May to June, 2007, the Cl<sup>-</sup> values in the upgradient tile dropped from generally 140 to 190 mg/L to 52 to 89 mg/L (Fig 25b). Fe in the tile drain also changed, as concentrations increased from 0.14 mg/L (November 29, 2006) to 6.1 mg/L (May 23, 2007, Table 3). However, the lower 2007 tile Cl<sup>-</sup> values remain consistent with the other groundwater source zones at the site, all of which had NO<sub>3</sub>-N values generally above 10 mg/L (Robertson and Schiff, 2007). Thus, a differing source does not explain the absence of NO<sub>3</sub>.

Groundwater DOC concentration in the upgradient tile may have also contributed to loss of NO<sub>3</sub>-N through conventional denitrification (Eq. 1.7). During the November event, DOC in the upgradient tile was observed between 75 to 96 mg/L. However, on June28, 2007, the concentration of DOC in the same tile line drops to 18 mg/L. It is possible that the concentration of DOC has been lowered due to consumption of carbon by the denitrification

process. Unfortunately, Eh values in the upgradient tile were not collected during the Spring of 2007 due to equipment malfunction in the field, as a result redox environment in the upgradient tile could not be determined and denitrification could not be confirmed.

Another possible explanation for the disappearance of  $NO_3$  in the tile line is the recently revealed "anammox" process. This reaction was first identified by Mulder et al. (1995) and involves the coupled removal of  $NH_4$  and  $NO_3$  together under anaerobic environments (Mulder et al., 1995).

$$3NO_3^- + 5NH_4^+ \rightarrow 4N_2 + 9H_2O + 2H^+$$
 2.5

If such a reaction were taking place certain conditions would have to be met. High levels of both  $NH_4^+$  and  $NO_3^-$  would have to co-exist in the upgradient aquifer (Van de Graaf, 1997). As well, the aquifer or tile drain must remain anoxic (Strous et al., 1997), and temperature must also be kept between 20 to 43°C (Van de Graaf, 1997). However, the possibility of this reaction occurring at lower groundwater temperatures has not been fully explored and it is possible that all of these conditions could occur beneath the compost site by the mixing of recharge from different areas of the compost yard.

#### 2.5.3 NO<sub>3</sub> and SO<sub>4</sub> Interaction

Under natural slower flow conditions,  $SO_4$  reduction in the barrier took place at similar rates of between 14 to 34 mg/L/day during both the August and November events (Table 5). These rates pertain to barrier environments which were largely devoid of NO<sub>3</sub>-N. After the tile lines were opened for the November event, the flow rate increased and NO<sub>3</sub>-N rich water (>2 mg/L) penetrated throughout the barrier. Since  $SO_4$  reduction is typically inhibited in the presence of NO<sub>3</sub> (Appelo and Postma, 2005, Fig 19a,b), the PRB was potentially converted from a SO<sub>4</sub> reducing environment to a NO<sub>3</sub> reducing environment (Brock et al., 1984). This is seen in the reaction rate response of SO<sub>4</sub> in the PRB. At piezometer PU 3-6 (where NO<sub>3</sub>-N is present), the reaction rates for SO<sub>4</sub> between days 1 to 7 ranged from 0 to 31 mg/L/day; while at PU 5-1.3 (where NO<sub>3</sub>-N was reduced) reaction rates for SO<sub>4</sub> between days 1 to 7 ranged from 17 to 63 mg/L/day. This would suggest that SO<sub>4</sub> reduction had been slowed in the portion of barrier where NO<sub>3</sub>-N was >1 mg/L. However, this statement remains weak due to uncertainty associated with the normalization procedure (i.e. data scatter, daily changes in tile contribution and flow rate, the highly contrasting influent SO<sub>4</sub> concentrations, the 0.5 to 1 day time lag for influent groundwater to reach the principle monitoring points). Also, because of the short duration of the experiment (7 days) and the time lag required for bacteria to adjust to changes in redox conditions, equilibrium conditions may not have been achieved.

Minimizing SO<sub>4</sub> reduction would be advantageous in this case because additional carbon is consumed and an undesirable reaction product (H<sub>2</sub>S) is generated (Eq. 1.1). During the August event, the decreased flow rate allowed the fraction of carbon being depleted from NO<sub>3</sub> reduction to decrease from 75 to 62% (Table 6), indicating a less efficient use of the carbon media under the slower flow rate. However, under the decreased flow rate, 88 kg less C would be used annually, as less NO<sub>3</sub> and SO<sub>4</sub> mass would enter the PRB (Table 6). Assuming the dry density of the bulk woodchip media in the Zorra PRB is 300 kg/m<sup>3</sup> (Robertson, 2007), that 58% of the wood mass is C (University of Guelph Soil and Nutrient Lab) and that all the carbon in the PRB is equally labile, the 3100 kg of carbon in the 8 m x 3.75 m x 0.6 m Zorra PRB would last 18 years at an average flow rate of 2.1 L/min, and 36 years at 0.95 L/min if reaction rates were maintained. Although the slower flow rate contributes to increased

28

longevity, it is less efficient because 38% of C is lost through the SO<sub>4</sub> reduction and excess DOC leaching. Furthermore, under this slowest studied flow rate, the least amount of NO<sub>3</sub>-N is removed. Under higher flow rates during the August event, the PRB treats ~2.5 times more NO<sub>3</sub>-N per year (123 kg/yr compared to 49 kg/year), demonstrating that the PRB is more efficient when the flow rate is increased. Estimates of C-depletion during the November event are problematic due to the difference in influent tile groundwater geochemistry compared to the natural influent groundwater (Table 6, Appendix Table B3). However, after normalization of the groundwater chemistry, the higher flow rates during the November event contribute to even greater PRB efficiency. Calculations from Day 7 of the November event (4.9 L/min, 2.1 m/day) indicate that 90% of the carbon depletion in the PRB is being used for denitrification. Furthermore, only 166 kg of C-media is required to treat 155 kg/yr of NO<sub>3</sub>-N annually at this flow rate (4.9 L/min, 2.1 m/day). Thus, the PRB should last 17 years under the enhanced flow condition. Also of note is that the concentration of DOC in the upgradient tile line is higher than that leaving the PRB at PU 6-2 (Actual values of 58 mg/L compared to 36 mg/L respectively). This is beneficial to the PRB, as the amount of DOC material lost through leaching is minimized, and supplementary upgradient tile DOC will also contribute to denitrification, which should increase the barrier longevity.

#### 2.5.4 Cation Response

The response of Fe and Mn during the enhanced flow November event was not as expected. An increase in redox potential should have resulted in a decrease in Fe and Mn within the barrier due to oxidation of  $Fe^{2+}$  and  $Mn^{2+}$  and subsequent mineral precipitation

reactions (Stone and Morgan, 1984 a, b; Lovley and Phillips, 1986; Lovley, 1987; Stone, 1987a, b; Hering and Stumm, 1990). However, concentrations of Fe and Mn stayed relatively consistent even though the redox environment changed. This may suggest that the precipitation of Fe and Mn are being controlled internally within the PRB, and is not solely affected by reductive dissolution of hydroxide minerals. Blowes et al. (1994) noted that discrimination in PRB carbon source material could control levels of Fe(II) and Mn(II) being released into a PRB, as the degradation of wood media would likely release both Fe and Mn into solution. This could be occurring at the Zorra site. Concentration of Fe and Mn in wood chips typically ranges from 10 to 14 mg/kg and 20 to 140 mg/kg respectively (Rowell, 1984). Therefore, it is possible that the persistent concentrations of Fe and Mn in the barrier are a function of degradation of the wood chip media.

The reduction of SO<sub>4</sub> may also affect the concentrations of Fe and Mn. While the redox environment within the PRB during the November event was somewhat low (+13 to +335 mV), it does not appear to be within the stability field for FeS<sub>2</sub> at the pH ranges observed (below Eh values of ~ -150 mV, pH of 6.4 to 7.3, Appelo and Postma, 2005). However, Appelo and Postma (2005) note that under sulfate reducing conditions, the production of HS<sup>-</sup> will cause FeS<sub>2</sub> mineral precipitation to occur (Eq. 1.2).

$$\operatorname{FeS} + \operatorname{S}^0 \xrightarrow{} \operatorname{FeS}_2$$
 (2.6)

(Appelo and Postma, 2005)

Furthermore, the Eh environment of the Zorra PRB is within the 0 to +400 mV Eh range observed at the Nickel Rim site in Sudbury, Ontario (Bain, 1996), where pyrite and iron sulphide was actively precipitating.

#### 2.5.5 Other Redox Indicators

During the August event, values for Eh, pH and DOC remain steady in the barrier (Fig 16a, 22a, 21c), because the HRT change was smaller (increased from 4.5 to 10 days). Changes in redox conditions during the November event were more pronounced however, because the change in HRT was more abrupt decreasing from 11.1 to 0.8 days. In particular Eh increased from +20 to +335 mV at PU 2C (Fig 20a), which presumably indicated a changing redox environment from SO<sub>4</sub> reducing to NO<sub>3</sub> reducing (despite some SO<sub>4</sub> reduction being still evident under enhanced flow rates). Consequently, on Day 1 after the flow increased, NO<sub>3</sub>-N penetrated through the entire barrier. Thus, HRT manipulation can play an important role in controlling the redox environment in a wood-particle reactor such as this.

#### 2.5.6 Normalization Error

Unfortunately the normalization procedure holds a substantial amount of error. This is most evident in the unusually high NO<sub>3</sub>-N reaction rates determined during the November event. This is caused by three main sources of error: the first, is that the normalization procedure utilizes a Cl<sup>-</sup> ratio, which is based off Cl<sup>-</sup> concentrations which are somewhat variable (Figs 15, 18).

The second source of error is in the selection of piezometer point PU 2-7 as the natural upgradient monitoring point. Cl<sup>-</sup> concentrations at PU 2-7 typically ranged from 31 to 37 mg/L, with lower concentrations commonly found closer to ground surface (Fig 8). However, Cl<sup>-</sup> concentrations in the PRB varied between 38 to 84 mg/L. Ideally, a monitoring point at the

31

immediate upgradient face of the PRB would be better suited to describe the influent water chemistry, as there would be fewer sources of temporal or spatial related error. However, limitations in the monitoring network and a poor understanding of the heterogeneity of the aquifer, combined with the resulting difficulty in determining exact flowlines of groundwater into the PRB, prevented the use of such a point. Thus, PU 2-7 was selected as the best available representation of upgradient water chemistry.

The third source of error is the large difference between chemistry in the tile drain and the natural upgradient groundwater. This is of particular importance to NO<sub>3</sub>-N, as concentrations range from 90 to 108 mg/L in the natural upgradient groundwater, compared to only 17 to 21 mg/L in the upgradient tile. Essentially, the error associated with the Cl<sup>-</sup> ratio will be amplified by this large difference in influent NO<sub>3</sub>-N, as an incorrect estimation of percent of flow from each of the upgradient influent sources will cause greater changes in estimated NO<sub>3</sub>-N concentrations in the PRB.

Effectively, calculations requiring normalized anion values, such as reaction rates and carbon depletion estimates, are somewhat flawed. Thus, any statements made using these calculations are not entirely conclusive.

#### 2.5.7 PRB Transience and Microbial Equilibrium

Manipulation of flow rates in the Zorra PRB was expected to increase the transience of water chemistry and redox values. This effect was likely maximized during the November event, where prior to the upgradient and downgradient valves being opened, the PRB was dominated by natural groundwater flow (0.3 m/day). When the HRT was decreased from 11.1

to 0.8 days, NO<sub>3</sub>-N enriched water was carried to the downgradient regions of the PRB. Upgradient microorganisms in the PRB were likely unaffected by the increase in NO<sub>3</sub>-N concentration, as NO<sub>3</sub>-N was not uncommon in the region, however microorganisms in the downgradient region of the PRB would have been significantly affected by the sudden change in groundwater chemistry. Prior to the November flow enhancement event, between piezometer points PU 5-1.3 and 6-2, concentrations of SO<sub>4</sub> ranged from 0.3 to 0.6 mg/L (Table 4), thus the sudden increase in  $NO_3$ -N and  $SO_4$  in this portion of the PRB would have significantly affected the redox and microbial equilibrium. Scholten et al. observed that cultured acetate using nitrate reducing bacteria typically took 4 to 6 weeks of incubation to reach maximum populations in a controlled lab environment, however acetate using sulfate reducing bacteria required 9 to 10 months of incubation to reach maximum populations (2002). If the response of acetate using microorganisms can be assumed to be similar to those found in the Zorra PRB, the continually variable groundwater chemistry in the PRB (Appendix Tables B1,B2,B3,B4) may suggest that a true microbial equilibrium is never reached. This problem is further compounded by the highly variable natural gradient on site (Figure 11), which will affect the distance  $NO_3$ -N and  $SO_4$  are able to penetrate into the PRB. Thus, even under natural gradient induced flow conditions, microbial equilibrium in the Zorra PRB is questionable. While flow rates were not kept constant in this study, stricter control of flow rate may help promote microbial equilibrium in an environment such as the Zorra PRB.

#### 2.5.8 Effect of Carbon Compound Variety on Reaction Rates

Plant matter is typically composed of the following components (Paul and Clark, 1989):

| 2-20%  | sugars and soluble carbohydrates, |
|--------|-----------------------------------|
| 15-60% | cellulose,                        |
| 10-30% | hemicellulose,                    |
| 5-30%  | lignin,                           |
| 2-15%  | protein.                          |

In a denitrifying PRB, the sugars and soluble carbohydrates are the first sources of labile carbon to be consumed; this is followed by hemicellulose (structurally dissimilar to cellulose) and eventually cellulose (Vogan, 1993). Plant matter most resistant to break down is the lignin fraction, which is compose of highly branched polymers of aromatic carbon units (Vogan, 1993). Reaction rates during the early stages of a reactive layer's lifespan will be higher than those later on due to the availability of more soluble carbohydrates in the reactive media (Vogan, 1993). Effectively, reaction rates in the Zorra PRB, during this study, should not be affected by the carbon media, since the barrier was ~1.3 years old at the beginning of the experiment, and presumably exhausted of the more labile carbon fractions.

# 3.0 Longevity of Wood Particle Barriers Treating Groundwater Nitrate

# 3.1 Introduction

Investigation of the long-term treatment capacity of wood particle barriers is of interest because the requirement for frequent media replenishment could make costs associated with this technology uncompetitive. To further assess longevity, two PRBs were investigated for their long-term treatment effectiveness. The Woodstock and Zorra barriers were chosen as both have been in operation for a similar length of time (3 to 4 years), treating groundwater NO<sub>3</sub> contamination. Both use high-K woodchip media which causes groundwater at depth to converge into the barrier (Robertson et al., 2005; Robertson et al., 2007). Previous longer term studies (Robertson et al., 2000; Schipper and Vojvodic-Vukovic, 2001; van Driel et al., 2006a) have not considered reactive barrier configurations using the coarser media.

#### 3.2 Barriers

#### Woodstock reactive barrier

The Woodstock reactive barrier was installed in September 2003 near Woodstock, Ontario (Robertson et al., 2005). The pit for the reactor was trenched to  $\sim 2$  m below ground surface, into the shallow water table zone, with a backhoe. It was speculated that such high Klayers near the water table would cause groundwater flow from depth to converge into the high K zone (Robertson et al., 2005). A plywood box was then installed to  $\sim 0.4$  m below the water table to prevent sloughing. The box was then filled with  $\sim 0.4$  m<sup>3</sup> of coarse wood particle media. Before the reactor was backfilled, the up and down gradient plywood walls were removed, in order to allow for lateral flow through the wood media. HRTs in the barrier were generated using flow rate data from borehole dilution tests. While the borehole dilution velocities varied considerably between 0.33 to 7.49 m/d (Robertson et al., 2005), an average hydraulic retention time of  $\approx$  0.6 days was determined. More detailed explanation of experiment construction and design is provided by Robertson et al. (2005).

# Zorra reactive barrier

The installation and description of the Zorra reactive barrier has been presented previously (Section 1.3).

# **3.3** Results and Discussion

#### **Woodstock Barrier**

The initial sampling event (3 months after start up) indicated an influent concentration of ~10 mg/L NO<sub>3</sub>-N entering the barrier (Robertson et al., 2005). After passing through the PRB, a down gradient plume of low NO<sub>3</sub>-N groundwater (< 1 mg/L) occurred (Fig 26a). The < 1 mg/L NO<sub>3</sub>-N plume that has developed down gradient of the reactive layer has remained consistent for 3.8 years after installation (Fig 26b,c), demonstrating that the PRB is still functioning.

#### Zorra Site

Upgradient groundwater NO<sub>3</sub>-N concentrations at this site have ranged from 5 to >100 mg/L, with the highest NO<sub>3</sub> levels found at depths of 1 to 3 m below the water table. As the high-K layer of the PRB diverts water from depth into the PRB, a plume of NO<sub>3</sub>-N depleted

water is generated down gradient. By year 0.3 the plume of NO<sub>3</sub>-N reduced water was still displacing the NO<sub>3</sub>-N rich background water out of the local transect shown (Fig 27a). Sampling in year 0.9 indicated that the downgradient NO<sub>3</sub>-N was completely displaced out of the transect at that time (Fig 27b). The down gradient plume remained similar, within this local zone, in year 2.3 (Fig 27c), confirming that the reactor is still functioning properly.

# 3.4 Conclusions

Based on the consistency of the plumes of nitrate attenuated groundwater at both the Woodstock and Zorra sites, over 2 to 4 years of operation, it appears that there has been no deterioration in PRB treatment performance at either of these sites over this time period.

# 4.0 Summary and Conclusions

#### 4.1 Conclusions

#### 4.1.1 Zorra site experiment

By changing the head conditions at the edges of the PRB using upgradient and downgradient tile drains, these experiments have demonstrated that it is possible to manipulate flow rates, and hence the hydraulic retention times in the reactor. Consequently, this technique has important implications for determining the redox environment within a PRB. While the ability of the tile drains to inhibit SO<sub>4</sub> reduction was somewhat uncertain in this case, the use of tile drains may allow larger capture areas to be remediated using a local scale PRB. At the Zorra site, natural flow through the barrier was insufficient to fully utilize the treatment capacity of the reactor for NO<sub>3</sub>. With subsequent use of the tile drain system, more optimal NO<sub>3</sub> treatment conditions were periodically achieved during these experiments, allowing for more efficient use of barrier reactive materials. Flow enhancement increased the proportion of C being depleted by NO<sub>3</sub>-N reduction from 62% at flow rates of 0.2 m/day, to 90% at flow rates of 2.1 m/day. Another implication is that the valve system could increase the seasonal treatment efficiency of the reactor. During the warm summer months, tile valves could be opened to accommodate for the higher reaction rates available, while the valves could be closed in the winter months to accommodate lower reaction rates.

#### 4.1.2 Barrier longevity

This study demonstrated that wood-particle barriers composed of coarse woodchips, such as those at the Woodstock and Zorra sites, are capable of treating NO<sub>3</sub> contaminated groundwater for time spans of at least 2 to 4 years without media replenishment. Downgradient plumes at both sites indicate that there has been little or no deterioration of the treatment performance of the reactors over this time period.

# 4.2 Further Research

The choice of reactive media may play some role in the release of metallic ions in the PRB. Further study on the rate at which these metals are released from wood-particle PRB environments should be undertaken in order to understand the impact construction materials play in the geochemical evolution of downgradient plumes. If degradation of wood media contributes to the release of undesirable trace metals, wood-particle PRBs could potentially contribute to groundwater contamination.

One aspect of the enhanced flow rate system which was not addressed in this study was the degree to which modifying flow rates affects the down gradient plume shape. This could be assessed at the Zorra site through the installation of additional piezometers around the tile drain inlets and outlets and through further flow manipulation experiments.

Continued study of wood-particle PRB longevity should also be undertaken. In particular, the question of how flow enhancement effects PRB longevity should be more fully

39

addressed through continued operation of the Zorra site PRB and through additional C-depletion calculations.

#### References

- Appello, C.A.J. and Postma, D., 2005. Geochemistry, Groundwater and Pollution, 2<sup>nd</sup> Edition. A.A. Bulkema Publishers. New York, NY.
- Bain, J.G., 1996. The physical and chemical hydrogeology of sand aquifer affected by drainage from the Nickel Rim tailings impoundment. MSc. Thesis, Dept. of Earth Sciences, University of Waterloo, Waterloo, ON.
- Bass, D.H., Hastings, N.A., Brown, R.A., 2000. Performance of air sparging systems: a review of case studies. Journal of Hazardous Materials, 72: 101-119.
- Benner, S.G., Blowes, D.W., Ptacek, C.J., 1997. A Full-scale Porous Reactive Wall for Prevention of Acid Mine Drainage. Groundwater Monitoring and Remediation, 17(4): 99-107.
- Benner, S.G., Blowes, D.W., Molson, J.W.H., 2001. Modeling preferential flow in a reactive barrier: Implications for performance and design. Groundwater, 39(3): 371-379.
- Blowes, D.W., Robertson, W.D., Ptacek, C.J., Merkley, C., 1994. Removal of agricultural nitrate from tile-drainage effluent water using in-line bioreactors. Journal of Contaminant Hydrology, 15: 207-221.
- Blowes, D.W., Ptacek, C.J., Benner, S.G., McRae, C.W.T., Bennett, T.A., Puls, R.W., 2000. Treatment of inorganic contaminants using permeable reactive barriers. Journal of Contaminant Hydrology, 45: 123-137.
- Brock, T.P., Smith, D.W. and Madigan, M.T., 1984. Biology of Micro Organisms. Prentice-Hall, New York, NY, 847.
- Cowan, W.R., 1971. Pleistocene geology of the Woodstock area, southern Ontario. Map P-701, Ontario Department of Mines and Northern Affairs, Toronto, ON.
- Delwiche, C.C., 1981. The nitrogen cycle and nitrous oxide. In: Denitrification, Nitrification and Atmospheric Nitrous Oxide. C.C. Delwiche, ed. Wiley-Interscience, New York, N.Y.
- Doty, C.B. and Davis, C.C., 1991. The effectiveness of ground-water pumping as a restoration technology. Oak Ridge Mational Laboratory Report ORNL/TM-11866.
- Fendorf, S.E. and Li, G. 1996. Kinetics of Chromate reduction by Ferrous Iron. Environmental Science and Technology, 30(5): 1614-1617.
- Fetter, C.W., 2001. Applied Hydrogeology. Prentice Hall. Upper Saddle River, NJ.

- Gillespie, R. J., D. A. Humphreys, N. C. Baird, and E. A. Robinson., 1986. Chemistry. Newton, MA.
- Gillham, R.W. and O'Hannesin, S.F., 1994. Enhanced Degradation of Halogenated Aliphatics by Zero-Valent Iron. Ground Water, 32(6): 958-967.
- Hering J.G. and Stumm, W., 1990. Oxidative and reductive dissolution of minerals. Mineral-Water Interface Geochemistry. Mineralogical Society of America, 23: 427-466.
- Jeen, S., 2005. Effects of Mineral Precipitation on Long-Term Performance of Granular Iron Permeable Reactive Barriers: Column Experiments and Numerical Simulation. Ph. D. Thesis, Dept. of Earth Sciences, University of Waterloo, Waterloo, ON.
- Killey, R.W.D., and Munch, J.H., 1987. Radiostrontium migration from a 1953-54 liquid release to a sand aquifer. Water Pollution Research Journal of Canada, 22: 99-107.
- Lee, D.R., Shikaze, S., Smyth, D., Jowett, R. and Milloy, C., 1998. Wall and Curtain for Passive Collection/Treatment of Contaminant Plumes. 1st Int. Conf Remediation of Chlorinated & Recalcitrant Compounds. Battelle Press. Monterey, CA.
- Lee, D.R., and Hartwig, D.S., 2005. Zeolite prevents discharge of Strontium-90-contaminated groundwater. Environmental Technologies Branch, Atomic Energy of Canada Limited. Chalk River Laboratories, Chalk River, ON.
- Lee, D.R., 2007. Personal communication, regarding Strontium-90 sorbing wall design. Stn 51 A, Environmental Technologies Branch, Chalk River Laboratories, Chalk River, ON.
- Liebhardt, W.C., Golt, C. and Tupin, J., 1979. Nitrate and ammonium concentrations of ground water resulting from poultry manure applications. Journal of Environmental Quality, 8(2):211-215.
- Lovley, D.R., 1987. Organic matter mineralization with the reduction of ferric iron: A review. Geomicrobiology Journal, 5: 375-399.
- Lovley, D.R. and Phillips, E.J.P., 1986. Organic matter mineralization with reduction of ferric iron in anaerobic sediments. Applied and Environmental Microbiology, 51: 683 689.
- Mulder, A., Van de Graaf, A.A., Robertson, L.A., and Kuenen, J.G., 1995. Anaerobic ammonium oxidation discovered in a denitrifying fluidized bed reactor. FEMS Microbiology and Ecology, 16: 177-183.
- Nordstrom, D. K., 1977. Thermodynamic redox equilibria of Zobell's solution. Geochimica et Cosmochimica Acta, 41(12): 1835-1841.
- O'Hannesin, S.F., and Gillham, R.W., 1998. Long-Term Performance of an In Situ "Iron Wall" for remediation of VOCs. Groundwater, 36(1): 164-170.

Paul, E.A., and Clark, F.E., 1989. Soil Biology and Biochemistry. Academic Press, Sydney.

- Parkhurst, D.L., 2007. PHREEQCI version 2.13.2-1727. USGS. ftp://brrftp.cr.usgs.gov/pub/ charlton/phreeqci/phreeqci-2.13.2-1727.exe (accessed March 2007).
- Rowell, R.M., 1984. American Chemical Society. Cellulose, Paper, and Textile Division. Seattle WA, 207: 119-120.
- Robertson, W.D. and Cherry, J.A., 1995. In situ denitrification of septic system nitrate using reactive porous medium barriers: field trials. Ground Water, 33: 99-111.
- Robertson, W.D., Blowes, D.W., Ptacek, C.J., Cherry, J.A., 2000. Long-term performance of in situ reactive barriers for nitrate remediation. Ground Water, 38(5): 689-695.
- Robertson, W.D., Yeung, N., van Driel, P.W., Lombardo, P.S., 2005. High-Permeability Layers for Remediation of Ground Water; Go Wide, Not Deep. Ground Water, 43(4): 574-581.
- Robertson, W.D. 2007. Personal communication, regarding dry density of woodchip media used at Zorra research site and flow patterns beneath Zorra site barrier. Department of Earth and Environmental Sciences, University of Waterloo, ON.
- Robertson, W.D., Ptacek, C.J., Brown, S.J., 2007. Geochemical and Hydrogeological Impacts of a Wood Particle Barrier Treating Nitrate and Perchlorate in Ground Water. Ground Water Monitoring and Remediation, 27(2): 85-95.
- Robertson, W.D. and Schiff, S.L., 2007. Persistent Elevated Nitrate in a Riparian Zone Aquifer. Journal of Environmental Quality, Accepted pending revisions.
- Schipper, L.A. and Vojvodic-Vukovic, M. 2001. Five years of nitrate removal, denitrification and carbon dynamics in a denitrification wall. Water Research, 25(14): 3473-3477.
- Schipper, L.A., Barkle, G.F., Hadfield, J.C., Vojvodic-Vukovic, M., and Burgess, C.P., 2004. Hydraulic constraints on the performance of a groundwater denitrification wall for nitrate removal from shallow groundwater. Journal of Contaminant Hydrology, 69(4): 263–279.
- Scholten, J.C.M., van Bodegom, P.M., Vogelaar, J., van Ittersum, A., Hordijk, K., Roelofsen, W., Stams, A.J.M., 2002. Effect of sulfate and nitrate on acetate conversion by anaerobic microorganisms in a freshwater sediment. Federation of European Microbiological Societies Microbiology Ecology, 42: 375-385.
- Starr, R.C. and Cherry, J.A., 1994. In Situ Remediation of Conatminated Groundwater: The Funnel-and-Gate System. Groundwater, 32(3):465-476.
- Stone, A.T., 1987a. Microbial metabolites and the reductive dissolution of manganese oxides: Oxalate and pyruvate. Geochimica et Cosmochimica Acta, 551: 919-925.

- Stone, A.T., 1987b. Reductive dissolution of manganese(III,IV) oxides by substituted phenols. Environmental Science & Technology, 21: 979-988.
- Stone, A.T. and Morgan, J.J., 1984a. Reduction and dissolution of manganese(III) and manganese(IV) oxides by organics, 1. Reaction with hydroquinone. Environmental Science & Technology, 18: 450-456.
- Stone, A.T. and Morgan, J.J., 1984b. Reduction and dissolution of manganese(III) and manganese(IV) oxides by organics, 2. Survey of the reactivity of organics. Environmental Science & Technology, 18: 617 624.
- Strous, M., Van Gerven, E., Kuenen, J.G., Jetten, M.S.M.1997. Effects of aerobic and microaerobic conditions on anaerobic ammonium-oxidizing (Anammox) sludge. Applied Environmental Microbiology, 63: 2446–2448.
- Sutton, P.M., Murphy, K.L., 1974. Continuous Biological De-nitrification of Wastewater. Environment Canada, Environmental Protection Service, Water Pollution Control Directive, Technology Development Report EPS 4-WP-74-6, Ottawa, ON.
- Thomson, N.R., and Flynn, D.J., 2000. Soil Vacuum Extraction of Perchloroethylene from the Borden Aquifer. Ground Water, 38(5): 673-688.
- Van de Graaf, A.A., De Bruijn, P., Robertson, L.A., Jetten, M.S.M., Kuenen, J.G. 1997. Metabolic pathway of anaerobic ammonium oxidation on the basis of N-15 studies in a fluidized bed reactor. Microbiology, 143: 2415–2421.
- van Driel, P.W., 2004. Enhancing Denitrification of Agricultural Tile Drainage and Discharging Groundwater in Riparian Zones using Wood Media Reactors. MSc. Thesis, Dept. of Earth Sciences, University of Waterloo, Waterloo, ON.
- van Driel, P.W., Robertson, W.D., Merkey, L.C., 2006a. Denitrification of agricultural drainage using wood-based reactors. Transactions of the American Society of Agricultural Engineers, 48(1): 121-128.
- van Driel, P.W., Robertson, W.D., Merkey, L.C., 2006b. Upflow reactors for riparian zone denitrification. Journal of Environmental Quality, 35: 412-420.
- Vogan, J.L., 1993. The Use of Emplaced Denitrifying Layers to Promote Nitrate Removal from Septic Effluent. MSc. Thesis, Dept. of Earth Sciences, University of Waterloo, Waterloo, ON.
- Wilkin, R.T., Puls, R.W., Sewell, G.W., 2002. Long-Term Performance of Permeable Reactive Barriers Using Zero Valent Iron: Geochemical and Microbiological Effects. Ground Water, 41(4): 493-503.

Tables

|          |        |        | 0      |      | 1    | /    |
|----------|--------|--------|--------|------|------|------|
|          |        | 09-/   | Aug-06 |      |      |      |
|          | Cl     | NO3-N  | SO4    | EC   | Eh   |      |
|          | (mg/L) | (mg/L) | (mg/L) | (µS) | (mV) | рΗ   |
| PU 2-2   | 42.7   | 1.01   | 41.3   | 684  | 316  | 6.89 |
| PU 2-3   | 35.2   | 3.36   | 26.6   | 644  | 336  | 6.98 |
| PU 2-4   | 32.7   | 3.20   | 22.2   | 585  | 336  | 7.1  |
| PU 2A    | 70.1   | 1.35   | 78.3   | 919  | 218  | 7.02 |
| PU 2B    | 82.3   | 0.42   | 85.4   | 1058 | 60   | 6.81 |
| PU 2C    | 86.8   | < 0.02 | 53.6   | 1123 | -36  | 6.54 |
| PU 3-6   | 65.9   | < 0.02 | 21.2   | 1050 | 20   | 6.5  |
| PU 4-1.6 | 88.6   | < 0.02 | 35.0   | 1141 | -39  | 6.25 |
| PU 5-1.3 | 66.3   | < 0.02 | 13.1   | 996  | -20  | 6.2  |
| PU 6-2   | 48.0   | 0.02   | 4.1    | 985  | 19   | 6.09 |
|          |        | 11-/   | Aug-06 |      |      |      |
| PU 2-5   |        |        |        | 859  | 318  | 7.15 |
| PU 2-6   |        |        |        | 1238 | 349  | 7.12 |
| PU 2-7   | 31.8   | 110.9  | 60.4   | 1566 | 323  | 7.07 |
| PU 2A    | 48.6   | 0.28   | 49.3   | 811  | 247  | 7.12 |
| PU 2B    | 60.3   | < 0.02 | 49.4   | 990  | 61   | 6.86 |
| PU 2C    | 85.6   | < 0.02 | 47.6   | 1174 | -13  | 6.63 |
| PU 3-6   | 71.8   | < 0.02 | 25.3   | 1049 | -35  | 6.52 |
| PU 4-1.6 | 81.6   | < 0.02 | 24.4   | 1215 | -22  | 6.35 |
| PU 5-1.3 | 62.6   | < 0.02 | 10.3   | 961  | -23  | 6.28 |
| PU 6-2   | 55.6   | < 0.02 | 5.7    | 959  | 53   | 6.19 |

 Table 1. Geochemistry along PRB detailed monitoring transect prior to August Event used for flow path determination (down gradient tile line open).

Table 2. Flow rate measurements. BHD is Borehole dilution test in barrier; Tracer is a salt tracer test in tile lines (Aug 11- Nov 29, 2006); EM is flow rate measured within the drainage tiles using a magnetic flow meter.

|                 |           | Event  |           | Flow in<br>Tile | Barrier<br>Flow<br>Velocity | HRT    |        |
|-----------------|-----------|--------|-----------|-----------------|-----------------------------|--------|--------|
|                 | Date      | Day    | Test Type | (L/min)         | (m/day)                     | (days) | Valve  |
|                 | 7-Aug-06  | Day -5 | Tracer    | 4.1             | 1.7                         | 2.3    | open   |
|                 | 8-Aug-06  | Day -4 | Tracer    | 2.0             | 0.9                         | 4.6    | open   |
|                 | 8-Aug-06  | Day -4 | BHD       |                 | 0.8                         | 5.2    | open   |
| August          | 9-Aug-06  | Day -3 | Tracer    | 2.7             | 1.2                         | 3.5    | open   |
| August<br>Event | 10-Aug-06 | Day -2 | Tracer    | 1.9             | 0.8                         | 4.8    | open   |
| Lvent           | 11-Aug-06 | Day -1 | Tracer    | 2.1             | 0.9                         | 4.5    | open   |
|                 | 12-Aug-06 | Day 0  | BHD       |                 | 0.6                         | 7.2    | open   |
|                 | 12-Aug-06 | Day 0  | Tracer    | 1.4             | 0.6                         | 6.9    | open   |
|                 | 13-Aug-06 | Day 1  | BHD       |                 | 0.4                         | 10     | closed |
|                 | 22-Nov-06 | Day 0  | BHD       |                 | 0.3                         | 11.1   | closed |
|                 | 23-Nov-06 | Day 1  | BHD       |                 | 0.5                         | 7.3    | open   |
| November        | 23-Nov-06 | Day 1  | EM        | 11.1            | 4.8                         | 0.8    | open   |
| Event           | 25-Nov-06 | Day 3  | EM        | 8               | 3.4                         | 1.1    | open   |
|                 | 27-Nov-06 | Day 5  | EM        | 5.9             | 2.5                         | 1.5    | open   |
|                 | 29-Nov-06 | Day 7  | EM        | 4.9             | 2.1                         | 1.8    | open   |

|             |        | 5                         | ap Braand                    |               |                 |            |      | ,            |              |               |               |
|-------------|--------|---------------------------|------------------------------|---------------|-----------------|------------|------|--------------|--------------|---------------|---------------|
|             | Day    | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO₄<br>(mg/L) | NH₄-N<br>(mg/L) | EC<br>(µS) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | TKN<br>(mg/L) | DOC<br>(mg/L) |
| 20-Nov-06 * | Day -2 | 249.1                     | 0.15                         | 107           | 8.66            |            |      |              |              |               | 161           |
| 20-Nov-06   | Day -2 | 418.4                     | 38.8                         | 112           | 2.65            |            |      |              |              |               | 96.2          |
| 23-Nov-06   | Day 1  | 177.7                     | 16.9                         | 149           |                 |            |      |              |              |               |               |
| 25-Nov-06   | Day 3  | 141.0                     | 17.3                         | 143           |                 | 880        | 6.79 |              |              |               |               |
| 27-Nov-06   | Day 5  | 193.4                     | 19.2                         | 153           |                 | 224        | 6.92 |              |              |               |               |
| 29-Nov-06   | Day 7  | 160.8                     | 20.7                         | 171           |                 | 936        | 6.86 | 0.14         | 1.5          |               | 75            |
| 23-May-07   |        | 65.7                      | <0.002                       | 108           | 1.4             | 2880       | 7.17 | 6.1          | 4            |               |               |
| 14-Jun-07   |        | 89                        | < 0.002                      |               | 1.4             | 3150       | 6.94 |              |              |               |               |
| 19-Jun-07   |        | 51.8                      | < 0.002                      |               | 1.5             | 1883       | 7.05 |              |              |               |               |
| 26-Jun-07   |        | 65.8                      | 0.46                         |               | 1.4             |            |      |              |              |               |               |
| 28-Jun-07   |        |                           |                              |               |                 |            |      |              |              | 4.4           | 18.2          |

Table 3. Geochemistry of upgradient tile. Values taken from PU 93, unless otherwise stated.

\* Values denote chemistry from second (north) upgradient tile.

| Table 4. I | Data used for | November       | event rea          | ction rate   | calculation              | ns.         |          |        |
|------------|---------------|----------------|--------------------|--------------|--------------------------|-------------|----------|--------|
|            |               | Tile           | PU 2-7             | PU 2C        | PU 3-6                   | PU 4-1.6    | PU 5-1.3 | PU 6-2 |
|            |               | Fra            | action of tile     | e flow base  | d on Cl <sup>-</sup> rat | io          |          |        |
| Day 0      | 22-Nov-06     | 0              |                    | 0            | 0                        | 0           | 0        | 0      |
| Day 1      | 23-Nov-06     | 1              |                    | 0.85         | 0.76                     | 0.68        | 0.45     | 0.35   |
| Day 3      | 25-Nov-06     | 1              |                    | 0.94         | 0.79                     | 0.63        | 0.56     | 0.54   |
| Day 5      | 27-Nov-06     | 1              |                    | 0.64         | 0.39                     | 0.36        | 0.28     | 0.32   |
| Day 7      | 29-Nov-06     | 1              |                    | 0.80         | 0.68                     | 0.73        | 0.46     | 0.43   |
|            |               |                | NO <sub>3</sub> -N | Measured     | (mg/L)                   |             |          |        |
| Day 0      | 22-Nov-06     |                | 106.5              | 0.0          | 0.0                      | 0.1         | 0.0      |        |
| Day 1      | 23-Nov-06     | 16.9           | 107.5              | 13.8         | 11.8                     | 7.6         | 3.9      |        |
| Day 3      | 25-Nov-06     | 17.3           | 91.4               | 12.4         | 10.2                     | 4.4         | 0.4      |        |
| Day 5      | 27-Nov-06     | 19.2           | 91.7               | 14.1         | 11.3                     | 1.6         | 0.0      |        |
| Day 7      | 29-Nov-06     | 20.7           | 90.1               | 11.0         | 7.7                      | 3.7         | 0.0      |        |
|            | N             | l<br>O₃-N Expe | cted (Co) b        | ased on fra  | ction of tile            | flow (mg/L  | )        |        |
| Day 1      | 23-Nov-06     | 16.9           | 107.5              | 30.3         | 38.5                     | 45.8        | 67.1     |        |
| Day 3      | 25-Nov-06     | 17.3           | 91.4               | 21.7         | 32.6                     | 44.7        | 49.5     |        |
| Day 5      | 27-Nov-06     | 19.2           | 91.7               | 45.5         | 63.4                     | 65.9        | 71.7     |        |
| Day 7      | 29-Nov-06     | 20.7           | 90.1               | 34.6         | 43.1                     | 39.7        | 58.1     |        |
|            |               |                | SO4 N              | /leasured (r | na/L)                    |             |          |        |
| Day 0      | 22-Nov-06     | 0.0            | 88.6               | 17.4         | 22.1                     | 9.0         | 0.3      | 0.6    |
| Day 1      | 23-Nov-06     | 149.3          | 90.5               | 141.8        | 129.1                    | 103.2       | 83.2     | 58.0   |
| Day 3      | 25-Nov-06     | 143.3          | 87.0               | 150.0        | 132.3                    | 116.5       | 95.6     | 95.0   |
| Day 5      | 27-Nov-06     | 152.7          | 79.0               | 147.6        | 98.9                     | 102.1       | 82.1     | 83.0   |
| Day 7      | 29-Nov-06     | 171.3          | 85.1               | 153.4        | 132.1                    | 112.2       | 100.7    | 93.5   |
|            |               | SO4 Expect     | ed (Co) ba         | sed on frac  | tion of tile t           | flow (ma/L) |          |        |
| Day 1      | 23-Nov-06     | 149.3          | .00 (00) .00       | 140.6        | 135.2                    | 130.5       | 116.7    | 111.1  |
| Day 3      | 25-Nov-06     | 143.3          |                    | 139.9        | 131.6                    | 122.4       | 118.8    | 117.3  |
| Day 5      | 27-Nov-06     | 152.7          |                    | 125.9        | 107.8                    | 105.3       | 99.3     | 102.4  |
| Day 7      | 29-Nov-06     | 171.3          |                    | 154.1        | 143.5                    | 147.7       | 124.8    | 122.2  |
|            |               |                |                    | Measured (   | ma/L)                    |             |          |        |
| Day 7      | 29-Nov-06     | 75.0           | 3.2                | 57.7         | 47.9                     | 37.6        | 34.9     | 35.7   |
| Day 7      | 20-1100-00    | 70.0           | 0.2                | 01.1         |                          | 01.0        | 04.9     |        |
|            | [             | OC Expec       | ted (Co) ba        | ased on frac | ction of tile            | flow (mg/L) |          |        |
| Day 7      | 29-Nov-06     |                |                    | 60.6         | 51.8                     | 55.4        | 36.3     | 34.1   |
|            |               |                |                    |              |                          |             |          |        |

Table 4. Data used for November event reaction rate calculations.

Table 5. Reaction rates of NO<sub>3</sub>-N and SO<sub>4</sub> for August and November events. a) August event reaction rates, Rate = (Concentration In – Concentration Out)/ HRT, b) November event reaction rates, (Anion loss)/HRT. November rates normalized based on Cl<sup>-</sup> mixing ratio between upgradient natural groundwater and tile influent, where anion loss is the difference between expected and actual anion concentrations.

| a) |                    |                                |     |                  | SO                                      | 4             |                              |                               |                                  |          |
|----|--------------------|--------------------------------|-----|------------------|---|---------------|------------------------------|-------------------------------|----------------------------------|----------|
| ,  | Piezometer<br>Pair | Day Flow in<br>Tile<br>(L/min) |     | Flow<br>Velocity | Distance<br>HRT<br>measured<br>over (m) | HRT<br>(days) | Raw<br>Conc.<br>In<br>(mg/L) | Raw<br>Conc.<br>Out<br>(mg/L) | Difference<br>Measured<br>(mg/L) | Reaction |
| [  | August Event       |                                |     |                  |   |               |                              |                               |                                  |          |
|    |                    | Day -1                         | 2.1 | 0.9              | 1.05                                    | 1.1           | 49                           | 10                            | -39                              | 34       |
|    | PU 2A, 3-6         | Day 0                          | 1.4 | 0.6              | 1.05                                    | 1.8           | 51                           | 15                            | -36                              | 20       |
|    |                    | Day 1                          |     | 0.4              | 1.05                                    | 2.6           | 42                           | 3                             | -39                              | 15       |
| Ī  | November Event     |                                |     |                  |   |               |                              |                               |                                  |          |
|    | PU 2C, 4-1.6       | Day 0                          |     | 0.3              | 2                                       | 5.6           | 88                           | 9                             |                                  | 14       |

| 1 | >   |
|---|-----|
| h | · • |
| U | ,   |
|   |     |

|                         | NO <sub>3</sub> -N |                            |      |   |                 |                        |                          |                                |                         |  |
|-------------------------|--------------------|----------------------------|------|---|-----------------|------------------------|--------------------------|--------------------------------|-------------------------|--|
|                         | November Event     |                            |      |   |                 |                        |                          |                                |                         |  |
| Piezometer              | Day                | Flow in<br>Tile<br>(L/min) | FIOW | Distance<br>HRT<br>measured<br>over (m) | HRT<br>(days)   | Raw<br>Conc.<br>(mg/L) | Tile<br>Flow<br>Fraction | Expected<br>Conc. In<br>(mg/L) | Anion<br>Loss<br>(mg/L) | Normalized<br>NO <sub>3</sub><br>Reaction<br>Rate (mg<br>N/L/day)                |
|                         | Day 1              | 11.1                       | 4.8  | 0.95 a                                  | ) 0.2           | 12                     | 0.76                     | 39                             | -27                     | 139  |
| PU 3-6                  | Day 3              | 8                          | 3.4  | 0.95                                    | 0.2             | 10                     | 0.79                     | 33                             | -22                     | 93   |
| F 0 3-0                 | Day 5              | 5.9                        | 2.5  | 0.95                                    | 0.4             | 11                     | 0.39                     | 63                             | -52                     | 145  |
|                         | Day 7              | 4.9                        | 2.1  | 0.95                                    | 0.4             | 8                      | 0.68                     | 43                             | -35                     | 82   |
|                         | Day 1              | 11.1                       | 4.8  | 2.68                                    | 0.5             | 3.9                    | 0.45                     | 67                             | -63                     | 117  |
| PU 5-1.3                | Day 3              | 8                          | 3.4  | 2.68                                    | 0.7             | 0.4                    | 0.56                     | 50                             | -49                     | 73   |
| FU 5-1.5                | Day 5              | 5.9                        | 2.5  | 2.68                                    | 1.0             | 0.0                    | 0.28                     | 72                             | -72                     | 71   |
|                         | Day 7              | 4.9                        | 2.1  | 2.68                                    | 1.2             | 0.0                    | 0.46                     | 58                             | -58                     | 48   |
|                         |                    |                            |      |   | SO <sub>4</sub> |                        |                          |                                |                         |  |
|                         |                    |                            |      | Nov                                     | /ember          | Event                  |                          |                                |                         |  |
| Piezometer              | Day                | Flow in<br>Tile<br>(L/min) | FIOW | Distance<br>HRT<br>measured<br>over (m) | HRT<br>(days)   | Raw<br>Conc.<br>(mg/L) | Tile<br>Flow<br>Fraction | Expected<br>Conc.(Co,<br>mg/L) | Anion<br>Loss<br>(mg/L) | Normalized<br>SO <sub>4</sub><br>Reaction<br>Rate (mg<br>SO <sub>4</sub> /L/day) |
| PU 3-6                  | Day 1              | 11.1                       | 4.8  | 0.95                                    | 0.2             | 129                    | 0.76                     | 135                            | -6                      | 31   |
| (NO <sub>3</sub> -N     | Day 3              | 8                          | 3.4  | 0.95                                    | 0.2             | 132                    | 0.79                     | 132                            | 0                       | 0  |
| present)                | Day 5              | 5.9                        | 2.5  | 0.95                                    | 0.4             | 99                     | 0.39                     | 108                            | -9                      | 25   |
| p: 000()                | Day 7              | 4.9                        | 2.1  | 0.95                                    | 0.4             | 132                    | 0.68                     | 144                            | -12                     | 28   |
| PU 5-1.3                | Day 1              | 11.1                       | 4.8  | 2.68                                    | 0.5             | 83                     | 0.45                     | 117                            | -34                     | 63   |
| (NO <sub>3</sub> -N not | Day 3              | 8                          | 3.4  | 2.68                                    | 0.7             | 96                     | 0.56                     | 119                            | -23                     | 34   |
| present)                | Day 5              | 5.9                        | 2.5  | 2.68                                    | 1.0             | 82                     | 0.28                     | 99                             | -17                     | 17   |
| procent)                | Day 7              | 4.9                        | 2.1  | 2.68                                    | 1.2             | 101                    | 0.46                     | 125                            | -24                     | 20   |

Table 6. PRB carbon consumption during varying flow rates. August event influent data from PU 2C, effluent data from PU 6-2. November event calculations based on difference between normalized and expected values at PU 6-2. Values for dissolved oxygen (DO) on August event Day 4 and November event Day 7 were estimated from appendix B data. Flow rate value for August event Day 4 was estimated based on the change in HRT between valve open and closed conditions (from 4.5 days to 10.0 days respectively).

|                    |                        | 2                    | J.0 days respe    | jeuvery).          | <u> </u>   |           |               |
|--------------------|------------------------|----------------------|-------------------|--------------------|------------|-----------|---------------|
|                    |                        | ncentration          | (mg/L)            | • <i>• •</i> • • • | C consu    | imed      | % of Total    |
|                    | Influent<br>(PU 2C)    | Effluent<br>(PU 6-2) | loss ( $\Delta$ ) | Δ (g/day)          | (g/day)    | (kg/year) | C<br>Consumed |
| August Ev          | ent Day -1             | (Flow 2.1 L          | ./min, vel. ~0.9  | m/day)             |            |           |               |
| NO <sub>3</sub> -N | 111                    | < 0.02               | -111              | -336               | 360        | 131       | 75.4          |
| SO <sub>4</sub>    | 60                     | 5.7                  | -54               | -164               | 41         | 15        | 8.6           |
| DO                 | 3                      | < 0.1                | -3                | -9                 | 3          | 1         | 0.7           |
| DOC                | 14                     | 38                   | 24                | 73                 | 73         | 26        | 15.2          |
|                    |                        |                      |                   |                    | Total      | 174       | 100.0         |
| August Ev          | ent Day 4 (            | Flow ~0.95           | 5 L/min, vel. ~0  | .2 m/day)          |            |           |               |
| NO <sub>3</sub> -N | 99                     | < 0.02               | -99               | -135               | 145        | 53        | 61.6          |
| SO <sub>4</sub>    | 60                     | 0.1                  | -60               | -82                | 20         | 7         | 8.7           |
| DO                 | 3                      | < 0.1                | -3                | -4                 | 2          | 1         | 0.7           |
| DOC                | 4                      | 54                   | 50                | 68                 | 68         | 25        | 29.0          |
|                    |                        |                      |                   |                    | Total      | 86        | 100.0         |
| November           | <sup>-</sup> Event Day | 7 (Flow 4.           | 9 L/min, vel. ~2  | 2.1 m/day)         |            |           |               |
|                    | Concent                | tration (mg/         | /L) (PU 6-2)      |                    | C consumed |           | % of Total    |
|                    | Expected               | Actual               | Anion loss<br>(Δ) | ∆ (g/day)          | (g/day)    | (kg/year) | C<br>Consumed |
| Normalize          | d Values               |                      |                   |                    | •          |           |               |
| November           | <sup>-</sup> Event Day | 7 (Flow 4.           | 9 L/min, vel. ~   | 2.1 m/day)         |            |           |               |
| NO <sub>3</sub> -N | 60                     | < 0.02               | -60               | 425                | 455        | 166       | 89.5          |
| SO <sub>4</sub>    | 122                    | 93.5                 | -29               | 203                | 51         | 18        | 9.9           |
| DO                 | 3                      | < 0.1                | -3                | 21                 | 8          | 3         | 1.6           |
| DOC                | 34                     | 35.7                 | +2                | -11                | -4         | -2        |               |
|                    |                        |                      |                   |                    | Total      | 185       | 100.0         |

Figures




Figure 1. Conceptual diagram of a permeable reactive barrier. Contaminated groundwater is transported through the permeable reactive barrier and treated passively by barrier materials which either degrade, precipitate or adsorb target contaminants and allow the remediated water to exit the downgradient edge of the barrier.




Figure 2. Examples of PRBs with non-optimal flow rates: a) organic carbon (mulch and woodchips) barrier treating acid mine drainage, Nickel Rim mine site, Sudbury, Ontario, from Benner et al. (1997) b) zero-valent iron wall treating VOC compounds, CFB Borden, Ontario from O'Hannesin and Gillham (1998), c) zero-valent iron wall treating Cr and DCE, Elizabeth City, North Carolina from Wilkin et al. (2002).




Figure 3. AECL's <sup>90</sup>Sr sorbing Wall-and-Curtain. <sup>90</sup>Sr contaminated water upgradient of the wall is drawn into the adsorbing curtain by the tile drain and vertical perforated well system installed in the adsorbing material. When the tile line removing the effluent water from the adsorbing wall is lowered inside the adjacent manhole, the hydraulic head in the curtain is affected. The sheet piling behind the curtain is necessary in order to prevent interaction between the curtain and the downgradient wetland. Figure adapted from Lee and Hartwig (2005).




Figure 4. Site sketch of Zorra Site. See Figure 7 for PRB main transect points.




Figure 5. NO<sub>3</sub> distribution along Zorra reactive barrier transect, 4 months after layer installation (from Robertson et al., 2007).




Figure 6. Sketch of Zorra PRBs showing up and down gradient tile lines and valve locations. The up gradient barrier is approximately 0.55 m in depth, and the down gradient barrier is about 0.6 m in depth. During the August 2006 event, only the down gradient tile line was in place. The upgradient tile lines and monitoring wells 91-96 were installed September 25-26, 2006.





Figure 7. Monitoring network transect through Zorra reactive barrier showing principle monitoring points used in this study, and piezometer bundles installed in a previous study (Robertson et al, 2007). Piezometer locations along transect are indicated in the text by the first number, followed by a hyphen with depth to tip as the second number (i.e. PU 2-7, PU 5-1.3).

# Cl<sup>-</sup> Concentrations along Zorra site main transect



a) Year 0.9 - June 27, 2005

Figure 8. Concentration of Cl<sup>-</sup> along Zorra barrier transect 0.9 and 2.3 years after installation. Distribution of elevated Cl<sup>-</sup> in plume for 2.3 year cross section has been affected by input concentrations from the tile drain during valve tests at the up gradient 0.1 m perforated pipe (Cl<sup>-</sup> in tile drain = 141-178 mg/L).

# Flow modeling of Zorra site PRB




Figure 9. Numerical simulation of groundwater streamlines associated with Zorra PRB. a) representation of a homogenous aquifer system with a high K layer present representing the PRB. b) water flow path with known silt lens beneath Zorra barrier. Dashed lines represented  $30 \text{ mg/L NO}_3$ -N contours at Zorra site. Model domain extends from x = 0 to 20 m and y = 4 to 9 m, from (Robertson et al., 2007).

| August, 2004      | Zorra reactive barrier installed. (PRB flow = $0.3 \text{ m/day}$ )   |
|-------------------|---|
| September, 2005   | Downgradient tile and (second) reactive barrier installed.<br>Downgradient valve left closed.   |
| April, 2006       | Sampling sweeps of entire PRB transect during valve closed conditions conducted.  |
| May 2, 2006       | Downgradient tile drain opened. Frequent sampling of valve open conditions begins. (PRB flow = $0.7 \text{ m/day}$ )                  |
| July 19, 2006     | Downgradient value is temporarily closed then re-opened to test flow and value capabilities. (PRB flow = $0.2$ to $0.7$ m/day)        |
| July 20, 2006     | Downgradient tile closed until August 7, 2006. (PRB flow ~0.2 m/day)  |
| August 7, 2006    | Background sampling for August event begins, with downgradient valve left open. (PRB flow = 1.7 m/day)                                |
| August 11, 2006   | August event commences, downgradient valve is closed. (PRB flow = $0.9 \text{ m/day}$ )   |
| August 18, 2006   | August event concludes, downgradient tile left closed. (PRB flow $< 1 \text{ m/day}$ )  |
| October, 2006     | Upgradient tile lines are installed.  |
| November 14, 2006 | Valves in upgradient tile lines are temporarily opened and closed again to test valves. (PRB flow = $3.3 \text{ m/day}$ )             |
| November 22, 2006 | November event commences, upgradient and downgradient valves are opened. (PRB flow = $0.3 \text{ m/day}$ )                            |
| November 29, 2006 | November event concludes, upgradient and downgradient tile lines are left open. (PRB flow = $2.1 \text{ m/day}$ )                     |
| May 23, 2007      | Barrier transect and upgradient tile lines are sampled for chemistry and flow rates. Tile lines are open. (PRB flow $\sim$ 2.5 m/day) |
| June 28, 2007     | Last day of sampling for this project. All tile lines are left open. (PRB flow $\sim 1.9$ m/day)                                      |

Figure 10. Chronology of construction and flow manipulation events affecting PRB chemistry and equilibrium at Zorra research site. More detailed information on valve state and flow rates in Appendix Table A1. August 2004 flow rate from Robertson et al. (2007).





Figure 11. Location sketch of 5-cm diameter wells used for borehole dilution testing.






Figure 12. Hydrograph of Zorra site water table elevation and horizontal hydraulic gradient. Head values are relative to arbitrary datum; a) Comparison of water table elevations at monitoring wells PU 2WT and PU 76, site flooded where lines cross; b) Hydraulic gradient between PU 2WT and PU 76 (distance between points is 100m, Fig 4).




Figure 13. Water table map during: a) August event (valve closed), b) November event (valves closed), c) November event (valves open).




Figure 14. Tracer tests performed between monitoring points PU 85-86 in the down gradient tile line (0.75m travel distance). Tests on August 10-12 indicate flow rate in the down gradient tile line prior to the barrier being plugged after the Aug 12 flow rate testing. Tests for August 16 and 18 illustrate no flow conditions in the down gradient tile. EC variability reflects variation in NaCl amounts used in tests. See Figure C1 for diagram showing experiment setup.




Figure 14 (continued)




Figure 14 (continued)




Figure 15. Borehole dilution test results for August and November events. C/Co is normalized EC, where C is the EC at the time of measurement and Co is the EC at the beginning of the test. Background EC varied between days, with values of 1090, 1210, 890 and 1260  $\mu$ S on each date respectively. Initial EC at start of test was 4260, 3570, 1472, 3280  $\mu$ S on each date respectively.




Figure 16. Major anions along PRB transect during August decreased flow event: a)  $NO_3$ -N, b)  $SO_4$ , c) Cl<sup>-</sup>. Solid lines are days when down gradient perforated pipe was open. Dashed line days are representative of natural flow conditions with the downgradient tile line closed.




Figure 17. Eh and trace metal concentrations along PRB transect during August decreased flow event: a) Eh, b) As, c) Fe. Solid lines are days when down gradient perforated pipe was open. Dashed line days are representative of natural flow conditions with the downgradient tile line closed.




Figure 18. pH, NH<sub>4</sub>-N and DOC along PRB transect during August decreased flow event. a) pH, b) NH<sub>4</sub>-N, c) DOC. Solid lines are days when down gradient perforated pipe was open. Dashed line days are representative of natural flow conditions with the downgradient tile line closed.




Figure 19. Major anions along PRB transect during November enhanced flow event: a)  $NO_3$ -N, b) SO<sub>4</sub>, c) Cl<sup>-</sup>. Solid lines represent natural flow conditions, with all perforated tile lines closed. Dashed lines represent days when both the upgradient and downgradient tile drains were open. \* value represents NO<sub>3</sub>-N concentration at PU 2-7.




Figure 20. a) Mixing ratio of tile and natural water in reactive barrier based on Cl<sup>-</sup> ion ratio along flow path. Ratio value describes the contribution of tile water at a given monitoring point; b) Normalized SO<sub>4</sub> in barrier for November enhanced flow event. Data from Table 4.




Figure 21. Eh and trace metal concentrations along PRB transect during November enhanced flow event: a) Eh, b) Mn, c) Fe. Solid lines represent natural flow conditions (tile lines closed). Dashed lines represent days when both the upgradient and downgradient tile drains were open.




Figure 22. pH and major cations along PRB transect during November enhanced flow event: a) pH, b) Ca, c) Mg. Solid lines represent natural flow conditions (tile lines closed). Dashed lines represent days when both the upgradient and downgradient tile drains were open.




Figure 23. Misc. cations and DOC along PRB transect during November enhanced flow event: a) K, b) Na, c) DOC. Solid lines represent natural flow conditions (tile lines closed). Dashed lines represent days where both the upgradient and downgradient tile drains were open.






Figure 24. Geochemistry of Zorra PRB on November 29, 2006 (Day 7 November enhanced flow event). a) DOC and pH, b) Mn and Fe, c) Ca and SO<sub>4</sub>, d) mineral saturation indices for calcite, siderite, rhodochrosite and gypsum along barrier transect. Values shown not on the trend lines represent upgradient tile values. Mineral saturation indices calculated using the chemical speciation model PHREEQCI (Parkhurst, 2007).



# Geochemical History of Upgradient Tile

Figure 25. Geochemical history of upgradient tile as sampled from PU 93. a)  $NO_3$ -N and  $NH_4$ -N in upgradient tile with head changes across research site (PU 2 to PU 76). b) Cl<sup>-</sup> and Fe in upgradient tile. Valve at PU 93 closed until Nov 22.



10 - NO3-N contour (mg/L)

Figure 26. NO<sub>3</sub>-N concentration along A to A' transect of Woodstock wood-particle barrier. a) 0.3 years after installation (adapted from Robertson et al., 2005) b) 1.2 years after installation and c) 3.8 years after installation.




Figure 27. History of NO<sub>3</sub>-N concentrations through Zorra reactive barrier transect, a) 0.3 years after installation (from Robertson et al., 2007), b) 0.9 years after installation and c) 2.3 years after installation. nd = not detected (NO<sub>3</sub>-N < 1 mg/L). Data values are given in Appendix B.

### Appendix A

Flow rates within the tile lines and barrier.

(Measured using borehole dilution tests, with salt tracer tests and electromagnetic flow meter readings to determine flow rate in tile lines at Zorra site, April 2006 to June 2007)

#### **Borehole Dilutions tests; Field procedure**

Flow rate data was collected in the barrier using three wells constructed of 5 cm PVC pipe which fully penetrated the PRB, offset 0.4-0.85 m from the main monitoring transect (Front, middle and rear Borehole dilution wells, Fig 11). The borehole dilutions were carried out by packing off the monitoring well at the top of the well screen with a packing device consisting of tightly wrapped tape, which fit snuggly into the monitoring well. Water with elevated EC (approximately 2-3 times background) was circulated through the borehole with the use of a peristaltic pump. The decay in EC was monitored until C/Co was approximately equal to 0.5 or until a clear trend in EC decay was established. Horizontal groundwater velocity was determined from the duration time of the EC recovery using Eq. A1 (Drost et al., 1968):

### $v = -W/(\alpha A\eta t) ln (EC/ECo)$ (A1)

Where:

$$\begin{split} W &= \text{Volume of space between packer and the bottom of the fully screened well} \\ A &= \text{Cross-sectional area of the packed off section of well, perpendicular to flow;} \\ EC/ECo &= \text{normalized ratio of elevated EC at any given time compared to the initial} \\ EC, when t &= 0 \text{ for the test} \\ t &= \text{Measurement of time passed since the test commenced} \\ \eta &= \text{porosity of the formation being tested} \\ \alpha &= \text{adjustment factor dependant on the well screen and filter pack.} \end{split}$$

For this study, an  $\alpha$  value of 2 was used in all tests, which is appropriate for a permeable well screen installed without a filter pack (Drost et al. 1968). Porosity was assumed to be 0.7, based on the work done by van Driel (2004), who constructed a similar PRB using the same construction materials.

### **Tracer Tests**

Salt tracer tests were conducted by lowering a length of 0.6 cm diameter tubing (fixed to a 2.5 cm PVC pipe) equal in length to that of the monitoring well down monitoring well PU 85 (10 cm in diameter, Fig A1). The end of the 0.6 cm diameter tubing was positioned in the middle of the horizontally running, non-perforated, tile line running from PU 84 to 86. A similar device was installed at PU 86 (0.75 m down gradient from PU 85), but had two lengths of 0.6 cm tubing connected to each side of the 2.5 cm PVC pipe. The 2.5 cm pipe was oriented so that each of the 0.6 cm tubes attached would be equidistant from monitoring well PU 85. The tubing was then connected to a flow through conductivity cell, which measured EC of the water in the tile line. Flow was circulated through the tubing using a peristaltic pump. Once a background reading for EC was established in the tile line, a 10 mL concentrated pulse of NaCl solution was injected into the tubing at PU 85. A series of EC measurements were then taken at PU 86 to establish a breakthrough curve. The time taken for a maximum EC reading to travel from PU 85 to 86 was used to determine the flow rate within the tile line. The maximum flow rate this test method was capable accurately recording was  $\sim 6 \text{ L/min (1.3 cm/s)}$ . This method was also used to illustrate no flow conditions in the down gradient tile line when the tile line was plugged at PU 84. The salt pulse was injected at PU 85 and EC readings were recorded at PU 86 for approximately 1 hour to ensure there was no peak to the EC readings. Flow rate readings in the down gradient tile were converted to volumetric flow by multiplying the flow rate by the cross sectional area  $(81 \text{ cm}^2)$  of the tile line. Volumetric flow was then converted to HRT using Eq. A2.

$$HRT = (V_{PRB} * \eta)/R_{Tile}$$
 (A2)

#### Where:

 $V_{PRB}$  = volume of the PRB (August event = 8 m x 4 m x 0.6 m = 19.2 m<sup>3</sup>, November event = 8 m x 3.75 m x 0.6 m = 18 m<sup>3</sup>; difference due to removal of some PRB material during construction of upgradient tile line in Oct. 2006)  $\eta$  = porosity of the reactive medium (0.7)  $R_{Tile}$  = flow rate of water moving in the down gradient tile, which was assumed to be fully capturing flow leaving the down gradient edge of the PRB.

### Magnetic Flow meter

The other methods used to monitor flow rate in the drainage tiles included a Marsh-

McBirney Flow-Mate 2000<sup>®</sup> magnetic flow meter. Use of the flow meter involved lowering

the instrument head down monitoring points PU 85, 93 and 94 (10 cm diameter PVC pipe), into

the middle of the completely water-filled non-perforated tile line, then recording the flow

velocity. The flow meter was not able to measure rates <1.5 L/min (0.3 cm/s).

Table A1 – Flow rate data at Zorra site. Test types include EM: Magnetic flow meter at PU 85; Tracer: Salt tracer test at PU 85-86; BHD: Borehole dilution in barrier.

| Date      | Test Type | PU 85 Flow<br>in down-<br>gradient tile<br>(L/min) | Volumetric<br>Barrier flow<br>(m <sup>3</sup> /d) | (Equivalent)<br>Barrier flow<br>velocity<br>(m/d) | Barrier<br>HRT<br>(days) | Valve<br>State |
|-----------|-----------|--|---|---|--------------------------|----------------|
| 10-Apr-06 | EM        | 3.0  | 4.3   | 1.3   | 3.1                      | open           |
| 2-May-06  | EM        | 3.0  | 4.3   | 1.3   | 3.1                      | open           |
| 3-May-06  | EM        | 1.5  | 2.2   | 0.7   | 6.1                      | open           |
| 4-May-06  | EM        | 1.5  | 2.1   | 0.6   | 6.3                      | open           |
| 8-May-06  | EM        | 0.7  | 1.0   | 0.3   | 13.3                     | open           |
| 15-May-06 | Tracer    | 2.1  | 3.0   | 0.9   | 4.5                      | open           |
| 29-May-06 | Tracer    | 2.4  | 3.5   | 1.0   | 3.9                      | open           |
| 1-Jun-06  | Tracer    | 1.2  | 1.7   | 0.5   | 8.1                      | open           |
| 15-Jun-06 | Tracer    | 2.2  | 3.2   | 0.9   | 4.2                      | open           |
| 27-Jun-06 | BHD       |  | 2.2   | 0.6   | 6.2                      | open           |
| 7-Jul-06  | BHD       |  | 1.0   | 0.3   | 13.3                     | closed         |
| 9-Jul-06  | BHD       |  | 0.6   | 0.2   | 21.1                     | open           |
| 19-Jul-06 | BHD       |  | 0.5   | 0.2   | 26.0                     | closed         |
| 19-Jul-06 | Tracer    | 1.6  | 2.2   | 0.7   | 6.0                      | open           |
| 19-Jul-06 | BHD       |  | 0.9   | 0.3   | 15.0                     | open           |
| 25-Jul-06 | BHD       |  | 0.6   | 0.2   | 22.8                     | closed         |
| 6-Aug-06  | BHD       |  | 0.6   | 0.2   | 22.6                     | closed         |
| 7-Aug-06  | BHD       |  | 1.2   | 0.4   | 11.3                     | open           |
| 7-Aug-06  | Tracer    | 4.1  | 5.8   | 1.7   | 2.3                      | open           |
| 8-Aug-06  | Tracer    | 2.0  | 2.9   | 0.9   | 4.6                      | open           |
| 8-Aug-06  | BHD       |  | 2.6   | 0.8   | 5.2                      | open           |
| 9-Aug-06  | Tracer    | 2.7  | 3.9   | 1.2   | 3.5                      | open           |
| 10-Aug-06 | Tracer    | 1.9  | 2.8   | 0.8   | 4.8                      | open           |
| 11-Aug-06 | Tracer    | 2.1  | 3.0   | 0.9   | 4.5                      | open           |
| 12-Aug-06 | BHD       |  | 1.9   | 0.6   | 7.2                      | open           |
| 12-Aug-06 | Tracer    | 1.4  | 1.9   | 0.6   | 6.9                      | open           |
| 13-Aug-06 | BHD       |  | 1.3   | 0.4   | 10.0                     | closed         |
| 16-Oct-06 | Tracer    | >18.2  | >26.3   | >9.4  | < 0.4                    | open           |
| 14-Nov-06 | EM        | 7.8  | 11.2  | 3.3   | 1.1                      | open           |
| 22-Nov-06 | BHD       |  | 1.1   | 0.3   | 11.1                     | closed         |
| 23-Nov-06 | BHD       |  | 1.7   | 0.5   | 7.3                      | open           |
| 23-Nov-06 | EM        | 11.1   | 16.0  | 4.8   | 0.8                      | open           |
| 25-Nov-06 | EM        | 8.0  | 11.5  | 3.4   | 1.1                      | open           |
| 27-Nov-06 | EM        | 5.9  | 8.5   | 2.5   | 1.5                      | open           |
| 29-Nov-06 | EM        | 4.9  | 7.1   | 2.1   | 1.8                      | open           |
| 27-May-07 | EM        | 5.9  | 8.5   | 2.5   | 1.5                      | open           |
| 14-Jun-07 | EM        | 7.1  | 10.2  | 3.0   | 1.2                      | open           |
| 19-Jun-07 | EM        | 4.5  | 6.4   | 1.9   | 2.0                      | open           |

Table A2 – Flow rates in PU 85 and 93 after installation of up gradient tile line. Measurements taken using electromagnetic flow meter. Tile valves were open in all cases unless otherwise indicated.

|               | L/min |
|---------------|-------|
| 14-Nov-06     |       |
| PU85 (closed) | <1.5  |
| PU93 (closed) | <1.5  |
| PU85 (open)   | 7.8   |
| PU93 (open)   | 4.2   |
| 23-Nov-06     |       |
| PU85          | 11    |
| PU93          | 7.4   |
| 25-Nov-06     |       |
| PU85          | 8.0   |
| PU93          | 4.2   |
| 27-Nov-06     |       |
| PU85          | 5.9   |
| PU93          | 1.5   |
| 29-Nov-06     |       |
| PU85          | 4.9   |
| PU93          | 2.2   |
| 27-May-07     |       |
| PU 85         | 5.9   |
| PU 93         | 3.0   |
| 14-Jun-07     |       |
| PU 85         | 7.1   |
| PU 93         | 4.5   |
| 19-Jun-07     |       |
| PU 85         | 4.5   |
| PU 93         | 1.5   |




Figure A1 – Set up of salt tracer test at Zorra site. Test interval between PU 85-86. Salt tracer injected into PU 85, while EC monitored at PU 86 using flow through EC cell.




Figure A2: Salt tracer tests for flow rate determined in downgradient tile line up to and including August 2006 enhanced flow rate experiment. The distance between PU 85 and PU 86 is 0.75m, with EC measurements taken from PU86 (Fig C2). Tracer tests were performed with valve open conditions, excluding the "No-flow" tests on August 16<sup>th</sup> and 18<sup>th</sup>, 2006. Q values were obtained by recording the time taken for peak EC in PU 86 to travel from PU85-86, dividing this by the 0.75m distance and converting to volumetric flow.




Figure A2 (con't)

# PU 85-86 (Downgradient tile line)




Figure A2 (con't)




Figure A2 (con't)




Figure A2 (con't)





Figure A2 (con't)



PU 85-86 (Downgradient tile line)

Figure A2 (con't)




Figure A2 (con't)

# Appendix B

Detailed geochemistry along the Zorra barrier principal flow path, November 28, 2004 to November 29, 2006.

| Way 2, 2000 | ) and ren                 | named of                     | Join unites               | s outer    | w15C 5     | tateu. | Cint value | es were com | celleu ush      | ig Cheme     |               | micule        | neiu iesi                        | KIUS.               |                     |
|-------------|---------------------------|------------------------------|---------------------------|------------|------------|--------|------------|-------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|             | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН     | Fe (mg/L)  | Mn (mg/L)   | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 10-Apr-06   |                           |                              |                           |            |            |        |            | 1           |                 |              |               | 1             |                                  |                     |                     |
| PU 1-4      | 30.1                      | 11.6                         | 19.8                      | 300        | 435        | 6.95   |            |             |                 |              |               |               | > 5                              | 5.5                 | < 0.1               |
| PU 2-3      | 29.9                      | 6.53                         | 23.4                      | 309        | 397        | 7.07   |            |             |                 |              |               |               | > 5                              | 5                   | < 0.1               |
| PU 2-4      | 11.5                      | 7.10                         | 14.3                      | 276        | 413        | 7.06   |            |             |                 |              |               |               | 2                                | 4                   | < 0.1               |
| PU 3-4      | 31.7                      | < 0.02                       | 2.8                       | 340        | 33         | 6.74   |            |             |                 |              |               |               | < 0.1                            | 4                   | 1.5                 |
| PU 5-1.3    | 32.9                      | < 0.02                       | 2.5                       | 344        | 2          | 6.74   |            |             |                 |              |               |               | < 0.1                            | 3                   | 0.9                 |
| 14-Apr-06   |                           |                              |                           |            |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 11-2.2   | 28.3                      | 8.04                         | 29.2                      | 367        | 198        | 6.73   |            |             |                 |              |               |               | > 5                              | 2.5                 | < 0.1               |
| PU 10-2     | 39.0                      | < 0.02                       | 38.2                      | 315        | 145        | 6.78   |            |             |                 |              |               |               | < 0.1                            |                     | 5.5                 |
| PU 9-2      | 15.8                      | < 0.02                       | 35.0                      | 316        | 76         | 6.55   |            |             |                 |              |               |               | < 0.1                            | < 1                 | > 10                |
| PU 4-1.6    | 45.0                      | < 0.02                       | 0.4                       | 252        | 25         | 6.76   |            |             |                 |              |               |               | < 0.1                            | < 1                 | 0.8                 |
| PU 6-2      | 34.4                      | 1.63                         | 2.6                       | 298        | 90         | 6.65   |            |             |                 |              |               |               | < 0.1                            | < 1                 | 3                   |
| PU 7-4      | 15.9                      | 12.1                         | 29.8                      | 331        | 150        | 6.78   |            |             |                 |              |               |               | 4                                | < 1                 | < 0.1               |
| PU 8-1.2    | 17.4                      | 2.12                         | 34.6                      | 408        | 82         | 6.69   |            |             |                 |              |               |               | < 0.1                            | < 1                 | < 0.1               |
| PU 8-1.7    | 17.7                      | 3.06                         | 47.1                      | 319        | 118        | 6.77   |            |             |                 |              |               |               | 0.15                             | < 1                 | < 0.1               |
| 17-Apr-06   |                           |                              |                           |            |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 2-5      | 11.5                      | 31.5                         | 39.6                      | 499        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 2-6      | 28.4                      | < 0.02                       | 71.8                      | 863        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 2-7      | 29.5                      | < 0.02                       | 57.2                      | 907        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-1      | 55.4                      | 0.24                         | 44.6                      | 653        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-2      | 56.2                      | 0.18                         | 46.4                      | 677        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-3      | 49.3                      | 0.02                         | 27.0                      | 633        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-5      | 41.1                      | < 0.02                       | 3.3                       | 420        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-6      | 40.5                      | 0.66                         | 2.1                       | 611        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-7      | 31.5                      | 2.10                         | 22.1                      | 354        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-8      | 33.5                      | 5.22                         | 22.7                      | 344        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-10     | 19.2                      | 10.1                         | 18.3                      | 325        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-11     | 11.5                      | 18.7                         | 24.2                      | 378        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-13     | 23.9                      | < 0.02                       | 58.8                      | 702        |            |        |            |             |                 |              |               |               |                                  |                     |                     |
| PU 3-14     | 28.1                      | < 0.02                       | 55.6                      | 789        |            |        |            |             |                 |              |               |               |                                  |                     |                     |

Table B1: Geochemistry along the Zorra barrier transect on days not part of enhanced flow experiments. Downgradient tile line was opened May 2, 2006 and remained open unless otherwise stated. "Cmt" values were collected using Chemets colourimetric field test kits.

| Table B1 (c | con't)                    |                              |                           |            |            |    |              |              |                 |              |               |               | -                                |                  |                  |
|-------------|---------------------------|------------------------------|---------------------------|------------|------------|----|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|------------------|------------------|
|             | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt DO<br>(mg/L) | Cmt Fe<br>(mg/L) |
| PU 3-15     | 34.0                      | < 0.02                       | 66.8                      |            |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 4-1.2    | 32.8                      | 0.11                         | 0.3                       | 416        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 4-1.8    | 43.6                      | < 0.02                       | 5.8                       | 439        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 4-2.1    | 17.0                      | 13.6                         | 16.9                      | 395        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 4-2.4    | 25.7                      | 11.6                         | 19.5                      | 381        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 5-1.6    | 36.3                      | < 0.02                       | 0.4                       | 432        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 5-1.8    | 16.4                      | 5.68                         | 26.0                      | 344        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 5-2.2    | 12.3                      | 11.6                         | 21.5                      | 382        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 8-0.7    | 2.8                       | 2.54                         | 4.6                       | 605        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 8-1.0    | 56.1                      | < 0.02                       | 32.5                      |            |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 8-1.4    | 24.0                      | < 0.02                       | 44.8                      | 424        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 9-3      | 14.4                      | 0.07                         | 52.5                      | 446        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 9-4      | 23.1                      | 1.60                         | 16.4                      | 593        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 9-5      | 19.0                      | 28.7                         | 44.2                      | 509        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 9-6      | 24.9                      | 81.4                         | 54.1                      | 770        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-3      | 34.5                      | 0.85                         | 4.5                       | 461        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-4      | 16.9                      | 2.11                         | 39.5                      | 411        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-5      | 6.8                       | 14.3                         | 22.7                      | 405        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-6      | 23.8                      | 1.97                         | 28.9                      | 423        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-7      | 22.8                      | 13.9                         | 25.5                      | 417        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-8      | 19.4                      | 64.3                         | 61.1                      | 689        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 6-9      | 0.4                       | 0.09                         | 0.09                      | 888        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-2      | 34.6                      | 0.03                         | 36.6                      | 868        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-3      | 17.2                      | 4.12                         | 32.7                      | 593        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-6      | 27.4                      | 6.60                         | 26.5                      | 605        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-8      | 22.2                      | < 0.02                       | 51.5                      | 972        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-9      | 33.9                      | < 0.02                       | 65.4                      | 1211       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 7-10     | 45.8                      | 44.4                         | 67.2                      | 1232       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-1     | 46.9                      | 0.04                         | 33.9                      | 750        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-3     | 20.1                      | < 0.02                       | 45.1                      | 626        |            |    |              |              |                 |              |               |               |                                  |                  |                  |

| Table B1 (c | on't)         |                              |                           |            |            |    |              |              |                 |              |               |               |                                  |                  |                  |
|-------------|---------------|------------------------------|---------------------------|------------|------------|----|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|------------------|------------------|
|             | Cl⁻<br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt DO<br>(mg/L) | Cmt Fe<br>(mg/L) |
| PU 10-4     | 27.1          | 0.07                         | 2.9                       | 975        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-5     | 25.5          | 0.02                         | 0.2                       | 1148       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-6     | 22.8          | 14.7                         | 34.9                      | 691        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-7     | 22.2          | 70.9                         | 57.4                      | 985        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-8     | 30.6          | 81.0                         | 62.0                      | 1100       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 10-9     | 48.5          | < 0.02                       | 65.5                      | 1179       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-1.0   | 29.1          | 0.85                         | 31.1                      | 1000       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-1.2   | 36.4          | 0.18                         | 24.9                      | 860        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-1.4   | 16.4          | < 0.02                       | 32.4                      | 681        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-1.6   | 18.6          | < 0.02                       | 20.6                      | 767        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-1.8   | 29.6          | 0.41                         | 31.6                      | 761        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-2.0   | 28.3          | 0.60                         | 34.3                      | 738        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-2.2   | 26.3          | 11.4                         | 31.0                      | 683        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-2.4   | 16.4          | 41.0                         | 35.0                      | 702        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-2.6   | 27.8          | 38.3                         | 48.7                      | 821        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 11-2.8   | 35.3          | < 0.02                       | 73.1                      | 1098       |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-1.2   | 61.3          | 0.04                         | 36.8                      | 568        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-1.5   | 37.9          | < 0.02                       | 52.7                      | 676        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-1.8   | 24.8          | < 0.02                       | 48.2                      | 720        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-2.1   | 19.8          | < 0.02                       | 8.2                       | 671        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-2.4   | 10.0          | 23.0                         | 26.7                      | 569        |            |    |              |              |                 |              |               |               |                                  |                  |                  |
| PU 15-2.7   | 24.2          | 69.1                         | 63.9                      | 1014       |            |    |              |              |                 |              |               |               |                                  |                  |                  |

Table B1 (con't)

| $\frac{DI}{COII}$ |                           |                              |                           |            |            |    |              |              |                 |              |               |               |                      |                     |                     |
|-------------------|---------------------------|------------------------------|---------------------------|------------|------------|----|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------|---------------------|---------------------|
|                   | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | рН | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO₃<br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 26-Apr-06         |                           |                              |                           |            |            |    |              |              |                 |              |               |               |                      |                     |                     |
| PU 1-3            | 17.7                      | 9.00                         | 15.2                      | 453        | 382        |    |              |              | <0.02           | 3.42         | 3.42          | 0             |                      |                     |                     |
| PU 1-4            | 27.9                      | 10.1                         | 20.9                      | 468        | 459        |    |              |              | <0.02           | 5.07         | 4.75          | 0.317         |                      | 5                   | > 0.1               |
| PU 2-2            | 27.6                      | 9.72                         | 22.2                      | 433        | 261        |    |              |              | <0.02           | 3.05         | 3.05          | 0             |                      |                     |                     |
| PU 2-3            | 31.0                      | 7.83                         | 23.3                      | 434        | 306        |    |              |              | <0.02           | 3.64         | 3.01          | 0.625         |                      | 5                   | > 0.1               |
| PU 3-5            | 37.6                      | < 0.02                       | 5.3                       | 861        | 96         |    |              |              | 0.98            | 26.8         | 26.8          | 0             |                      | 1.5                 | 0.8                 |
| PU 3-6            | 40.4                      | < 0.02                       | 2.1                       | 963        | 94         |    |              |              | 0.82            | 9.76         | 9.76          | 0             |                      |                     |                     |
| PU 3-7            | 29.9                      | 1.44                         | 15.7                      | 735        | 100        |    |              |              | 0.64            | 7.21         | 6.83          | 0.381         |                      |                     |                     |
| PU 4-1.6          | 37.5                      | < 0.02                       | 1.2                       | 909        | 80         |    |              |              | <0.02           | 72.4         | 72.4          | 0             |                      | < 1                 | 2                   |
| PU 5-1.3          | 34.1                      | < 0.02                       | 0.8                       | 919        | 83         |    |              |              | 0.03            | 70.6         | 70.6          | 0             |                      |                     |                     |
| PU 5-1.6          | 36.9                      | < 0.02                       | 0.3                       | 937        | 80         |    |              |              | <0.02           | 60.6         | 60.6          | 0             |                      |                     |                     |
| PU 6-2            | 31.7                      | < 0.02                       | 0.4                       | 955        | 124        |    |              |              | <0.02           | 67.7         | 66.4          | 1.24          |                      |                     |                     |
| PU 7-2            | 38.6                      | < 0.02                       | 26.8                      | 1086       | 136        |    |              |              | 1.8             | 8.04         | 8.04          | 0             |                      |                     |                     |
| PU 7-3            | 16.9                      | < 0.02                       | 45.0                      | 830        | 160        |    |              |              | 0.05            | 3.84         | 3.84          | 0             |                      |                     |                     |
| PU 8-1.4          | 28.2                      | < 0.02                       | 39.4                      | 846        | 130        |    |              |              | 0.65            | 5.18         | 5.18          | 0             |                      |                     |                     |
| PU 9-2            | 22.9                      | < 0.02                       | 35.3                      | 708        | 136        |    |              |              | 0.61            | 3.72         | 3.72          | 0             |                      |                     |                     |
| PU 9-3            | 17.0                      | < 0.02                       | 48.3                      | 903        | 132        |    |              |              | 0.4             | 4.72         | 4.39          | 0.321         |                      |                     |                     |
| PU 10-1           | 42.2                      | < 0.02                       | 30.5                      | 1128       | 155        |    |              |              | <0.02           | 4.2          | 4.2           | 0             |                      |                     |                     |
| PU 10-2           | 36.2                      | < 0.02                       | 37.0                      | 816        | 139        |    |              |              | 0.3             | 4.08         | 3.76          | 0.321         |                      |                     |                     |
| PU 10-3           | 21.3                      | < 0.02                       | 40.7                      | 816        | 165        |    |              |              | 0.52            | 3.74         | 3.74          | 0             |                      |                     |                     |
| PU 11-1.2         | 25.8                      | < 0.02                       | 31.7                      | 1016       | 137        |    |              |              | 0.25            | 5.14         | 5.14          | 0             |                      |                     |                     |
| PU 11-1.4         | 24.4                      | < 0.02                       | 34.2                      | 892        | 144        |    |              |              | 0.37            | 5.63         | 5.17          | 0.46          |                      |                     |                     |
| PU 15-1.5         | 32.7                      | < 0.02                       | 60.4                      | 1022       | 148        |    |              |              | 0.88            | 5.85         | 4.59          | 1.26          |                      |                     |                     |

Table B1 (con't)

|    |         | -                         |                              | -                         |            |            |      |              |              |                 |              |               | -             |                      |                     |                     |
|----|---------|---------------------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------|---------------------|---------------------|
|    |         | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | рН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO₃<br>(mg/L) | Cmt<br>DO<br>(ma/L) | Cmt<br>Fe<br>(mg/L) |
| 2- | May-06  |                           |                              |                           |            | 1 1        |      |              |              |                 |              |               | 1             | ( ) /                | \ J /               | <u> </u>            |
|    | U 1-3   | 20.2                      | 8.23                         | 16.5                      | 468        | 301        |      |              |              |                 |              |               |               | < 0.1                | 3                   | 2.25                |
| P  | U 1-4   | 28.1                      | 9.70                         | 20.3                      | 470        | 357        |      |              |              |                 |              |               |               | < 0.1                | 3                   | 3                   |
| Ρl | J 2-1.3 | 26.6                      | 10.0                         | 21.6                      | 422        | 421        |      |              |              |                 |              |               |               | < 0.1                | 7                   | > 5                 |
| P  | U 2-2   | 26.6                      | 11.0                         | 20.8                      | 424        | 426        |      |              |              |                 |              |               |               | < 0.1                | 4                   | > 5                 |
| P  | U 3-5   | 34.4                      | < 0.02                       | 1.0                       | 607        | 43         |      |              |              |                 |              |               |               | 4.5                  | < 1                 | < 0.1               |
| P  | U 3-6   | 34.6                      | < 0.02                       | 0.9                       | 651        | 38         |      |              |              |                 |              |               |               | 3                    | < 1                 | < 0.1               |
| P  | U 3-7   | 27.6                      | 3.28                         | 19.9                      | 504        | 69         |      |              |              |                 |              |               |               | 0.8                  | < 1                 | < 0.1               |
| Pl | J 4-1.2 | 31.4                      | < 0.02                       | 0.14                      | 611        | 42         |      |              |              |                 |              |               |               | 3                    | < 1                 | < 0.1               |
| Pl | J 4-1.6 | 35.5                      | < 0.02                       | 0.6                       | 649        | 47         |      |              |              |                 |              |               |               | 3                    | < 1                 | < 0.1               |
| PU | J 5-1.3 | 31.0                      | < 0.02                       | 0.5                       | 662        | 45         |      |              |              |                 |              |               |               | 2                    | < 1                 | < 0.1               |
| Ρl | J 5-1.6 | 35.0                      | < 0.02                       | 0.3                       | 682        | 37         |      |              |              |                 |              |               |               | 8                    | < 1                 | < 0.1               |
| P  | U 6-2   | 29.0                      | < 0.02                       | 0.05                      | 676        | 116        |      |              |              |                 |              |               |               | 5                    |                     | < 0.1               |
| Р  | U 6-3   | 32.2                      | < 0.02                       | 0.2                       | 866        | 133        |      |              |              |                 |              |               |               | >> 10                |                     | < 0.1               |
| 3- | May-06  |                           | _                            | -                         |            |            |      | -            | -            |                 |              |               | -             |                      | -                   | -                   |
| PU | J 2-1.3 | 30.9                      | 8.73                         | 22.7                      | 440        | 441        | 7.39 |              |              |                 |              |               |               | 2.25                 | 8                   | < 0.1               |
| P  | U 2-2   | 27.5                      | 10.4                         | 22.4                      | 465        | 441        | 7.39 |              |              |                 |              |               |               | 3                    | 8                   | < 0.1               |
| P  | U 3-5   | 36.4                      | 0.07                         | 3.6                       | 639        | 105        | 6.81 |              |              |                 |              |               |               | < 0.1                | 3                   | 1                   |
|    | U 3-6   | 36.3                      | < 0.02                       | 3.6                       | 690        | 46         | 6.84 |              |              |                 |              |               |               | < 0.1                | < 1                 | 3                   |
|    | U 3-7   | 27.9                      | 5.93                         | 21.5                      | 502        | 168        | 7.26 |              |              |                 |              |               |               | 2                    | 1.5                 | 1.5                 |
|    | J 4-1.2 | 29.5                      | < 0.02                       | 0.2                       | 588        | 37         | 6.75 |              |              |                 |              |               |               | < 0.1                | < 1                 | 2                   |
|    | J 4-1.6 | 32.8                      | < 0.02                       | 0.8                       | 610        | 17         | 6.69 |              |              |                 |              |               |               | < 0.1                | < 1                 | 2                   |
|    | J 5-1.3 | 31.8                      | < 0.02                       | 0.6                       | 628        | 22         | 6.6  |              |              |                 |              |               |               | < 0.1                | < 1                 | 2                   |
|    | J 5-1.6 | 34.6                      | < 0.02                       | 1.4                       | 681        | 23         | 6.61 |              |              |                 |              |               |               | < 0.1                | < 1                 | 8                   |
|    | U 6-2   | 29.5                      | < 0.02                       | 0.2                       | 706        | 125        | 6.74 |              |              |                 |              |               |               | < 0.1                | < 1                 | 2                   |
| P  | U 6-3   | 29.5                      | < 0.02                       | 8.1                       | 774        | 120        | 6.84 |              |              |                 |              |               |               | < 0.1                | < 1                 | >> 10               |

Table B1 (con't)

| $\frac{D}{D}$ |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
|---------------|---------------------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|               | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 4-May-06      |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3      | 29.0                      | 7.11                         | 21.7                      | 425        | 363        | 7.59 |              |              |                 |              |               |               |                                  | 5                   |                     |
| PU 2-2        | 31.3                      | 8.39                         | 22.0                      | 431        | 395        | 7.61 |              |              |                 |              |               |               |                                  | 4                   |                     |
| PU 3-5        | 38.9                      | < 0.02                       | 10.6                      | 586        | 59         | 6.93 |              |              |                 |              |               |               |                                  | 2.5                 |                     |
| PU 3-6        | 39.0                      | < 0.02                       | 10.0                      | 607        | 5          | 6.93 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 3-7        | 28.4                      | 5.04                         | 23.3                      | 465        | 165        | 7.39 |              |              |                 |              |               |               |                                  | 3                   |                     |
| PU 4-1.2      | 30.7                      | < 0.02                       | 2.9                       | 532        | 13         | 6.81 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 4-1.6      | 33.5                      | < 0.02                       | 4.7                       | 552        | 4          | 6.77 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 5-1.3      | 30.1                      | < 0.02                       | 4.7                       | 542        | 4          | 6.7  |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 5-1.6      | 36.1                      | 0.02                         | 7.1                       | 630        | 20         | 6.7  |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 6-2        | 27.8                      | 0.03                         | 0.6                       | 629        | 120        | 6.76 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3        | 30.4                      | 0.04                         | 15.0                      | 684        | 120        | 6.96 |              |              |                 |              |               |               |                                  |                     |                     |
| 8-May-06      |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3      | 33.5                      | 10.1                         | 23.2                      | 355        | 439        | 7.61 |              |              |                 |              |               |               | > 5                              | 5.5                 |                     |
| PU 2-2        | 29.2                      | 8.01                         | 23.2                      | 360        | 446        | 7.59 |              |              |                 |              |               |               | > 5                              | 5                   |                     |
| PU 3-5        | 35.2                      | 0.03                         | 8.5                       | 423        | 72         | 6.98 |              |              |                 |              |               |               | < 0.1                            | 1.5                 | 1                   |
| PU 3-6        | 34.8                      | 0.02                         | 7.2                       | 435        | -6         | 6.97 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 3-7        | 21.5                      | 7.98                         | 21.1                      | 372        | 86         | 7.34 |              |              |                 |              |               |               | 1                                | < 1                 |                     |
| PU 4-1.2      | 30.0                      | 0.02                         | 2.0                       | 394        | 18         | 6.74 |              |              |                 |              |               |               |                                  | < 1                 | 2                   |
| PU 4-1.6      | 32.3                      | < 0.02                       | 3.2                       | 415        | -1         | 6.74 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 5-1.3      | 28.4                      | 0.02                         | 2.8                       | 380        | -10        | 6.75 |              |              |                 |              |               |               |                                  | < 1                 |                     |
| PU 5-1.6      | 33.6                      | 0.04                         | 2.2                       | 473        | 1          | 6.66 |              |              |                 |              |               |               |                                  | < 1                 | 8                   |
| PU 6-2        | 31.7                      | 0.06                         | 1.3                       | 456        | 106        | 6.75 |              |              |                 |              |               |               |                                  |                     | 2.5                 |
| PU 6-3        | 37.2                      | 0.06                         | 31.1                      | 560        | 95         | 7    |              |              |                 |              |               |               |                                  |                     | >> 10               |

Table B1 (con't)

|           | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO₄<br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | рН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|-----------|---------------------------|------------------------------|---------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 15-May-06 | 1                         | 1                            | 1             |            |            |      | 1            |              |                 | 1            | 1             |               |                                  |                     | /                   |
| PU 2-1.3  | 26.9                      | 17.0                         | 23.4          | 395        | 455        | 7.59 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 30.1                      | 13.0                         | 22.4          | 382        | 455        | 7.6  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 32.1                      | < 0.02                       | 6.0           | 432        | -21        | 6.95 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 33.4                      | < 0.02                       | 3.3           | 471        | -30        | 6.96 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 13.3                      | 12.7                         | 20.3          | 396        | 61         | 7.34 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  | 27.6                      | 0.02                         | 1.4           | 425        | 0          | 6.72 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 30.0                      | < 0.02                       | 2.7           | 425        | -13        | 6.65 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 25.6                      | < 0.02                       | 1.8           | 381        | -11        | 6.74 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 31.8                      | < 0.02                       | 2.1           | 468        | 5          | 6.64 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 31.3                      | 0.06                         | 7.5           | 437        | 89         | 6.77 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 41.2                      | 0.29                         | 39.1          | 484        | 98         | 7.09 |              |              |                 |              |               |               |                                  |                     |                     |
| 17-May-06 |                           |                              |               |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3  | n.d.                      | 16.3                         | 23.9          | 422        | 418        | 7.6  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 31.8                      | 14.5                         | 23.1          | 436        | 430        | 7.36 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 33.4                      | 0.02                         | 3.4           | 500        | -3         | 6.93 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 33.3                      | < 0.02                       | 2.5           | 520        | 7          | 6.92 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 13.3                      | 13.2                         | 22.1          | 442        | 63         | 7.32 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  | 25.9                      | 0.03                         | 1.0           | 479        | 9          | 6.71 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 30.1                      | < 0.02                       | 2.2           | 483        | -18        | 6.63 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 24.1                      | 0.02                         | 1.3           | 450        | -21        | 6.71 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 33.3                      | < 0.02                       | 7.3           | 543        | -5         | 6.65 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 31.3                      | < 0.02                       | 5.6           | 505        | 67         | 6.84 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 39.2                      | < 0.02                       | 38.4          | 533        | 161        | 7.11 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

|           | Cl⁻<br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|-----------|---------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 19-May-06 |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3  | 23.7          | 14.0                         | 21.1                      | 436        | 380        | 7.54 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 24.5          | 13.1                         | 21.6                      | 443        | 390        | 7.52 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 30.5          | < 0.02                       | 3.2                       | 507        | -34        | 6.9  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 30.2          | < 0.02                       | 2.8                       | 512        | 6          | 6.93 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 11.6          | 11.3                         | 19.1                      | 459        | 88         | 7.33 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  | 28.0          | < 0.02                       | 1.3                       | 545        | 32         | 6.73 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 29.3          | < 0.02                       | 2.3                       | 514        | 0          | 6.57 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 24.4          | < 0.02                       | 2.1                       | 478        | -4         | 6.65 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 31.7          | < 0.02                       | 2.9                       | 556        | 14         | 6.65 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 27.5          | < 0.02                       | 6.1                       | 521        | 74         | 6.9  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 35.9          | < 0.02                       | 38.5                      | 541        | 79         | 7.17 |              |              |                 |              |               |               |                                  |                     |                     |
| 21-May-06 |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3  | 20.3          | 11.7                         | 20.1                      | 426        | 428        | 7.45 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 19.4          | 10.9                         | 19.7                      | 423        | 419        | 7.6  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 27.8          | 0.03                         | 1.2                       | 476        | -35        | 6.88 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 27.1          | < 0.02                       | 0.3                       | 536        | 4          | 6.92 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 11.8          | 13.2                         | 19.9                      | 444        | 118        | 7.31 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  |               | 0.07                         | 0.2                       | 494        | -26        | 6.64 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  |               | 0.07                         | 0.2                       | 516        | -29        | 6.52 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 24.3          | < 0.02                       | 0.9                       | 477        | -42        | 6.62 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 31.1          | < 0.02                       | 2.1                       | 573        | -21        | 6.63 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 27.0          | < 0.02                       | 3.4                       | 526        | 50         | 6.82 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 34.6          | < 0.02                       | 39.2                      | 521        | 64         | 7.11 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

|           | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|-----------|---------------------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 29-May-06 |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3  | 12.5                      | 10.0                         | 18.5                      | 376        | 378        | 7.58 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 17.7                      | 11.7                         | 20.3                      | 345        | 413        | 7.57 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 22.0                      | < 0.02                       | 1.6                       | 379        | -19        | 6.95 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 23.8                      | < 0.02                       | 2.0                       | 421        | -4         | 6.9  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 11.2                      | 16.5                         | 22.4                      | 432        | 90         | 7.28 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  | 21.4                      | < 0.02                       | 0.2                       | 440        | 26         | 6.64 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 26.1                      | < 0.02                       | 1.1                       | 419        | 10         | 6.53 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 22.7                      | < 0.02                       | 0.2                       | 419        | -17        | 6.55 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 30.1                      | < 0.02                       | 0.7                       | 503        | -1         | 6.59 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 24.6                      | < 0.02                       | 0.6                       | 450        | 88         | 6.73 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 26.8                      | 0.24                         | 34.4                      | 487        | 88         | 7.16 |              |              |                 |              |               |               |                                  |                     |                     |
| 14-Jun-06 |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3  | 23.3                      | < 0.02                       | 4.5                       | 421        | 254        | 7.74 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    | 22.0                      | 1.16                         | 9.7                       | 390        | 375        | 7.65 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5    | 31.0                      | < 0.02                       | 0.4                       | 556        | 11         | 6.77 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    | 31.3                      | < 0.02                       | 0.7                       | 597        | 78         | 6.83 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7    | 18.1                      | 1.45                         | 13.3                      | 466        | 115        | 7.15 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2  | 34.4                      | < 0.02                       | 0.7                       | 715        | 49         | 6.46 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 34.6                      | < 0.02                       | 1.2                       | 655        | 11         | 6.55 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 36.3                      | 0.03                         | 0.5                       | 697        | 15         | 6.35 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6  | 31.7                      | < 0.02                       | 1.5                       | 656        | 7          | 6.56 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    | 31.7                      | < 0.02                       | 1.7                       | 657        | 98         | 6.51 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3    | 19.7                      | < 0.02                       | 37.8                      | 595        | 88         | 7.08 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't).

| BI (con c) |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
|------------|---------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|            | Cl⁻<br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 15-Jun-06  |               |                              |                           |            |            |      |              |              |                 |              |               |               | ( ) /                            | \ <b>J</b> /        | N <b>J</b> /        |
| PU 2-1.3   | 19.2          | 2.41                         | 11.9                      | 295        | 247        | 7.7  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2     | 18.3          | 5.92                         | 18.3                      | 317        | 333        | 7.76 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5     | 29.9          | 0.06                         | 0.5                       | 426        | 11         | 6.78 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6     | 29.2          | < 0.02                       | 0.6                       | 463        | 65         | 6.82 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7     | 18.6          | 1.88                         | 15.2                      | 383        | 93         | 7.13 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2   | 32.5          | < 0.02                       | 0.9                       | 515        | 31         | 6.45 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6   | 32.7          | < 0.02                       | 0.6                       | 479        | -7         | 6.53 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3   | 35.5          | 0.04                         | 0.2                       | 512        | -1         | 6.33 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6   | 31.9          | < 0.02                       | 0.7                       | 498        | -11        | 6.57 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2     | 34.4          | < 0.02                       | 1.5                       | 506        | 92         | 6.55 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3     | 15.6          | < 0.02                       | 42.2                      | 459        | 76         | 7.09 |              |              |                 |              |               |               |                                  |                     |                     |
| 16-Jun-06  |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-1.3   | 15.3          | 4.88                         | 17.6                      | 322        | 288        | 7.66 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2     | 18.9          | 8.65                         | 22.3                      | 340        | 326        | 7.71 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5     | 28.4          | < 0.02                       | 0.2                       | 424        | 47         | 6.74 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6     | 29.0          | < 0.02                       | 0.2                       | 418        | 94         | 6.76 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7     | 18.1          | 2.68                         | 15.6                      | 400        | 145        | 7.04 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2   | 32.5          | < 0.02                       | 0.7                       | 502        | 77         | 6.36 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6   | 32.3          | < 0.02                       | 0.2                       | 497        | 28         | 6.45 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3   | 35.7          | < 0.02                       | 0.2                       | 554        | 42         | 6.24 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6   | 31.9          | < 0.02                       | 1.0                       | 544        | 40         | 6.46 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2     | 31.8          | < 0.02                       | 1.3                       | 360        | 114        | 6.49 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3     | 15.1          | < 0.02                       | 41.2                      | 485        | 107        | 6.96 |              |              |                 |              |               |               |                                  |                     |                     |
| 26-Jun-06  |               |                              |                           |            |            |      |              |              | 1               | 1            | 1             | 1             |                                  |                     | •                   |
| PU 2-2     | 16.3          | 10.3                         | 21.3                      | 472        | 359        | 7.46 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6     | 20.2          | 0.28                         | 0.7                       | 525        | 88         | 6.73 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2     | 22.7          | < 0.02                       | 0.3                       | 636        | 135        | 6.41 |              |              |                 |              |               |               |                                  |                     |                     |

| Tab | le B1 | (con' | 't) |
|-----|-------|-------|-----|
|     |       |       |     |

| $\frac{D1}{0010}$    |                           |                              |                           |            |            |              |              |              |                 |              |               |               |                                  |                     |                     |
|----------------------|---------------------------|------------------------------|---------------------------|------------|------------|--------------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|                      | Cl <sup>⁻</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН           | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 27-Jun-06            |                           |                              | •                         |            |            |              |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2               | 16.3                      | 10.3                         | 20.7                      | 447        | 406        | 7.61         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6               | 19.9                      | < 0.02                       | 0.2                       | 502        | 70         | 6.81         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2               | 23.5                      | 0.02                         | 0.3                       | 647        | 38         | 6.3          |              |              |                 |              |               |               |                                  |                     |                     |
| 28-Jun-06            |                           |                              |                           |            |            |              |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2               | 17.8                      | 10.5                         | 21.6                      | 447        | 420        | 7.53         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6               | 20.2                      | < 0.02                       | 0.2                       | 500        | 62         | 6.79         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2               | 27.1                      | < 0.02                       | 0.2                       | 586        | 59         | 6.27         |              |              |                 |              |               |               |                                  |                     |                     |
| 29-Jun-06            |                           |                              |                           |            |            |              |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2               | 15.2                      | 13.1                         | 22.2                      | 547        |            | 7.55         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6               | 21.3                      | 0.09                         | 0.3                       | 626        |            | 6.85         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2               | 25.4                      | 0.02                         | 0.2                       | 718        |            | 6.3          |              |              |                 |              |               |               |                                  |                     |                     |
| 30-Jun-06            |                           |                              |                           |            |            |              |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2               |                           |                              |                           | 481        | 416        | 7.53         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6               |                           |                              |                           | 635        | 56         | 6.94         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2               |                           |                              |                           | 684        | 43         | 6.24         |              |              |                 |              |               |               |                                  |                     |                     |
| 1-Jul-06             | 1                         | 1                            | 1                         |            |            |              |              |              | 1               | 1            | 1             | 1             |                                  | 1                   | 1                   |
| PU 2-2               |                           |                              |                           | 482        | 436        | 7.6          |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3               |                           |                              |                           | 591        | 441        | 7.46         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4               |                           |                              |                           | 693        | 441        | 7.31         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-5               |                           |                              |                           | 566        | -4         | 6.72         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6               |                           |                              |                           | 596        | 67         | 6.89         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7<br>PU 4-1.2   |                           |                              |                           | 576<br>612 | 79<br>17   | 7.12         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2<br>PU 4-1.6 | 25.8                      | < 0.02                       | 0.3                       | 613        | -7         | 6.33<br>6.41 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.0<br>PU 5-1.3 | 25.8                      | < 0.02                       | 0.3                       | 650        | -7         | 6.24         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6             | 35.1                      | < 0.02                       | 0.5                       | 748        | 14         | 6.47         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2               | 14.4                      | < 0.02                       | 0.0                       | 662        | 64         | 6.26         |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3               |                           | 0.02                         | 0.2                       | 668        | 67         | 6.98         |              |              |                 |              |               |               |                                  |                     |                     |
| 1000                 |                           |                              | I                         | 000        | 01         | 5.00         |              |              |                 |              |               |               |                                  | 1                   | I                   |

Table B1 (con't)

| 010 |               |                           |                              |               |            |            |      |           |           |                 |              |               |               |                                  |                     |                     |
|-----|---------------|---------------------------|------------------------------|---------------|------------|------------|------|-----------|-----------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|     |               | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO₄<br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | рН   | Fe (mg/L) | Mn (mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|     | 05-Jul-06     |                           |                              |               |            |            |      |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-2 July 5 | 3.6                       | 1.92                         | 4.7           | 483        | 390        | 7.5  |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-3        | 15.8                      | 18.6                         | 23.8          | 544        | 450        | 7.42 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-4        | 3.2                       | 12.4                         | 14.5          | 724        | 482        | 7.3  |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2A         | 26.9                      | 12.9                         | 22.8          | 744        | 285        | 7.94 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2C         | 22.2                      | 0.03                         | 0.8           | 712        | 74         | 6.63 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 3-6        |                           | 0.17                         | 1.4           | 601        | 60         | 6.79 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 3-7        | 28.0                      | 0.24                         | 7.5           | 583        | 66         | 7    |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 4-1.2      | 14.3                      | 0.03                         | 0.4           | 620        | 19         | 6.24 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 4-1.6      | 21.0                      | 0.04                         | 0.2           | 673        | 5          | 6.31 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 5-1.3      | 24.9                      | 0.06                         | 0.4           | 694        | 13         | 6.16 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 5-1.6      | 27.8                      | < 0.02                       | 0.3           | 799        | 22         | 6.44 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 6-2        | 23.2                      | 0.05                         | 0.5           | 718        | 93         | 6.2  |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 6-3        | 19.3                      | 0.38                         | 40.0          | 709        | 101        | 6.88 |           |           |                 |              |               |               |                                  |                     |                     |
|     | 06-Jul-06     |                           |                              |               |            |            |      |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-2        | 15.7                      | 9.80                         | 20.4          | 507        | 347        | 7.45 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-3        | 15.0                      | 18.8                         | 23.3          | 579        | 355        | 7.44 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2-4        | 6.3                       | 36.9                         | 36.8          | 763        | 376        | 7.28 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2A         | 22.9                      | 16.2                         | 26.8          | 620        | 361        | 7.6  |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2B         | 28.1                      | 3.02                         | 14.9          | 753        | 237        | 7.22 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 2C         | 20.5                      | 0.24                         | 0.9           | 802        | 90         | 6.75 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 3-6        | 21.2                      | 0.05                         | 0.8           | 678        | 90         | 6.81 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 4-1.2      | 19.7                      | < 0.02                       | 1.4           | 676        | 11         | 6.29 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 4-1.6      | 20.5                      | 0.05                         | 0.2           | 717        | -16        | 6.32 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 5-1.3      | 22.8                      | 0.05                         | 0.2           | 729        | 5          | 6.18 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 5-1.6      | 26.0                      | < 0.02                       | 0.2           | 827        | 35         | 6.38 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 6-2        | 22.3                      | 0.04                         | 0.4           | 766        | 58         | 6.14 |           |           |                 |              |               |               |                                  |                     |                     |
|     | PU 6-3        | 18.9                      | 0.13                         | 30.0          | 779        | 56         | 6.87 |           |           |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

| $C \frac{DI}{DI} (COII I)$ |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
|----------------------------|---------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|                            | Cl⁻<br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 07-Jul-06                  |               |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2                     | 15.7          | 9.93                         | 21.1                      | 460        | 405        | 7.44 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3                     | 15.0          | 20.1                         | 24.6                      | 530        | 433        | 7.38 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4                     | 6.2           | 38.0                         | 37.6                      | 706        | 448        | 7.3  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A                      | 23.6          | 17.1                         | 28.3                      | 651        | 384        | 7.3  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B                      | 29.1          | 3.00                         | 19.3                      | 627        | 292        | 7.39 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C                      | 19.6          | 0.07                         | 0.8                       | 700        | 59         | 6.78 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6                     | 20.7          | 0.06                         | 0.6                       | 662        | 50         | 6.75 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-7                     | 26.7          | 0.23                         | 5.4                       | 620        | 44         | 7.02 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2                   | 16.9          | 0.02                         | 0.6                       | 693        | 32         | 6.32 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6                   | 16.0          | < 0.02                       | 0.4                       | 708        | 15         | 6.37 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3                   | 23.4          | 0.06                         | 0.5                       | 715        | 8          | 6.14 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.6                   | 22.7          | 0.03                         | 0.7                       |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2                     | 21.1          | < 0.02                       | 17.7                      | 761        | 14         | 6.15 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3                     | 15.3          | 10.3                         | 21.5                      | 814        | 45         | 6.8  |              |              |                 |              |               |               |                                  |                     |                     |
| 08-Jul-06                  | -             |                              |                           |            |            |      |              |              |                 |              | -             | _             |                                  | -                   |                     |
| PU 2-2                     | 15.4          | 9.69                         | 20.4                      | 525        | 414        | 7.45 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3                     | 14.3          | 23.2                         | 24.1                      | 608        | 402        | 7.46 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4                     | 6.0           | 47.2                         | 37.7                      | 783        | 381        | 7.33 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A                      | 23.7          | 17.6                         | 26.2                      | 682        | 360        | 7.39 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B                      | 27.1          | 11.0                         | 26.7                      | 770        | 397        | 7.59 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C                      | 24.4          | 0.19                         | 1.0                       | 787        | 88         | 6.97 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6                     | 23.5          | 0.04                         | 0.6                       | 714        | 60         | 6.79 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2                   | 14.0          | < 0.02                       | 0.4                       | 670        | 38         | 6.33 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6                   | 22.3          | < 0.02                       | 0.4                       | 726        | 14         | 6.38 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3                   | 29.4          | < 0.02                       | 0.5                       | 742        | -6         | 6.17 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2                     | 28.8          | < 0.02                       | 0.5                       | 800        | 52         | 6.26 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3                     | 21.4          | < 0.02                       | 22.1                      | 808        | 45         | 6.84 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

| C DI (COII I) |                           |                              |                           |            |            |       |              |              |                 |              |               |               |                                  |                     |                     |
|---------------|---------------------------|------------------------------|---------------------------|------------|------------|-------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
|               | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН    | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
| 09-Jul-06     |                           |                              |                           |            |            |       |              |              | •               |              |               |               |                                  |                     |                     |
| PU 2-2        | 19.5                      | 10.7                         | 20.5                      | 492        | 336        | 7.5   |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3        | 14.6                      | 24.5                         | 24.8                      | 588        | 373        | 7.44  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4        | 6.1                       | 48.3                         | 39.5                      | 772        | 399        | 7.31  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A         | 22.6                      | 19.8                         | 27.9                      | 698        | 364        | 7.3   |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B         | 22.0                      | 2.64                         | 11.8                      | 703        | 50         | 6.94  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C         | 23.4                      | < 0.02                       | 1.5                       | 692        | 0          | 6.76  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6        | 20.9                      | < 0.02                       | 0.7                       | 672        | 57         | 6.67  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2      | 16.3                      | < 0.02                       | 0.5                       | 1007       | 42         | 6.44  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6      | 22.0                      | < 0.02                       | 0.4                       | 723        | 13         | 6.36  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3      | 24.3                      | < 0.02                       | 0.3                       | 746        | 32         | 6.17  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2        | 25.6                      | < 0.02                       | 0.4                       | 791        | 56         | 6.19  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3        | 19.4                      | < 0.02                       | 32.4                      | 756        | 59         | 6.92  |              |              |                 |              |               |               |                                  |                     |                     |
| 17-Jul-06     |                           |                              |                           |            |            |       |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2        |                           |                              |                           | 385        | 347        | 7.36  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3        |                           |                              |                           | 571        | 432        | 7.33  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4        |                           |                              |                           | 761        | 445        | 7.28  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A         |                           |                              |                           | 647        | 296        | 7.24  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B         |                           |                              |                           | 807        | 65         | 6.62  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C         |                           |                              |                           | 748        | -3         | 6.51  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6        |                           |                              |                           | 482        | -1         | ~6.5  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.2      |                           |                              |                           | 660        | 32         | ~6    |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6      |                           |                              |                           | 609        | -17        | ~6    |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3      |                           |                              |                           | 828        | -9         | ~6.25 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2        |                           |                              |                           | 844        | 10         | ~6.25 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

|               | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|---------------|---------------------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 19-Jul-06 Dov | vngradie                  | ent Valve                    | Closed                    |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2        | 7.2                       | 4.45                         | 16.7                      | 480        | 374        | 6.71 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3        | 12.3                      | 24.5                         | 24.5                      | 610        | 381        | 7.19 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4        | 6.0                       | 48.6                         | 41.6                      | 798        | 409        | 7.23 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A         | 17.6                      | 11.4                         | 24.1                      | 617        | 315        | 7.28 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B         | 19.6                      | 1.87                         | 6.7                       | 775        | 20         | 6.73 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C         | 17.8                      | < 0.02                       | 0.2                       | 845        | 5          | 6.55 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6        | 18.5                      | < 0.02                       | 0.2                       | 830        | 49         | 6.62 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6      | 17.6                      | < 0.02                       | 0.2                       | 854        | -11        | 6.37 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3      | 22.5                      | 0.06                         | 0.2                       | 870        | 4          | 6.18 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2        | 24.4                      | 0.09                         | 0.2                       | 883        | 17         | 6.19 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-3        |                           |                              |                           | 924        | 47         | 6.73 |              |              |                 |              |               |               |                                  |                     |                     |
| 19-Jul-06 Dov | vngradie                  | ent Valve                    | Open                      |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2        | 6.8                       | 4.45                         | 16.3                      | 484        | 386        | 6.87 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3        | 11.7                      | 24.0                         | 23.9                      | 603        | 405        | 7.03 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4        | 5.9                       | < 0.02                       | 40.7                      | 808        | 413        | 7.02 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A         | 17.2                      | 10.3                         | 23.4                      | 639        | 355        | 7.07 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B         | 19.8                      | 3.11                         | 10.6                      | 733        | 113        | 6.5  |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C         | 17.9                      | 0.07                         | 0.8                       | 808        | 57         | 6.31 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6        | 17.3                      | < 0.02                       | 0.6                       | 876        | 110        | 6.47 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6      | 18.0                      | 0.03                         | 0.6                       | 879        | 31         | 6    |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3      | 21.6                      | 0.02                         | 0.14                      | 908        | 40         | 5.81 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2        | 24.0                      | < 0.02                       | 0.14                      | 905        | 46         | 5.86 |              |              |                 |              |               |               |                                  |                     |                     |

| Tab  | le B1 | (con't) | ) |
|------|-------|---------|---|
| I UU |       |         | , |

|           | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO <sub>4</sub><br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | рН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH₄-N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|-----------|---------------------------|------------------------------|---------------------------|------------|------------|------|--------------|--------------|-----------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 20-Jul-06 |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    |                           |                              |                           | 498        | 365        | 6.93 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3    |                           |                              |                           | 653        | 399        | 7.18 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4    |                           |                              |                           | 854        | 423        | 7.26 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A     |                           |                              |                           | 664        | 323        | 7.32 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B     |                           |                              |                           | 792        | 60         | 6.78 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C     |                           |                              |                           | 844        | 4          | 6.53 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    |                           |                              |                           | 845        | 18         | 6.44 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  |                           |                              |                           | 915        | -8         | 6.24 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  |                           |                              |                           | 944        | -11        | 6    |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    |                           |                              |                           | 964        | 30         | 6.01 |              |              |                 |              |               |               |                                  |                     |                     |
| 25-Jul-06 |                           |                              |                           |            |            |      |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-2    |                           |                              |                           |            | 368        | 6.88 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-3    |                           |                              |                           |            | 417        | 7.03 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2-4    |                           |                              |                           |            | 426        | 7.11 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2A     |                           |                              |                           |            | 283        | 7.17 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2B     |                           |                              |                           |            | 150        | 6.82 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 2C     |                           |                              |                           |            | 78         | 6.34 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 3-6    |                           |                              |                           |            | 97         | 6.34 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 4-1.6  |                           |                              |                           |            | 48         | 6.08 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 5-1.3  |                           |                              |                           |            | 42         | 5.81 |              |              |                 |              |               |               |                                  |                     |                     |
| PU 6-2    |                           |                              |                           |            | 66         | 5.88 |              |              |                 |              |               |               |                                  |                     |                     |

Table B1 (con't)

.

|           | CI     | NO <sub>3</sub> -N | SO <sub>4</sub> | EC   | Eh   | ۳Ц   | Fe     | Mn     | NH <sub>4</sub> -N | DC     | DOC    | DIC    | Cmt                       | Cmt          | Cmt          |
|-----------|--------|--------------------|-----------------|------|------|------|--------|--------|--------------------|--------|--------|--------|---------------------------|--------------|--------------|
|           | (mg/L) | (mg/L)             | (mg/L)          | (µS) | (mV) | pН   | (mg/L) | (mg/L) | (mg/L)             | (mg/L) | (mg/L) | (mg/L) | NO <sub>3</sub><br>(mg/L) | DO<br>(mg/L) | Fe<br>(mg/L) |
| 06-Aug-06 |        |                    |                 |      |      |      |        |        |                    |        | •      | •      |                           |              |              |
| PU 2-2    | 57.4   | 1.57               | 53.4            |      | 335  | 7.13 |        |        |                    |        |        |        |                           |              |              |
| PU 2-3    | 31.5   | 2.91               | 23.5            |      | 360  | 7.31 |        |        |                    |        |        |        |                           |              |              |
| PU 2-4    | 29.5   | 2.69               | 19.1            |      | 363  | 7.32 |        |        |                    |        |        |        |                           |              |              |
| PU 2A     | 48.9   | 0.09               | 52.6            |      | 269  | 7.38 |        |        |                    |        |        |        |                           |              |              |
| PU 2B     | 69.4   | < 0.02             | 70.9            |      | 169  | 7.22 |        |        |                    |        |        |        |                           |              |              |
| PU 2C     | 149.3  | < 0.02             | 120.5           |      | 16   | 6.68 |        |        |                    |        |        |        |                           |              |              |
| PU 3-6    | 82.4   | < 0.02             | 39.6            |      | 28   | 6.58 |        |        |                    |        |        |        |                           |              |              |
| 09-Aug-06 |        |                    |                 |      |      |      |        |        |                    |        |        |        |                           |              |              |
| PU 2-2    | 42.7   | 1.01               | 41.2            | 684  | 316  | 6.89 |        |        |                    |        |        |        |                           |              |              |
| PU 2-3    | 35.2   | 3.36               | 26.5            | 644  | 336  | 6.98 |        |        |                    |        |        |        |                           |              |              |
| PU 2-4    | 32.7   | 3.20               | 22.2            | 585  | 336  | 7.1  |        |        |                    |        |        |        |                           |              |              |
| PU 2A     | 70.1   | 1.35               | 78.0            | 919  | 218  | 7.02 |        |        |                    |        |        |        |                           |              |              |
| PU 2B     | 82.3   | 0.42               | 85.2            | 1058 | 60   | 6.81 |        |        |                    |        |        |        |                           |              |              |
| PU 2C     | 86.8   | < 0.02             | 53.5            | 1123 | -36  | 6.54 |        |        |                    |        |        |        |                           |              |              |
| PU 3-6    | 65.9   | < 0.02             | 21.1            | 1050 | 20   | 6.5  |        |        |                    |        |        |        |                           |              |              |
| PU 4-1.6  | 88.6   | < 0.02             | 34.9            | 1141 | -39  | 6.25 |        |        |                    |        |        |        |                           |              |              |
| PU 5-1.3  | 66.3   | < 0.02             | 13.0            | 996  | -20  | 6.2  |        |        |                    |        |        |        |                           |              |              |
| PU 6-2    | 48.0   | 0.02               | 4.1             | 985  | 19   | 6.09 |        |        |                    |        |        |        |                           |              |              |
| 10-Aug-06 |        |                    |                 |      |      |      |        |        |                    |        |        |        |                           |              |              |
| PU 2-2    | 37.0   | 0.57               | 35.9            | 630  | 383  | 6.52 |        |        |                    |        |        |        |                           |              |              |
| PU 2-3    | 33.4   | 2.58               | 24.1            | 608  | 395  | 7.06 |        |        |                    |        |        |        |                           |              |              |
| PU 2A     | 55.4   | 0.75               | 59.7            | 805  | 243  | 7    |        |        |                    |        |        |        |                           |              |              |
| PU 2B     | 67.6   | < 0.02             | 63.3            | 956  | 46   | 6.86 |        |        |                    |        |        |        |                           |              |              |
| PU 2C     | 85.8   | < 0.02             | 47.7            | 1132 | -28  | 6.54 |        |        |                    |        |        |        |                           |              |              |
| PU 3-6    | 68.6   | < 0.02             | 20.2            | 1006 | -3   | 6.42 |        |        |                    |        |        |        |                           |              |              |

| 1112,20000 | and ope  | n rugu             | <i>n</i> 15 10 | , 2000              | . 011 | t vuit | 100 010 | autu ee | neeteu | ubing  |        |              |                 |        |              |
|------------|----------|--------------------|----------------|---------------------|-------|--------|---------|---------|--------|--------|--------|--------------|-----------------|--------|--------------|
|            | CI       | NO <sub>3</sub> -N | SO4            | EC                  | Eh    |        | Fe      | Mn      | NH₄-N  | DC     | DOC    | DIC          | Cmt             | Cmt    | Cmt          |
|            | (mg/L)   |                    | (mg/L)         |                     | (mV)  | рН     | (ma/L)  | (ma/L)  | (ma/L) | (ma/L) | (ma/L) | (ma/L)       | NO <sub>3</sub> | DO     | Fe<br>(mg/L) |
| 44.4       |          |                    | ( ) /          | (I <sup>2</sup> - 7 | ( )   |        | ( )     | ( )     | ( ) /  | ( ) /  |        | <b>、</b> σ , | (mg/L)          | (mg/L) | (mg/L)       |
| 11-Aug-06  | - Day -1 |                    |                | 0.70                |       |        |         |         |        |        |        | 1            | _               |        |              |
| PU 2-5     |          |                    |                | 859                 | 318   | 7.15   |         |         |        |        |        |              | 5               | 1      | <0.1         |
| PU 2-6     |          |                    |                | 1238                | 349   | 7.12   |         |         |        |        |        |              | >5              | 3      | <0.1         |
| PU 2-7     | 31.8     | 110.9              | 60.2           | 1566                | 323   | 7.07   | 0.02    | 0.20    | 12.72  | 16.7   | 13.8   | 2.87         | >>5             |        | <0.1         |
| PU 2A      | 48.6     | 0.28               | 49.1           | 811                 | 247   | 7.12   | 0.36    | 0.66    | 0.3    | 21.8   | 21.8   | 0            | 1               | <1     |              |
| PU 2B      | 60.3     | < 0.02             | 49.2           | 990                 | 61    | 6.86   | 0.93    | 1.92    | 1.14   | 25.5   | 24.5   | 0.997        | <<1             |        | 1.5          |
| PU 2C      | 85.6     | < 0.02             | 47.4           | 1174                | -13   | 6.63   | 1.36    | 0.74    | 2.53   | 34.3   | 33.9   | 0.455        |                 | <1     | 1.5          |
| PU 3-6     | 71.8     | < 0.02             | 25.2           | 1049                | -35   | 6.52   | 2.79    | 1.00    | 2.83   | 39     | 38.6   | 0.387        |                 |        | 2.5          |
| PU 4-1.6   | 81.6     | < 0.02             | 24.3           | 1215                | -22   | 6.35   | 2.27    | 0.84    | 4.36   | 44.3   | 43.9   | 0.355        |                 |        | 3            |
| PU 5-1.3   | 62.6     | < 0.02             | 10.3           | 961                 | -23   | 6.28   | 2.85    | 0.56    | 3.22   | 36.9   | 36.9   | 0            |                 |        | 3            |
| PU 6-2     | 55.6     | < 0.02             | 5.7            | 959                 | 53    | 6.19   | 7.20    | 0.72    | 2.56   | 38.5   | 38.2   | 0.313        |                 |        | 10           |
| 12-Aug-06  | - Day 0  |                    |                |                     |       |        |         |         |        |        |        |              |                 |        |              |
| PU 2-6     | 26.7     | 72.3               | 90.1           | 1236                | 408   | 7.16   |         |         |        |        |        |              |                 |        | <0.1         |
| PU 2-7     | 37.2     | 89.3               | 70.7           | 1423                | 385   | 7.26   |         |         |        |        |        |              |                 |        | <0.1         |
| PU 2A      | 50.7     | < 0.02             | 50.8           | 800                 | 240   | 7.19   |         |         |        |        |        |              |                 |        |              |
| PU 2B      | 53.1     | < 0.02             | 39.6           | 875                 | 57    | 7      |         |         |        |        |        |              |                 |        | 1            |
| PU 2C      | 82.5     | < 0.02             | 31.5           | 1102                | -20   | 6.68   |         |         |        |        |        |              |                 |        | 2            |
| PU 3-6     | 75.1     | < 0.02             | 14.7           | 1032                | 18    | 6.65   |         |         |        |        |        |              |                 |        |              |
| PU 4-1.6   | 84.3     | < 0.02             | 13.7           | 1115                | -31   | 6.48   |         |         |        |        |        |              |                 |        | 3            |
| PU 5-1.3   | 62.7     | < 0.02             | 2.3            | 964                 | -12   | 6.38   |         |         |        |        |        |              |                 |        | 3            |
| PU 6-2     | 56.6     | < 0.02             | 4.2            | 954                 | 22    | 6.22   |         |         |        |        |        |              |                 |        | >10          |
| 13-Aug-06  |          |                    |                |                     |       |        |         |         |        |        |        |              |                 |        | 1            |
| PU 2-6     | 28.0     | 76.6               | 96.4           | 1289                | 315   | 7.17   |         |         |        |        |        |              | >>5             | 2      |              |
| PU 2-7     | 37.4     | 97.2               | 59.8           | 1504                | 300   | 7.21   |         |         |        |        |        |              | >>5             |        | <0.1         |
| PU 2A      | 43.2     | < 0.02             | 41.3           | 778                 | 225   | 7.16   |         |         |        |        |        |              | <0.1            | <1     |              |
| PU 2B      | 50.6     | < 0.02             | 25.8           | 869                 | -11   | 6.92   |         |         |        |        |        |              |                 |        | 1            |
| PU 2C      | 73.4     | < 0.02             | 2.8            | 1053                | -37   | 6.65   |         |         |        |        |        |              |                 |        |              |
| PU 3-6     | 70.9     | < 0.02             | 2.5            | 1002                | 7     | 6.55   |         |         |        |        |        |              |                 |        | 10           |
| PU 4-1.6   | 82.6     | < 0.02             | 7.5            | 1087                | -40   | 6.38   |         |         |        |        |        |              |                 |        | -            |
| PU 5-1.3   | 61.0     | < 0.02             | 1.2            | 951                 | -20   | 6.27   |         |         |        |        |        |              |                 |        | 3            |
| PU 6-2     | 55.5     | < 0.02             | 0.2            | 903                 | 2     | 6.16   |         |         |        |        |        |              |                 |        | -            |
|            |          |                    | v              |                     |       |        | 1       | 1       | 1      |        |        |              | L               | l      | L            |

Table B2: Detailed geochemistry of Zorra barrier transect during August decreased flow experiment. Downgradient tile was closed on August 11-12, 2006 and open August 13-18, 2006. "Cmt" values are data collected using Chemets colourimetric field test kits.

Table B2 (con't)

|           | Cl <sup>-</sup><br>(mg/L) | NO <sub>3</sub> -N<br>(mg/L) | SO₄<br>(mg/L) | EC<br>(µS) | Eh<br>(mV) | pН   | Fe<br>(mg/L) | Mn<br>(mg/L) | NH <sub>4</sub> -N<br>(mg/L) | DC<br>(mg/L) | DOC<br>(mg/L) | DIC<br>(mg/L) | Cmt<br>NO <sub>3</sub><br>(mg/L) | Cmt<br>DO<br>(mg/L) | Cmt<br>Fe<br>(mg/L) |
|-----------|---------------------------|------------------------------|---------------|------------|------------|------|--------------|--------------|------------------------------|--------------|---------------|---------------|----------------------------------|---------------------|---------------------|
| 14-Aug-06 | - Day 2                   |                              |               |            |            |      |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2-6    | 28.8                      | 83.5                         | 102.6         | 1294       | 381        | 7.1  |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2-7    | 37.3                      | 102.4                        | 70.6          | 1411       | 376        | 7.2  |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2A     | 47.2                      | 0.61                         | 45.6          | 787        | 222        | 7.16 |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2B     | 50.3                      | < 0.02                       | 26.0          | 845        | 6          | 6.92 |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2C     | 70.6                      | < 0.02                       | 0.7           | 985        | -44        | 6.64 |              |              |                              |              |               |               |                                  |                     |                     |
| PU 3-6    | 69.2                      | < 0.02                       | 0.8           | 956        | 12         | 6.6  |              |              |                              |              |               |               |                                  |                     |                     |
| PU 4-1.6  | 82.3                      | < 0.02                       | 4.6           | 1068       | -37        | 6.37 |              |              |                              |              |               |               |                                  |                     |                     |
| PU 5-1.3  | 62.3                      | < 0.02                       | 1.4           | 947        | -20        | 6.26 |              |              |                              |              |               |               |                                  |                     |                     |
| PU 6-2    | 54.3                      | < 0.02                       | 0.08          | 881        | 72         | 6.24 |              |              |                              |              |               |               |                                  |                     |                     |
| 16-Aug-06 | - Day 4                   |                              |               |            |            |      |              |              |                              |              |               |               |                                  |                     |                     |
| PU 2-7    | 32.5                      | 99.4                         | 60.2          | 1387       | 374        | 7.21 |              |              | 5.71                         | 4.46         | 4.46          | 0             |                                  |                     |                     |
| PU 2A     | 41.2                      | 0.74                         | 38.6          | 800        | 218        | 7.15 |              |              | 0.37                         | 16.6         | 9.84          | 6.72          |                                  |                     |                     |
| PU 2B     | 49.2                      | 0.05                         | 28.1          | 828        | 18         | 6.92 |              |              | 0.77                         | 14.2         | 11.7          | 2.49          |                                  |                     |                     |
| PU 2C     | 66.3                      | < 0.02                       | 0.9           | 975        | -41        | 6.58 |              |              | 2.78                         | 27.8         | 27.4          | 0.353         |                                  |                     |                     |
| PU 3-6    | 65.6                      | < 0.02                       | 0.4           | 988        | 29         | 6.61 |              |              | 2.94                         | 30.3         | 30.3          | 0             |                                  |                     |                     |
| PU 4-1.6  | 80.2                      | < 0.02                       | 1.6           | 1066       | -34        | 6.19 |              |              | 4.17                         | 47.9         | 47.5          | 0.36          |                                  |                     |                     |
| PU 5-1.3  | 64.1                      | < 0.02                       | 0.4           | 965        | -24        | 6.11 |              |              | 2.81                         | 52.1         | 52.1          | 0             |                                  |                     |                     |
| PU 6-2    | 54.5                      | < 0.02                       | 0.14          | 881        | 34         | 6.01 |              |              | 2.13                         | 54.5         | 53.9          | 0.605         |                                  |                     |                     |
| 18-Aug-06 | - Day 6                   |                              |               |            |            |      | -            |              | -                            |              |               | -             | -                                |                     |                     |
| PU 2-7    | 37.1                      | 111.8                        | 68.2          | 1461       | 347        | 7.06 | 0.22         | 0.01         | 14.23                        | 7.1          | 7.1           | 0             |                                  |                     |                     |
| PU 2A     | 38.3                      | 0.33                         | 35.1          | 740        | 241        | 7.1  | 0.44         | 0.47         | 0.25                         | 10.3         | 10.3          | 0             |                                  |                     |                     |
| PU 2B     | 45.1                      | < 0.02                       | 27.0          | 825        | 25         | 6.92 | 1.24         | 3.26         | 0.57                         | 9.34         | 8.85          | 0.495         |                                  |                     |                     |
| PU 2C     | 64.5                      | < 0.02                       | 4.4           | 979        | -41        | 6.59 | 1.15         | 1.23         | 3.37                         | 24.4         | 23.9          | 0.457         |                                  |                     |                     |
| PU 3-6    | 65.6                      | < 0.02                       | 1.5           | 962        | 26         | 6.54 | 6.49         | 4.10         | 4.22                         | 19.7         | 19.3          | 0.349         |                                  |                     |                     |
| PU 4-1.6  | 81.7                      | < 0.02                       | 4.6           | 1114       | -37        | 6.29 | 2.13         | 1.30         | 4.32                         | 41.7         | 41.3          | 0.408         |                                  |                     |                     |
| PU 5-1.3  | 63.0                      | < 0.02                       | 1.5           | 995        | -21        | 6.12 | 3.49         | 1.02         | 2.17                         | 53.3         | 52.8          | 0.5           |                                  |                     |                     |
| PU 6-2    | 54.6                      | < 0.02                       | 0.3           | 861        | 31         | 6.01 | 6.12         | 1.13         | 1.46                         | 52.3         | 51.7          | 0.639         |                                  |                     |                     |

Table B3 – Detailed geochemistry of Zorra barrier transect during the November enhanced flow experiment. Upgradient and downgradient tile lines were closed for November 22, 2006 sampling and open on November 23-29, 2006 sampling. Data from November 29, 2006 used for PHREEQCI modeling.

|           |         | INELQ              |        | -    |      |      | _        |              | <u> </u> |        |              | <b>.</b> |
|-----------|---------|--------------------|--------|------|------|------|----------|--------------|----------|--------|--------------|----------|
|           | CI      | NO <sub>3</sub> -N |        | EC   | Eh   | pН   | Fe       | Mn<br>(mg/l) | Ca       | K      | Mg<br>(mg/l) | Na       |
|           | (mg/L)  | (mg/L)             | (mg/L) | (µS) | (mV) | •    | (IIIg/L) | (mg/L)       | (mg/L)   | (mg/L) | (mg/L)       | (mg/L)   |
| 22-Nov-06 |         |                    |        |      |      |      |          |              |          |        |              |          |
| PU 2-7    | 31.4    | 106.5              | 88.3   | 784  | 475  | 7.28 | 0.000    | 0.12         | 171.37   | <3.00  | 40.11        | 13.33    |
| PU 2A     | 45.7    | 0.06               | 21.5   | 566  | 90   | 7.24 | 1.875    | 3.16         | 152.48   | 16.5   | 26.94        | 23.48    |
| PU 2B     | 41.7    | < 0.02             | 23.3   | 493  | 74   | 7.15 | 4.311    | 2.99         | 123.67   | 23.16  | 20.63        | 23.94    |
| PU 2C     | 50.7    | < 0.02             | 17.3   | 522  | 20   | 7.2  | 0.575    | 3.14         | 110.1    | 26.57  | 21.46        | 26.71    |
| PU 3-6    | 48.5    | < 0.02             | 22.0   | 533  | 110  | 7.23 | 3.384    | 3.27         | 104.45   | 26.03  | 18.3         | 24.36    |
| PU 4-1.6  | 51.2    | 0.07               | 8.9    | 551  | 52   | 6.53 | 4.338    | 3.21         | 121.46   | 30.02  | 20.93        | 32.61    |
| PU 5-1.3  | 45.1    | < 0.02             | 0.3    | 518  | 61   | 6.42 | 5.629    | 2.89         | 184.6    | 24.3   | 21.19        | 27.74    |
| PU 6-2    | 42.9    | 0.13               | 0.6    | 528  | 74   | 6.41 | 5.856    | 2.31         | 134.05   | 19.74  | 18.5         | 25.88    |
| 00 Nov 00 | Devid   |                    |        |      |      |      |          |              |          |        |              |          |
| 23-Nov-06 | -       | 40.0               | 440.0  |      |      |      |          |              |          |        |              |          |
| PU 93     | 177.7   | 16.9               | 148.8  | 705  | 070  | 6.00 |          |              |          |        |              |          |
| PU 2-7    | 40.7    | 107.5              | 90.2   | 795  | 373  | 6.98 |          |              |          |        |              |          |
| PU 2A     | 102.1   | 8.82               | 96.8   | 724  | 245  | 6.82 |          |              |          |        |              |          |
| PU 2B     | 58.4    | 0.59               | 43.3   | 499  | 40   | 6.9  |          |              |          |        |              |          |
| PU 2C     | 157.4   | 13.8               | 141.3  | 904  | 245  | 6.76 |          |              |          |        |              |          |
| PU 3-6    | 144.9   | 11.8               | 128.6  | 777  | 164  | 6.98 |          |              |          |        |              |          |
| PU 4-1.6  | 134.0   | 7.57               | 102.9  | 776  | 64   | 6.8  |          |              |          |        |              |          |
| PU 5-1.3  | 101.7   | 3.93               | 82.9   | 694  | 13   | 6.73 |          |              |          |        |              |          |
| PU 6-2    | 88.7    | 1.77               | 57.8   | 664  | 61   | 6.44 |          |              |          |        |              |          |
| 25-Nov-06 |         | 1                  | r      | 1    |      |      |          |              | r        |        |              | 1        |
| PU 93     | 141.0   | 17.3               | 142.8  | 880  | 260  | 6.79 | 0.447    | 1.36         | 225.06   | 110.73 | 42.71        | 56.21    |
| PU 2-7    | 44.6    | 91.4               | 86.7   | 729  | 474  | 7.17 | 0.147    | 0.07         | 198.57   | <3.00  | 42.32        | 14.95    |
| PU 2A     | 84.0    | 7.74               | 89.5   | 711  | 304  | 6.89 | 0.375    | 2.34         | 166.2    | 54.9   | 26.76        | 35.92    |
| PU 2B     | 38.6    | < 0.02             | 40.9   | 379  | 73   | 7.01 | 3.329    | 2.55         | 97.17    | 15.19  | 16.37        | 21.41    |
| PU 2C     | 135.2   | 12.4               | 149.5  | 771  | 146  | 6.81 | 2.293    | 1.66         | 180.6    | 98.76  | 37.25        | 49.88    |
| PU 3-6    | 121.1   | 10.2               | 131.9  | 786  | 129  | 6.82 | 4.565    | 2.37         | 223.26   | 86.8   | 37.09        | 48.37    |
| PU 4-1.6  | 105.3   | 4.44               | 116.1  | 709  | 153  | 6.89 | 2.275    | 2.22         | 158.37   | 72.56  | 36.43        | 43.58    |
| PU 5-1.3  | 99.0    | 0.41               | 95.3   | 642  | 27   | 6.85 | 3.202    | 2.74         | 145.15   | 58.2   | 30.53        | 40.16    |
| PU 6-2    | 96.6    | 0.89               | 94.7   | 662  | 166  | 6.68 | 8.729    | 3.04         | 147.45   | 60.19  | 31.14        | 41.23    |
| 27-Nov-06 | - Day 5 | 1                  | n      |      |      |      | T        | -            |          | 1      |              |          |
| PU 93     | 193.4   | 19.2               | 152.1  | 880  | 224  | 6.92 |          |              |          |        |              |          |
| PU 2-7    | 31.4    | 91.7               | 78.7   | 718  | 478  | 7.25 |          |              |          |        |              |          |
| PU 2A     | 116.0   | 8.93               | 138.9  | 689  | 353  | 6.98 |          |              |          |        |              |          |
| PU 2B     | 38.8    | 0.92               | 38.8   | 382  | 139  | 7.1  |          |              |          |        |              |          |
| PU 2C     | 134.6   | 14.1               | 147.1  | 799  | 254  | 6.95 |          |              |          |        |              |          |
| PU 3-6    | 94.7    | 11.3               | 98.6   | 786  | 186  | 6.95 |          |              |          |        |              |          |
| PU 4-1.6  | 89.2    | 1.65               | 101.7  | 688  | 230  | 7.04 |          |              |          |        |              |          |
| PU 5-1.3  | 76.1    | < 0.02             | 81.8   | 628  | 66   | 6.98 |          |              |          |        |              |          |
| PU 6-2    | 82.9    | < 0.02             | 82.7   | 659  | 25   | 6.8  |          |              |          |        |              |          |

Table B3 (con't)

| r         |         |                    |        | -    |      |      |        |        | 1      | 1      |        |        |        |        |
|-----------|---------|--------------------|--------|------|------|------|--------|--------|--------|--------|--------|--------|--------|--------|
|           | Cl      | NO <sub>3</sub> -N | $SO_4$ | EC   | Eh   | pН   | Fe     | Mn     | Са     | K      | Mg     | Na     | DOC    | DIC    |
|           | (mg/L)  | (mg/L)             | (mg/L) | (µS) | (mV) | рп   | (mg/L) |
| 29-Nov-06 | ∂ - Day | 7                  |        |      |      |      |        |        |        |        |        |        |        |        |
| PU 93     | 160.8   | 20.7               | 170.7  | 936  | 218  | 6.86 | 0.138  | 1.49   | 245.39 | 133.37 | 44.57  | 59.31  | 75.0   | 95.8   |
| PU 2-7    | 32.6    | 90.1               | 84.8   | 713  | 510  | 6.82 | 0.011  | 0.09   | 163.33 | <3.00  | 44.72  | 14.83  | 3.2    | 46.2   |
| PU 2A     | 90.2    | 8.99               | 97.5   | 644  | 415  | 6.84 | 0.000  | 2.64   | 175.58 | 60.73  | 27.92  | 38.63  |        |        |
| PU 2B     | 43.9    | 2.57               | 47.3   | 426  | 289  | 6.93 | 3.338  | 2.41   | 112.33 | 16.17  | 18.66  | 22.53  |        |        |
| PU 2C     | 135.2   | 11.0               | 152.9  | 816  | 335  | 6.79 | 0.284  | 1.79   | 178.98 | 103.99 | 35.76  | 48.03  | 57.7   | 53.6   |
| PU 3-6    | 119.4   | 7.68               | 131.7  | 814  | 265  | 6.8  | 4.420  | 2.78   | 212.67 | 88.76  | 34.04  | 45.93  | 47.9   | 83.1   |
| PU 4-1.6  | 125.7   | 3.68               | 111.9  | 699  | 320  | 6.64 | 1.347  | 2.4    | 151.28 | 75.08  | 33.25  | 46.16  | 37.6   | 98.0   |
| PU 5-1.3  | 91.6    | < 0.02             | 100.4  | 640  | 45   | 6.64 | 1.865  | 2.31   | 177.66 | 65.84  | 31.53  | 41.54  | 34.9   | 42.9   |
| PU 6-2    | 87.8    | < 0.02             | 93.2   | 654  | 35   | 6.72 | 8.529  | 2.61   | 169.7  | 59.04  | 29.46  | 38.83  | 35.7   | 93.1   |

|          | November 28, 2004 | December<br>1-4, 2004 | December<br>16, 2004 |      | January 29, 2005 | June 2             | 27-28, | 2005            | May 3,<br>2005     | July 7             | , 2005          | Septembe           | er 1, 2008 |
|----------|-------------------|-----------------------|----------------------|------|------------------|--------------------|--------|-----------------|--------------------|--------------------|-----------------|--------------------|------------|
|          |                   | ,                     | NO <sub>3</sub> -N   | ,    | -,               | NO <sub>3</sub> -N | Cl     | SO <sub>4</sub> | NO <sub>3</sub> -N | NO <sub>3</sub> -N | SO <sub>4</sub> | NO <sub>3</sub> -N | Cl         |
| PU 1-2   | 6                 |                       |                      | 17   |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 1-3   | 16                |                       |                      | 1.4  |                  |                    |        |                 | 7                  |                    |                 |                    |            |
| PU 1-4   | 58                | 1.3                   |                      |      | 13               |                    |        |                 |                    |                    |                 |                    |            |
| PU 1-5   | 72                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 1-6   |                   |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 1-7   | 83                |                       |                      |      |                  |                    |        |                 | 85                 |                    |                 |                    |            |
| PU 1-8   | 97                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 1-9   | 93                |                       |                      |      |                  |                    |        |                 | 110                |                    |                 |                    |            |
| PU 2-1.3 |                   |                       |                      | 10.2 |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 2-2   | 40                |                       |                      |      |                  | 16                 | 9.8    | 5.3             |                    |                    |                 |                    |            |
| PU 2-3   | 69                | 0.8                   |                      |      |                  | 28                 | 16     | 8.3             |                    |                    |                 |                    |            |
| PU 2-4   | 80                | 1                     |                      |      |                  | 46.4               | 5.5    | 9.4             |                    |                    |                 |                    |            |
| PU 2-5   | 85                |                       |                      |      |                  | 61.2               | 13.3   | 20.2            |                    |                    |                 |                    |            |
| PU 2-6   | 83                |                       |                      |      |                  | 93.3               |        | 19.4            |                    |                    |                 |                    |            |
| PU 2-7   | 99                |                       |                      |      |                  | 106.8              | 27.8   | 22.6            |                    |                    |                 |                    |            |
| PU 2-8   |                   |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 2-9   | 68                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 3-4   | 31                |                       |                      |      |                  | 0.02               | 36     | 0.6             |                    |                    |                 |                    |            |
| PU 3-5   | 7                 | 0.2                   |                      | 0.3  | 0.31             | 0.11               | 35.5   | 0.5             |                    |                    |                 |                    |            |
| PU 3-6   | 0.3               |                       |                      |      |                  | 0.01               | 36.5   |                 |                    |                    |                 |                    |            |
| PU 3-7   | 0.1               |                       |                      |      |                  | 0.01               | 23.2   |                 |                    |                    |                 |                    |            |
| PU 3-8   | 47                |                       |                      |      |                  | 11.7               | 12.1   | 6.1             |                    |                    |                 |                    |            |
| PU 3-9   | 78                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 3-10  | 83                |                       |                      |      |                  | 41.8               | 9.7    |                 |                    |                    |                 |                    |            |
| PU 3-11  | 55                |                       |                      |      |                  | 95.6               | 22.4   | 21.8            |                    |                    |                 |                    |            |
| PU 3-12  | 48                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 3-13  | 63                |                       |                      |      |                  | 91.1               | 23.5   | 19.4            |                    |                    |                 |                    |            |
| PU 3-14  | 77                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |
| PU 3-15  | 46                |                       |                      |      |                  |                    |        |                 |                    |                    |                 |                    |            |

Table B4 – Geochemistry at Zorra site prior to April 2006. Some data from Robertson et al. (2007). All values are in mg/L, n.d. = not detected.

Table B4 (con't)

|          | November 28, 2004 |           | December<br>16, 2004 | December 21, 2004 | January<br>29, 2005 | June 2             | 7-28, | 2005            | May 3,<br>2005 |      | y 7,<br>05 | Septembe           | er 1, 2005 |
|----------|-------------------|-----------|----------------------|-------------------|---------------------|--------------------|-------|-----------------|----------------|------|------------|--------------------|------------|
|          | 20, 2001          | 1 1, 2001 | NO <sub>3</sub> -N   | 21, 2001          | 20, 2000            | NO <sub>3</sub> -N | Cl    | SO <sub>4</sub> |                |      |            | NO <sub>3</sub> -N | Cl         |
| PU 4-1.1 | 0.2               |           |                      |                   |                     |                    |       |                 |                | 0.01 | 0.4        |                    |            |
| PU 4-1.4 | 0.1               |           |                      |                   |                     |                    |       |                 |                | 0.01 | 0.06       |                    |            |
| PU 4-1.7 | 0.1               |           |                      |                   |                     |                    |       |                 |                | 0.01 | 0.05       |                    |            |
| PU 4-2.0 | 0.1               |           |                      |                   |                     |                    |       |                 |                | 11.9 | 26         |                    |            |
| PU 4-2.3 | 8                 |           |                      |                   |                     |                    |       |                 |                |      |            | 12                 |            |
| PU 4-2.6 | 58                |           |                      |                   |                     |                    |       |                 |                | 17.5 | 20.9       |                    |            |
| PU 4-2.9 | 13                |           |                      |                   |                     |                    |       |                 |                | 47.6 | 59.7       |                    |            |
| PU 5-1.3 | 0.1               |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 5-1.6 | 0.1               |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 5-1.9 | 0.1               |           |                      |                   |                     | 6.7                | 23.2  | 9.9             |                |      |            |                    |            |
| PU 5-2.2 | 0.1               |           |                      |                   |                     | <0.01              | 50.9  | 0.1             |                |      |            |                    |            |
| PU 5-2.5 | 0.1               |           |                      |                   |                     |                    |       |                 |                |      |            | 0.13               |            |
| PU 6-2   | 6                 |           | 0.2                  |                   | 0.38                | 3.1                | 1.1   | 1.2             |                |      |            |                    |            |
| PU 6-3   | 0.1               | 16        |                      |                   |                     | 0.01               | 37.1  | 0.2             |                |      |            |                    |            |
| PU 6-4   | 0.1               |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 6-5   | 0.1               |           |                      |                   |                     | 0.01               | 47.4  | 0.2             |                |      |            |                    |            |
| PU 6-6   | 0.1               |           |                      |                   |                     | 0.63               | 26.4  | 2.6             |                |      |            |                    |            |
| PU 6-7   | 2                 |           |                      |                   |                     | 14.9               |       | 6.8             |                |      |            |                    |            |
| PU 6-8   | 57                |           |                      |                   |                     | 76.6               | 14.9  | 19.2            |                |      |            |                    |            |
| PU 6-9   |                   |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 6-10  |                   |           |                      |                   |                     |                    |       |                 |                |      |            | 81.3               |            |
| PU 7-2   | 2                 |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 7-3   | 0.1               |           |                      |                   | 0.4                 | 0.02               | 34.6  | 7               |                |      |            |                    |            |
| PU 7-4   | 0.1               |           |                      |                   |                     |                    |       |                 |                |      |            |                    |            |
| PU 7-5   | 0.1               |           |                      |                   |                     | 0.01               | 30    | 9.1             |                |      |            |                    |            |
| PU 7-6   | 0.1               |           |                      |                   |                     | 6.9                | 22.2  | 6.6             |                |      |            |                    |            |
| PU 7-7   | 50                |           |                      |                   |                     | 55                 | 16    | 12.6            |                |      |            |                    |            |
| PU 7-8   | 51                |           |                      |                   |                     | 87.8               | 28.8  | 20.1            |                |      |            |                    |            |
| PU 7-9   |                   |           |                      |                   |                     | < 0.01             | 46.4  |                 |                |      |            | 91.6               |            |
| PU 7-10  | 0.4               |           |                      | I                 |                     | <0.01              | 53.1  | 8               |                |      |            |                    |            |

Table B4 (c<u>on't)</u>

|           | November | December<br>1-4, 2004 | December<br>16, 2004 | December 21, 2004 | January<br>29, 2005 | June 2             | 7-28, | 2005   | May 3,<br>2005 | July<br>20 | Septembe           | er 1, 2005 |
|-----------|----------|-----------------------|----------------------|-------------------|---------------------|--------------------|-------|--------|----------------|------------|--------------------|------------|
|           |          | ,                     | NO <sub>3</sub> -N   |                   | ,                   | NO <sub>3</sub> -N | Cl    | $SO_4$ |                |            | NO <sub>3</sub> -N | Cl         |
| PU 8-1.4  | 3        | 13                    | 7.7                  |                   | 0.36                |                    |       |        |                |            |                    |            |
| PU 8-1.7  | 0.1      |                       |                      |                   |                     | 0.01               | 33.1  | 2.9    |                |            |                    |            |
| PU 8-2.1  | 0.1      |                       |                      |                   | 1.5                 | 0.01               | 43.7  | 0.4    |                |            |                    |            |
| PU 8-2.5  | 0.3      |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 9-1    | 0.2      |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 9-2    | 26       |                       |                      |                   |                     | 0.01               | 46.2  | 0.3    |                |            |                    |            |
| PU 9-3    | 0.2      |                       |                      |                   | 0.41                |                    |       |        |                |            |                    |            |
| PU 9-4    | 5        |                       |                      |                   |                     | 0.53               | 23.3  | 4.6    |                |            |                    |            |
| PU 9-5    | 39       |                       |                      |                   |                     | 6.8                | 15.4  | 8.9    |                |            |                    |            |
| PU 9-6    | 80       |                       |                      |                   |                     | 84.3               | 23.4  | 19.4   |                |            |                    |            |
| PU 9-7    | 79       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 10-1   | 0.4      |                       |                      |                   |                     | 0.01               | 42.6  | 7.9    |                |            |                    |            |
| PU 10-2   | 8        |                       |                      |                   | 0.58                | 0.02               | 39.9  | 0.3    |                |            |                    |            |
| PU 10-3   | 49       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 10-4   | 34       |                       |                      |                   | 44                  | 0.01               | 30.9  | 0.5    |                |            |                    |            |
| PU 10-5   | 19       |                       |                      |                   |                     | 0.59               | 21.3  | 2.5    |                |            |                    |            |
| PU 10-6   | 25       |                       |                      |                   |                     |                    |       |        |                |            | 14.8               |            |
| PU 10-7   | 60       |                       |                      |                   |                     | 40.9               | 15.5  | 15.5   |                |            |                    |            |
| PU 10-8   |          |                       |                      |                   |                     | 93.3               | 29.5  | 22.6   |                |            |                    |            |
| PU 10-9   | 83       |                       |                      |                   |                     | 94.6               | 45.1  | 21.5   |                |            |                    |            |
| PU 10-10  | 59       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 11-1.2 |          |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 11-1.4 | 31       |                       |                      |                   | 0.47                |                    |       |        |                |            |                    |            |
| PU 11-1.6 | 30       |                       |                      |                   |                     | 19                 | 28.3  | 9.2    |                |            |                    |            |
| PU 11-1.8 | 18       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 11-2.0 | 16       |                       |                      |                   |                     | 10.6               | 21.3  | 7.7    |                |            |                    |            |
| PU 11-2.2 | 27       | 17                    |                      |                   | 34.6                | 17.8               | 22.2  | 9.1    |                |            |                    |            |
| PU 11-2.4 | 43       |                       |                      |                   |                     | 23.8               | 20.4  | 12     |                |            |                    |            |
| PU 11-2.6 | 75       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 11-2.8 |          |                       |                      |                   |                     |                    |       |        |                |            |                    |            |
| PU 11-3.0 | 70       |                       |                      |                   |                     |                    |       |        |                |            |                    |            |

## Table B4 (con't)

|           |    | December<br>1-4, 2004 |                    | ,    | June 2   | 7-28, 2 | 2005   | May 3,<br>2005     | July<br>20         |        | Septembe           | er 1, 2005 |
|-----------|----|-----------------------|--------------------|------|----------|---------|--------|--------------------|--------------------|--------|--------------------|------------|
|           |    |                       | NO <sub>3</sub> -N |      | $NO_3-N$ | Cl      | $SO_4$ | NO <sub>3</sub> -N | NO <sub>3</sub> -N | $SO_4$ | NO <sub>3</sub> -N | Cl         |
| PU 13-1.3 | 13 |                       |                    | 2.3  |          |         |        |                    |                    |        |                    |            |
| PU 13-1.6 | 19 |                       | 11.2               | 30.8 |          |         |        |                    |                    |        |                    |            |
| PU 13-1.9 | 40 |                       |                    |      |          |         |        |                    |                    |        |                    |            |
| PU 13-2.2 | 64 |                       |                    |      |          |         |        |                    |                    |        |                    |            |
| PU 13-2.5 | 74 |                       |                    |      |          |         |        |                    |                    |        |                    |            |
| PU 13-2.8 | 65 |                       |                    |      |          |         |        |                    |                    |        |                    |            |
| PU 13-3.0 | 59 |                       |                    |      |          |         |        |                    |                    |        |                    |            |

## Appendix C

Water level measurements, Zorra site, June 2005-May 2007.

Table C1 – Hydraulic head values at Zorra site during June 2005-May 2007, relative to arbitrary datum. Monitoring well locations are shown on Figs 4 and 7 \* values originally from PU 76-1.3, which was washed away in a high water event. Point PU 2-1.3 is 1.3 m below ground surface.

| Hydraulic Head ( |       |          |       |           |       |       |       |          |            |       |       |       |
|------------------|-------|----------|-------|-----------|-------|-------|-------|----------|------------|-------|-------|-------|
|                  | PU 2  | PU 2-1.3 | PU 2A | PU 76-3.2 | PU 84 | PU 86 | PU 90 | PU 91 4" | PU 91 1/2" | PU 93 | PU 94 | PU 96 |
|                  |       |          |       |           |       |       |       |          |            |       |       |       |
| 23-Jun-05        |       |          |       | 846       |       |       |       |          |            |       |       |       |
| 08-Sep-05        | 853   |          |       |           |       |       |       |          |            |       |       |       |
| 15-Sep-05        | 854   |          |       | 840       |       |       |       |          |            |       |       |       |
| 19-Sep-05        | 855   |          |       |           |       |       |       |          |            |       |       |       |
| 03-Oct-05        | 869   |          |       | 857       |       |       |       |          |            |       |       |       |
| 21-Nov-05        | 892   |          |       | 895       |       |       |       |          |            |       |       |       |
| 06-Dec-05        | 925   |          |       | 877*      |       |       |       |          |            |       |       |       |
| 13-Dec-05        | 906   |          |       | 858*      |       |       |       |          |            |       |       |       |
| 26-Mar-06        | 941   |          |       | 878*      |       |       |       |          |            |       |       |       |
| 05-Apr-06        | 932   |          |       | 864*      |       |       |       |          |            |       |       |       |
| 09-Apr-06        | 928   |          |       | 867*      |       |       |       |          |            |       |       |       |
| 14-Apr-06        |       | 937.5    |       | 896       | 929   | 917.5 | 916.5 |          |            |       |       |       |
| 17-Apr-06        |       | 929      |       | 885.5     | 925   | 915.5 | 915   |          |            |       |       |       |
| 26-Apr-06        |       | 927.5    |       | 885       | 925   | 915   | 914.5 |          |            |       |       |       |
| 2-May-06 (2pm)   | 912   | 914      |       | 864       | 913   | 903.5 | 902.5 |          |            |       |       |       |
| 3-May-06         | 907   | 907.1    |       | 860.5     | 903.7 | 903.9 | 903   |          |            |       |       |       |
| 4-May-06         | 905.9 | 905.7    |       | 852.7*    | 904.2 | 904.5 | 903.8 |          |            |       |       |       |
| 8-May-06         | 897.6 | 898.6    |       | 854.9     | 896.7 | 896.3 | 896.1 |          |            |       |       |       |
| 15-May-06        | 898.6 | 899.3    |       | 866.4     | 898.4 | 898.6 | 897.7 |          |            |       |       |       |
| 17-May-06        | 906.5 | 907      |       | 886.4     | 905.7 | 905.7 | 905.2 |          |            |       |       |       |
| 19-May-06        | 909.7 | 909.8    |       | 892.9     | 909   | 909.1 | 908.1 |          |            |       |       |       |
| 21-May-06        | 905.6 | 906      |       | 875.5     | 904.9 | 905.2 | 904.2 |          |            |       |       |       |
| 26-May-06        | 900.1 | 899.7    |       | 861.7     | 898.5 | 898.7 | 897.7 |          |            |       |       |       |
| 29-May-06        | 892   | 892.4    |       | 854.5     | 890.8 | 890.8 | 890.5 |          |            |       |       |       |
| 31-May-06        | 889   | 889.6    |       | 854.2     | 887.8 | 888   | 887.4 |          |            |       |       |       |
| 1-Jun-06         | 895   | 894.5    |       | 858.7     | 893.2 | 893.2 | 892.7 |          |            |       |       |       |
| 5-Jun-06         | 931   | 928.4    |       | 917.2     | 923.9 | 923.8 | 921.6 |          |            |       |       |       |
| 14-Jun-06        | 900.1 | 901.1    |       | 863.3     | 897.8 | 897.9 | 897   |          |            |       |       |       |

| Table C1 (con't)   |       |       |       |       |       |       |       |       |       |       |       |       |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 15-Jun-06          | 897.3 | 898   |       | 858.4 | 894.7 | 894.8 | 893.8 |       |       |       |       |       |
| 16-Jun-06          | 892.7 | 894.2 |       | 854.5 | 889.1 | 891.7 | 890.7 |       |       |       |       |       |
| 26-Jun-06          | 877.5 | 878.5 |       | 846.6 | 877   | 876.9 | 876.7 |       |       |       |       |       |
| 27-Jun-06          | 877.4 | 878.7 |       | 848.4 | 876.4 | 876.3 | 876.4 |       |       |       |       |       |
| 28-Jun-06          | 876.4 | 877   |       | 846.4 | 877.9 | 875.1 | 875   |       |       |       |       |       |
| 29-Jun-06          | 875   | 876.8 |       | 847.8 | 875.8 | 875.1 | 874.8 |       |       |       |       |       |
| 30-Jun-06          | 874.7 | 875.8 |       | 845.6 |       | 873.5 | 874.8 |       |       |       |       |       |
| 1-Jul-06           | 874.8 | 873.8 |       | 843.8 |       | 872.1 | 872.2 |       |       |       |       |       |
| 3-Jul-06           | 872.7 | 870.8 |       | 843.1 |       | 869.3 | 868.9 |       |       |       |       |       |
| 5-Jul-06           | 868.4 | 870.4 |       | 855.3 |       | 865.2 | 865.3 |       |       |       |       |       |
| 6-Jul-06           | 867   | 870.4 |       | 842.4 |       | 864.2 | 863.9 |       |       |       |       |       |
| 7-Jul-06           | 866   | 867.3 |       | 842   |       | 863.9 | 862.9 |       |       |       |       |       |
| 8-Jul-06           | 865   | 866   |       | 841.8 | 864.4 | 864.5 | 864.4 |       |       |       |       |       |
| 9-Jul-06           | 863.6 | 864.8 |       | 840.5 | 863.4 | 863.5 | 863.5 |       |       |       |       |       |
| 17-Jul-06          | 873   | 874.4 |       | 853.2 | 873.9 | 871.9 | 872.7 |       |       |       |       |       |
| 19-Jul-06 (9am)    | 868.4 | 869.6 |       | 848.8 | 868.4 | 865.7 | 865.9 |       |       |       |       |       |
| 19-Jul-06 (3:30pm) | 867.9 | 869   |       | 848.5 | 867.8 | 865.1 | 864.6 |       |       |       |       |       |
| 19-Jul-06 (9pm)    | 866.7 | 867.9 |       | 847.8 | 866.3 | 867.1 | 866.5 |       |       |       |       |       |
| 20-Jul-06          | 866.4 | 868.3 |       | 848   | 866.2 | 866.6 | 866.3 |       |       |       |       |       |
| 25-Jul-06          | 868.8 | 870.4 |       | 858.8 | 869.4 | 868.9 | 869.2 |       |       |       |       |       |
| 6-Aug-06           | 925.8 | 926.9 |       | 870.8 | 932.1 | 912.6 | 911.2 |       |       |       |       |       |
| 7-Aug-06           | 922.7 | 922.2 |       | 867.3 | 924   | 906.7 | 905.7 |       |       |       |       |       |
| 8-Aug-06           | 914.8 | 914.6 |       | 872.8 | 909.2 | 909.3 | 906.1 |       |       |       |       |       |
| 9-Aug-06           | 911.3 | 911   |       | 867.7 | 905.6 | 905.7 | 903.4 |       |       |       |       |       |
| 10-Aug-06          | 912.7 | 907.7 |       | 861.8 | 903.6 | 904.3 | 901.7 |       |       |       |       |       |
| 11-Aug-06          | 905.3 | 904.5 |       | 860.2 | 898.5 | 898.4 | 897.2 |       |       |       |       |       |
| 12-Aug-06          | 906.9 | 901.8 |       | 864.3 | 897.1 | 897.4 | 896.1 |       |       |       |       |       |
| 13-Aug-06          | 899.1 | 900.9 |       | 857.6 | 890.9 | 890.9 | 890.2 |       |       |       |       |       |
| 14-Aug-06          | 897.2 | 898.8 |       | 849.3 | 888.2 | 889.3 | 888.8 |       |       |       |       |       |
| 16-Aug-06          | 895   | 895.5 |       | 858.2 | 887.2 | 886.2 | 885.8 |       |       |       |       |       |
| 18-Aug-06          | 891.3 | 892.6 |       | 858.9 | 969   | 884.5 | 883.9 |       |       |       |       |       |
| 7-Sep-06           |       | 879   |       | 850   |       | 867.5 |       |       |       |       |       |       |
| 3-Oct-06           | 912.2 |       | 914   | 915.3 | 913.7 | 919.2 | 918.1 | 910.5 | 911.2 | 908.4 | 912.6 | 912.3 |
| 10-Oct-06          | 945.7 |       | 946.3 | 915.7 | 946.4 | 927   | 926.5 | 944.6 | 946.5 | 944.6 | 947.3 | 947.7 |
| 16-Oct-06          | 946.2 |       | 950.8 | 927   | 951.5 | 936.7 | 936.2 | 951.6 | 952.8 | 951.9 | 954   | 955.5 |

| Table C1 (con't) |       |          |       |           |       |       |       |          |            |       |       |       |
|------------------|-------|----------|-------|-----------|-------|-------|-------|----------|------------|-------|-------|-------|
|                  | PU 2  | PU 2-1.3 | PU 2A | PU 76-3.2 | PU 84 | PU 86 | PU 90 | PU 91 4" | PU 91 1/2" | PU 93 | PU 94 | PU 96 |
| 3-Oct-06         | 912.2 |          | 914   | 915.3     | 913.7 | 919.2 | 918.1 | 910.5    | 911.2      | 908.4 | 912.6 | 912.3 |
| 10-Oct-06        | 945.7 |          | 946.3 | 915.7     | 946.4 | 927   | 926.5 | 944.6    | 946.5      | 944.6 | 947.3 | 947.7 |
| 16-Oct-06        | 946.2 |          | 950.8 | 927       | 951.5 | 936.7 | 936.2 | 951.6    | 952.8      | 951.9 | 954   | 955.5 |
| 4-Nov-06         | 946   |          | 959   | 906       | 951   | 929.5 | 928.5 |          |            |       | 953   | 984   |
| 14-Nov-06        | 940.5 |          | 938.2 | 887       | 938.8 | 925.1 | 922.9 | 939.5    | 939.5      | 938.8 | 941   | 946.6 |
| 22-Nov-06        | 946.2 |          | 947.7 | 919       | 948   | 927.7 | 926   | 949      | 951.3      | 947.8 | 952.3 | 954   |
| 23-Nov-06        | 944   |          | 933   | 911.8     | 932.8 | 932.9 | 925.9 | 940.2    | 947.3      | 932.8 | 949.2 | 951.6 |
| 25-Nov-06        | 942   |          | 930   | 899.8     | 930.4 | 930.4 | 924.8 | 935.7    | 942        | 930.2 | 944.6 | 946.5 |
| 27-Nov-06        | 938.3 |          | 928   | 892.8     | 928.3 | 928.1 | 923.8 | 933.7    | 937.8      | 927.9 | 940.2 | 942.7 |
| 29-Nov-06        | 935.8 |          | 926.5 | 887.4     | 926.3 | 926.4 | 922.5 | 932.2    | 935.4      | 926   | 937.2 | 939.1 |
| 23-May-07        |       |          | 904.4 | 877.1     | 902.9 | 903   | 898.3 | 906.1    | 910.8      | 902.8 | 916.7 | 914.2 |
| 24-May-07        | 901.5 |          |       | 874.5     | 900   | 900.5 |       |          |            | 898   |       |       |
| 14-Jun-07        | 881.5 |          |       | 872.2     | 878.9 | 878.3 |       | 893      | 893.1      | 880.4 |       | 889.5 |
| 19-Jun-07        | 875.7 |          |       | 872.8     | 874.2 | 875.3 |       |          |            | 874   |       | 884   |
| 26-Jun-07        | 869   |          |       | 874       |       | 948.5 |       |          |            | 867   |       |       |

Table C1 (con't)

| Instantation 0     | fupgradient |          | it PU 2-1.3 1 | s 1.3 m below g | round surface. |         |
|--------------------|-------------|----------|---------------|-----------------|----------------|---------|
| $\Delta$ Head (cm) | PU 2-2 - 76 | PU 84-90 | PU 86-90      | PU 2-1.3 - 86   | PU 2-1.3 - 84  | PU 2-76 |
| 14-Apr-06          |             | 12.5     | 1.0           | 20              | 8.5            |         |
| 17-Apr-06          |             | 10.0     | 0.5           | 13.5            | 4              |         |
| 26-Apr-06          | 50.5        | 10.5     | 0.5           | 12.5            | 2.5            |         |
| 2-May-06 (2pm)     | 52.0        | 10.5     | 1.0           | 10.5            | 1              | 50      |
| 3-May-06           | 54.3        | 0.7      | 0.9           | 3.2             | 3.4            | 54.2    |
| 4-May-06           | 53.0        | 0.4      | 0.7           | 1.2             | 1.5            | 53.2    |
| 8-May-06           | 49.2        | 0.6      | 0.2           | 2.3             | 1.9            | 48.2    |
| 15-May-06          | 35.5        | 0.7      | 0.9           | 0.7             | 0.9            | 34.8    |
| 17-May-06          | 21.1        | 0.5      | 0.5           | 1.3             | 1.3            | 20.6    |
| 19-May-06          | 16.3        | 0.9      | 1.0           | 0.7             | 0.8            | 16.2    |
| 21-May-06          | 33.2        | 0.7      | 1.0           | 0.8             | 1.1            | 32.8    |
| 26-May-06          | 39.2        | 0.8      | 1.0           | 1               | 1.2            | 39.6    |
| 29-May-06          | 34.7        | 0.3      | 0.3           | 1.6             | 1.6            | 34.3    |
| 31-May-06          | 39.7        | 0.4      | 0.6           | 1.6             | 1.8            | 39.1    |
| 1-Jun-06           | 35.6        | 0.5      | 0.5           | 1.3             | 1.3            | 36.1    |
| 5-Jun-06           | 7.7         | 2.3      | 2.2           | 4.6             | 4.5            | 10.3    |
| 14-Jun-06          | 43.3        | 0.8      | 0.9           | 3.2             | 3.3            | 42.3    |
| 15-Jun-06          | 46.3        | 0.9      | 1.0           | 3.2             | 3.3            | 45.6    |
| 16-Jun-06          | 44.4        | -1.6     | 1.0           | 2.5             | 5.1            | 42.9    |
| 26-Jun-06          | 33.9        | 0.3      | 0.2           | 1.6             | 1.5            | 32.9    |
| 27-Jun-06          | 34.6        | 0.0      | -0.1          | 2.4             | 2.3            | 33.3    |
| 28-Jun-06          | 33.2        | 2.9      | 0.1           | 1.9             | -0.9           | 32.6    |
| 29-Jun-06          | 26.4        | 1.0      | 0.3           | 1.7             | 1              | 24.6    |
| 30-Jun-06          | 33.3        |          | -1.3          | 2.3             |                | 32.2    |
| 1-Jul-06           | 30.0        |          | -0.1          | 1.7             |                | 31      |
| 3-Jul-06           | 30.2        |          | 0.4           | 1.5             |                | 32.1    |
| 5-Jul-06           | 28.9        |          | -0.1          | 5.2             |                | 26.9    |
| 6-Jul-06           | 28.9        |          | 0.3           | 6.2             |                | 25.5    |
| 7-Jul-06           | 26.8        |          | 1.0           | 3.4             |                | 25.5    |
| 8-Jul-06           | 25.2        | 0.0      | 0.1           | 1.5             | 1.6            | 24.2    |
| 9-Jul-06           | 25.5        | -0.1     | 0.0           | 1.3             | 1.4            | 24.3    |
| 17-Jul-06          | 24.7        | 1.2      | -0.8          | 2.5             | 0.5            | 23.3    |
| 19-Jul-06 (9am)    | 21.8        | 2.5      | -0.2          | 3.9             | 1.2            | 20.6    |
| 19-Jul-06 (3:30pm) | 20.3        | 3.2      | 0.5           | 3.9             | 1.2            | 19.2    |
| 19-Jul-06 (9pm)    | 21.2        | -0.2     | 0.6           | 0.8             | 1.6            | 20      |
| 20-Jul-06          | 20.3        | -0.1     | 0.3           | 1.7             | 2.1            | 18.4    |
| 25-Jul-06          | 11.5        | 0.2      | -0.3          | 1.5             | 1              | 9.9     |
| 6-Aug-06           | 65.1        | 20.9     | 1.4           | 14.3            | -5.2           | 64      |
| 7-Aug-06           | 64.3        | 18.3     | 1.0           | 15.5            | -1.8           | 64.8    |
| 8-Aug-06           | 57.7        | 3.1      | 3.2           | 5.3             | 5.4            | 57.9    |
| 9-Aug-06           | 55.2        | 2.2      | 2.3           | 5.3             | 5.4            | 55.5    |
| 10-Aug-06          | 52.8        | 1.9      | 2.6           | 3.4             | 4.1            | 57.8    |
| 11-Aug-06          | 50.2        | 1.3      | 1.2           | 6.1             | 6              | 51      |
| 12-Aug-06          | 49.3        | 1.0      | 1.3           | 4.4             | 4.7            | 54.4    |

Table C2 – Difference in hydraulic head between monitoring points at Zorra site before installation of upgradient tile line. Point PU 2-1.3 is 1.3 m below ground surface.

Table C2 (con't)

| 13-Aug-06 | 48.4 | 0.7  | 0.7 | 10   | 10   | 46.6 |
|-----------|------|------|-----|------|------|------|
| 14-Aug-06 | 47.1 | -0.6 | 0.5 | 9.5  | 10.6 | 45.5 |
| 16-Aug-06 | 38.1 | 1.4  | 0.4 | 9.3  | 8.3  | 37.6 |
| 18-Aug-06 | 36.1 | 85.1 | 0.6 | 8.1  |      | 34.8 |
| 7-Sep-06  | 29.0 |      |     | 11.5 |      |      |

| - <b>-</b> - | 0           |          |          |          |          |         |         |          |          |
|--------------|-------------|----------|----------|----------|----------|---------|---------|----------|----------|
|              | Δ Head (cm) | PU 84-90 | PU 86-90 | PU 2A-86 | PU 2A-84 | PU 2-76 | PU91-2A | PU 91-93 | PU 91-2A |
|              | 3-Oct-06    | -4.4     | 1.1      | -5.2     | 0.3      | -3.1    | -3.5    | 2.1      | -1       |
|              | 10-Oct-06   | 19.9     | 0.5      | 19.3     | -0.1     | 30      | -1.7    | 0        | 0.8      |
|              | 16-Oct-06   | 15.3     | 0.5      | 14.1     | -0.7     | 19.2    | 0.8     | -0.3     | 6.6      |
|              | 4-Nov-06    | 22.5     | 1        | 29.5     | 8        | 40      |         |          |          |
|              | 14-Nov-06   | 15.9     | 2.2      | 13.1     | -0.6     | 53.5    | 1.3     | 0.7      | -1       |
|              | 22-Nov-06   | 22       | 1.7      | 20       | -0.3     | 27.2    | 1.3     | 1.2      | 5.1      |
|              | 23-Nov-06   | 6.9      | 7        | 0.1      | 0.2      | 32.2    | 7.2     | 7.4      | 3.3      |
|              | 25-Nov-06   | 5.6      | 5.6      | -0.4     | -0.4     | 42.2    | 5.7     | 5.5      | 0        |
|              | 27-Nov-06   | 4.5      | 4.3      | -0.1     | -0.3     | 45.5    | 5.7     | 5.8      | -0.5     |
|              | 29-Nov-06   | 3.8      | 3.9      | 0.1      | 0.2      | 48.4    | 5.7     | 6.2      | -0.4     |
|              | 23-May-07   | 4.6      | 4.7      | 1.4      | 1.5      |         | 1.7     | 3.3      |          |
|              | 24-May-07   |          |          |          |          | 27      |         |          |          |
|              | 14-Jun-07   |          |          |          |          | 9.3     |         | 12.6     | 11.6     |
|              | 19-Jun-07   |          |          |          |          | 2.9     |         |          |          |
|              | 26-Jun-07   |          |          |          |          | -5      |         |          |          |

Table C3 – Difference in hydraulic head between monitoring points at Zorra site after upgradient tile line installation.